

DX STANDARD DOT SUPPRESSOR HEIGHT SIGHTS FOR GLOCK® - XS SIGHT SYSTEMS DX STD DOT SUPPRESSOR HGT-GLOCK® 17,19,22,24,26,31,36,38

[Handgun Parts](#) > [Sights](#) > [Sight Sets](#)

Suppressor height white line, V-notch rear sight and a white dot front post pull your eye to the front sight in high stress or low light conditions. Presents a very fast, highly visible sight picture to get you on target quickly. Low profile, no-snag design (even the top of the front sight body is rounded) is great for carry and combat competition guns. Matched front and rear sets offer direct replacement of factory sights. Standard Dot gives better long range accuracy.



Attributes

- Name: [XS SIGHT SYSTEMS DX STD DOT SUPPRESSOR HGT-GLOCK® 17,19,22,24,26,31,36,38](#)
- Manufacturer: [XS SIGHT SYSTEMS](#)
- Product no.: 006000187
- Mfr. No.: GL-0004S-1
- Make: Glock
- Model: 23,26,32,36,38,22,27,17,31,33,35,34,24,19
- Delivery weight: 0.277kg
- UPC: 647533044349

Item details

Made in USA

Table of Contents

- Startpage
- DX STANDARD DOT SUPPRESSOR HEIGHT SIGHTS FOR GLOCK® XS SIGHT SYSTEMS Safety Instructions
- About Us

DX STANDARD DOT SUPPRESSOR HEIGHT SIGHTS FOR GLOCK® XS SIGHT SYSTEMS Safety Instructions

Introduction

Thank you for choosing the DX Standard Dot Suppressor Height Sights for Glock® XS Sight Systems. These sights are designed to enhance your shooting accuracy and performance, especially in highstress or lowlight conditions. To ensure safe and effective use of this product, please read and follow these safety instructions carefully.

General Safety Guidelines

- Always use the sights in accordance with the manufacturer's instructions.
- Ensure that the firearm is unloaded before installing or adjusting the sights.
- Use appropriate eye and ear protection when handling firearms.
- Keep the sights and firearm out of reach of children and unauthorized users.
- Regularly inspect the sights for any signs of wear or damage.
- Report any unsafe products or accidents to the appropriate authorities.
- Check for recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- **Installation Safety:** Ensure the firearm is completely unloaded before beginning installation.
- **Handling:** Always treat your firearm as if it is loaded, even when you believe it to be unloaded.
- **Visibility:** Ensure that your sights are clean and unobstructed for optimal visibility.
- **Shooting Environment:** Be aware of your surroundings and ensure a safe shooting environment.
- **Training:** Seek professional training if you are unfamiliar with firearm operation and sight usage.
- **Storage:** Store your firearm and sights in a secure location, away from children and unauthorized users.

Instructions for Installation and Usage

Installation Instructions

1. Preparation:

- Ensure the firearm is unloaded.
- Gather necessary tools (e.g., screwdriver, sight pusher) for installation.

2. Remove Existing Sights:

- Use the appropriate tool to carefully remove the existing sights from the firearm.

3. Install New Sights:

- Align the new rear sight in the designated slot on the slide.
- Secure the rear sight using the appropriate screws.
- Repeat the process for the front sight, ensuring it is properly aligned.

4. Final Check:

- Ensure that both sights are securely fastened and correctly aligned.
- Perform a function check on the firearm to ensure everything is operating correctly.

Usage Instructions

- **Aiming:** Use the white dot front post and the Vnotch rear sight to align your target.
- **Sight Picture:** Focus on the front sight for improved accuracy, especially in lowlight conditions.
- **Practice:** Regularly practice shooting with the new sights to become familiar with their use and improve your accuracy.

Disposal Instructions

- Dispose of any damaged or worn sights responsibly.
- Follow local regulations for the disposal of firearm accessories.
- Consider recycling materials where possible.

Contact Information for Further Support

For any questions or concerns regarding the DX Standard Dot Suppressor Height Sights, please refer to the manufacturer's website or customer support resources for assistance.

By following these safety instructions, you can ensure a safe and enjoyable experience with your DX Standard Dot Suppressor Height Sights for Glock® XS Sight Systems. Always prioritize safety and responsible firearm handling.

About Us

Brownells Europe

Brownells Europe - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

P.O.Box 4300
Warwick
CV34 9BR

www.brownells.eu