

DXW BIG DOT SUPPRESSOR HEIGHT FOR GLOCK® - XS SIGHT SYSTEMS DXW BIG DOT SUPPRESSOR HGT-GLOCK® 17,19,22,24,26,31,36,38

[Handgun Parts](#) > [Sights](#) > [Sight Sets](#)

Suppressor height white line, V-notch rear sight and a white dot front post pull your eye to the front sight in high stress or low light conditions. Presents a very fast, highly visible sight picture to get you on target quickly. Low profile, no-snag design (even the top of the front sight body is rounded) is great for carry and combat competition guns. Matched front and rear sets offer direct replacement of factory sights. Big Dot provides improved speed when engaging targets at close range.



Attributes

- Name: [XS SIGHT SYSTEMS DXW BIG DOT SUPPRESSOR HGT-GLOCK® 17,19,22,24,26,31,36,38](#)
- Manufacturer: [XS SIGHT SYSTEMS](#)
- Product no.: 006000189
- Mfr. No.: GL-0004S-3
- Model: 17,19,22,27,24,32,34,35,23,26,38,36,31,33
- Sight Color: Green,Tritium
- Style: Suppressor
- Weapon type: Glock
- Delivery weight: 0.075kg
- Shipping height: 32mm
- Shipping width: 127mm
- Shipping length: 203mm
- UPC: 647533044363

Item details

Made in USA

Table of Contents

- Startpage
- DXW BIG DOT SUPPRESSOR HEIGHT SIGHT SYSTEMS Safety Instruction Guide
- About Us

DXW BIG DOT SUPPRESSOR HEIGHT SIGHT SYSTEMS Safety Instruction Guide

Introduction

Thank you for choosing the DXW Big Dot Suppressor Height Sight System for your Glock® firearms. This guide provides essential safety information and instructions to ensure the safe and effective use of your new sight system. Please read this guide carefully before installation and use.

General Safety Guidelines

- Ensure that the product is compatible with your specific Glock® model (17, 19, 22, 24, 26, 31, 36, 38).
- Always handle firearms safely and responsibly.
- Use the sight system only for its intended purpose.
- Be aware of your surroundings and ensure a safe environment when using your firearm.
- Regularly inspect the sight system for any signs of wear or damage.
- Keep the sight system clean and free of obstructions.
- Store the sight system in a safe place when not in use.

Specific Safety Precautions for Use

- The sight system is designed for highstress and lowlight conditions. Ensure that you are familiar with its operation in various lighting environments.
- Avoid using the sight system while under the influence of alcohol or drugs.
- Be cautious when engaging targets at close range, as the Big Dot provides improved speed but may require practice to master.
- Ensure that the sight system is securely installed before use. A loose sight can lead to inaccurate shooting.
- If you notice any malfunction or irregularity with the sight system, discontinue use immediately and consult a professional.

Instructions for Installation and Usage

Installation Instructions

1. Gather Required Tools:

- Screwdriver (appropriate size for sight screws)
- Torque wrench (optional, for precise installation)
- Loctite (optional, for securing screws)

2. Remove Existing Sights:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Use the screwdriver to remove the screws holding the factory sights in place.
- Carefully lift the old sights off the slide.

3. Install New Sights:

- Align the rear sight in its designated slot and press down firmly.
- Secure the rear sight using the provided screws. If using Loctite, apply a small amount to the screw threads before installation.
- Repeat the process for the front sight, ensuring it is centered and properly aligned.

4. Check Alignment:

- After installation, check the alignment of both sights to ensure they are level and properly positioned.
- If necessary, make adjustments to achieve the desired sight picture.

5. Test the Sight System:

- Take the firearm to a safe shooting range and test the sight system.
- Familiarize yourself with the sight picture and practice aiming at targets.

Usage Instructions

- When aiming, focus on the front sight to improve accuracy.
- In lowlight conditions, the white line and dot will enhance visibility.
- Practice regularly to become proficient with the sight system.

Disposal Instructions

- Dispose of any packaging materials in accordance with local regulations.
- If the sight system is damaged beyond repair, dispose of it in a manner that prevents potential harm to the environment.
- Check with local waste management for specific disposal guidelines for firearm accessories.

Contact Information for Further Support

For any inquiries regarding safety, installation, or functionality of the DXW Big Dot Suppressor Height Sight System, please consult the manufacturer's website or customer service resources.

Note: This guide is intended to provide safety instructions and is not a substitute for professional training. Always consult a qualified instructor for firearms training and safety practices.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk