

MARLIN 1894 REAR SIGHT - XS SIGHT SYSTEMS MARLIN 1894 ADJUSTABLE GHOST RING REAR SIGHT BLACK

[Rifle Parts](#) > [Sights](#) > [Rear Sights](#)

Fast Sighting With Ghost-Ring Apertures

The potential accuracy of aperture sights with the sighting speed of open sights. All steel construction. Easy-to-install, fully machined, all-steel sights with windage and elevation-adjustable bases are pre-machined to fit quickly using the rear scope base holes on many popular rifles. A fast, accurate sight for brush hunting applications. Adjustments are secured with dual setscrews.



Attributes

- Name: [XS SIGHT SYSTEMS MARLIN 1894 ADJUSTABLE GHOST RING REAR SIGHT BLACK](#)
- Manufacturer: [XS SIGHT SYSTEMS](#)
- Product no.: 006103300
- Mfr. No.: 22-2011A-000-2
- Color: Black
- Make: Marlin
- Model: 1894
- Style: Adjustable,Ghost Ring
- Delivery weight: 0.045kg
- UPC: 647533006446

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [MARLIN 1894 REAR SIGHT XS SIGHT SYSTEMS MARLIN 1894 ADJUSTABLE GHOST RING REAR SIGHT BLACK Safety Instruction Guide](#)
- [About Us](#)

MARLIN 1894 REAR SIGHT XS SIGHT SYSTEMS

MARLIN 1894 ADJUSTABLE GHOST RING REAR SIGHT BLACK Safety Instruction Guide

Introduction

Thank you for choosing the MARLIN 1894 Adjustable Ghost Ring Rear Sight by XS Sight Systems. This guide provides essential safety information and instructions to ensure safe and effective use of your new sight. Please read this guide carefully before installation and usage.

General Safety Guidelines

- Ensure the sight is compatible with your firearm model before installation.
- Always handle firearms with care and follow basic firearm safety rules.
- Inspect the sight and firearm regularly for any signs of wear or damage.
- Keep the sight and firearm out of reach of children and unauthorized users.
- Report any unsafe conditions or incidents to the appropriate authorities.

Specific Safety Precautions for Use

- Do not use the sight if it appears damaged or malfunctioning.
- Ensure the firearm is unloaded before installing or adjusting the sight.
- Avoid making adjustments to the sight while the firearm is loaded or pointed in an unsafe direction.
- Always wear appropriate eye protection when using firearms.
- Be aware of your surroundings and ensure a safe shooting environment.

Instructions for Installation and Usage

Installation Instructions

1. **Preparation:** Ensure the firearm is completely unloaded. Remove any ammunition from the vicinity.
2. **Locate Mounting Holes:** Identify the rear scope base holes on your firearm that are compatible with the sight.
3. **Align the Sight:** Position the sight over the mounting holes ensuring proper alignment.
4. **Secure the Sight:** Use the dual setscrews to secure the sight in place. Ensure it is tightened adequately but do not overtighten.
5. **Final Check:** Once installed, doublecheck that the sight is secure and properly aligned before use.

Usage Instructions

1. **Adjustment:** Use the windage and elevationadjustable features to finetune your sight for accuracy.
2. **Testing:** After installation, test the sight at a safe shooting range to ensure it is functioning correctly.
3. **Maintenance:** Regularly inspect the sight for any looseness or damage. Clean as needed to maintain optimal performance.

Disposal Instructions

- When disposing of the sight, follow local regulations for the disposal of metal products.
- Do not dispose of in regular household waste. Instead, consider recycling options available in your area.

Contact Information for Further Support

For any inquiries regarding safety, installation, or product support, please refer to the manufacturer's contact information provided in the product packaging or on the manufacturer's website.

Thank you for your attention to these safety instructions. Enjoy your shooting experience with the MARLIN 1894 Adjustable Ghost Ring Rear Sight. Stay safe!

About Us

Brownells Europe

Brownells Europe - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

P.O.Box 4300
Warwick
CV34 9BR

www.brownells.eu