

BRN-180 GEN 2 SPORT COMPLETE UPPER RECEIVER ASSEMBLY - BRN-180 GEN 2 SPORT 16" 223 WYLDE UPPER RECEIVER ASSEMBLY

BRN-180® Upper Receiver Group Gen2 – Reliable Piston System Made Even More Versatile Designed in conjunction with PWS & FM Products, the Brownells BRN-180® Complete Upper Receiver is inspired by the Armalite® AR-180 of the 1960s. Developed as a successor to the original AR-15, the AR-180 was a civilianized version of the AR-18, itself an upgrade on the M16 platform. The BRN-180® incorporates many of the AR-18/AR-180 improvements - including its robust and reliable gas piston operating system. (Yes, the originators of the AR-15 / M16 eventually embraced a piston!) The BRN-180® Gen2 Upper Receiver Group improves upon the original BRN-180 with two main upgrades. First, all BRN-180® Upper Receivers now ship with an Adjustable Gas System, previously only found on the BRN-180S®. The operating mechanism, the short stroke gas piston concept remains the same, but the user can select between two settings, depending on their conditions and ammunition, to ensure smooth and consistent function. No more spare gas piston cup to worry about. In addition to the new Adjustable Gas System, the Handguard is now retaining with a single locking screw. This large screw provides ample locking force and ensures a more consistent handguard lockup than the previous mechanism. During extended firing, and the barrel heating up, this new locking system ensures the handguard retains alignment and rigidity with the upper receiver. Also, with this new takedown mechanism, the handguard can be removed to access the gas system without removing the internal components. Like the original, the BRN-180® bolt carrier rides smoothly on a PAIR of guide rods. The carrier is buffered at the rear by a built-in polymer buffer with a molded-in steel plate that captures the guide rods. The Nitride bolt replicates the original AR-180 bolt design, right down to its use of a standard AR-15 extractor. Wait - we know what you're dying to ask. Yes, the BRN-180® upper receiver is fully compatible with any standard, mil-spec AR-15 lower receiver. The 16" or 18.5" barrel is machined from extra-strong 4150 carbon steel, with a hard Nitride finish that really resists surface wear. The BRN-180™ is chambered in .223 Wylde - for extra flexibility in ammo choice - with 1-8" rifling, so it handles both .223 Remington and military-type 5.56mm NATO ammo with equal aplomb. Up front there's a replica of the AR-180's unusual three-prong flash hider: the hemispherical bottom prong helps prevent the muzzle blast from kicking up a dust signature when shooting prone. Standard ½-28 tpi muzzle threads let you swap on a modern AR-15 muzzle device should you be bitten by the customizing bug. Ultra-reliable AR-180 piston operating system Compatible with current mil-spec AR-15 lowers Machined 7075 T6 aluminum receiver & handguard - hardcoat anodized finish 16" barrel with matte black Nitride finish .223 Wylde chamber Button rifled bore; 1-8" twist ½"-28 threaded muzzle Replica 3-prong AR-180 flash suppressor No ejection port cover Total weight: 4.65 lbs All NFA rules apply. User removal of the trunnion, barrel and trunnion screws is not recommended. Removal of the trunnion screws will void our Lifetime Guarantee.



Attributes

- Name: BRN-180 GEN 2 SPORT 16" 223 WYLDE UPPER RECEIVER ASSEMBLY
- Manufacturer: BROWNELLS
- Product no.: 078000722
- Mfr. No.:
- Cartridge: 223 Wylde
- Color: Black
- Finish: Anodized
- Length: 16"
- Make: Brownells
- Model: BRN-180
- Muzzle: 1/2-28
- Style: Complete
- Twist: 1-8
- Delivery weight: 2.449kg
- Shipping height: 114mm
- Shipping width: 114mm
- Shipping length: 699mm
- UPC: 050806113732

Item details

Made in USA

US export classification: 0A501.e

Table of Contents

- [Startpage](#)
- [Deutsch: Sicherheitshinweise für die BRN180 GEN 2 SPORT Oberteilgruppe](#)
- [English: Safety Instruction Guide for BRN180 GEN 2 SPORT Complete Upper Receiver Assembly](#)
- [Italiano: Guida alla Sicurezza per il Ricevitore Superiore BRN180 GEN 2 SPORT](#)

Sicherheitshinweise für die BRN180 GEN 2 SPORT Oberteilgruppe

Einleitung

Herzlichen Glückwunsch zum Kauf der BRN180 GEN 2 SPORT Oberteilgruppe! Dieses Produkt wurde entwickelt, um Ihnen eine zuverlässige und vielseitige Lösung für Ihre Schussbedürfnisse zu bieten. Um sicherzustellen, dass Sie dieses Produkt sicher und effektiv nutzen, lesen Sie bitte die folgenden Sicherheitshinweise sorgfältig durch.

Allgemeine Sicherheitsrichtlinien

- Stellen Sie sicher, dass Sie die BRN180 GEN 2 SPORT Oberteilgruppe nur mit einem kompatiblen milspec AR15 Unterteil verwenden.
- Verwenden Sie nur Munition, die für die .223 Wylde Kammer geeignet ist.
- Halten Sie das Produkt außerhalb der Reichweite von Kindern und anderen unbefugten Personen.
- Überprüfen Sie vor jedem Gebrauch das Produkt auf sichtbare Schäden oder Abnutzungserscheinungen.
- Verwenden Sie das Produkt nicht, wenn es beschädigt ist oder Anzeichen von Fehlfunktionen aufweist.
- Beachten Sie die örtlichen Gesetze und Vorschriften bezüglich des Besitzes und Gebrauchs von Feuerwaffen.

Spezifische Sicherheitsvorkehrungen für die Nutzung

- Verwenden Sie immer Gehörschutz und Schutzbrillen beim Schießen.
- Achten Sie darauf, dass der Lauf in eine sichere Richtung zeigt, wenn Sie das Produkt handhaben.
- Halten Sie den Abzug nicht gedrückt, während Sie das Produkt laden oder entladen.
- Vergewissern Sie sich, dass das Magazin leer ist, bevor Sie das Produkt reinigen oder warten.
- Verwenden Sie das einstellbare Gassystem nur entsprechend den Anweisungen, um eine optimale Leistung zu gewährleisten.
- Achten Sie darauf, dass das Handguard während des Gebrauchs richtig befestigt ist, um ein Verrutschen zu vermeiden.

Anweisungen für Installation und Nutzung

Installation

1. Überprüfen Sie, dass alle Teile der Oberteilgruppe vorhanden sind.
2. Setzen Sie die Oberteilgruppe auf ein kompatibles milspec AR15 Unterteil.
3. Stellen Sie sicher, dass die Oberteilgruppe vollständig eingerastet ist.
4. Befestigen Sie das Handguard mit der Verriegelungsschraube. Ziehen Sie die Schraube fest, um eine sichere Verbindung zu gewährleisten.

Nutzung

1. Laden Sie die Waffe gemäß den Anweisungen des Herstellers.
2. Stellen Sie das Gassystem entsprechend den Bedingungen ein.
3. Führen Sie einen Funktionstest durch, um sicherzustellen, dass alles ordnungsgemäß funktioniert.
4. Beginnen Sie mit dem Schießen und beachten Sie die allgemeinen Sicherheitsrichtlinien.

Entsorgungsanweisungen

- Entsorgen Sie alle nicht mehr benötigten Teile und Verpackungen gemäß den örtlichen Vorschriften.
- Stellen Sie sicher, dass keine Teile in die Hände von Unbefugten gelangen.

Kontaktinformationen für weitere Unterstützung

Für Fragen oder Anliegen bezüglich Ihrer BRN180 GEN 2 SPORT Oberteilgruppe wenden Sie sich bitte an den Hersteller oder einen autorisierten Händler.

Bitte beachten Sie, dass die Sicherheit des Benutzers und anderer immer an erster Stelle stehen sollte. Befolgen Sie diese Richtlinien sorgfältig, um ein sicheres und angenehmes Schießelerlebnis zu gewährleisten.

Safety Instruction Guide for BRN180 GEN 2 SPORT Complete Upper Receiver Assembly

Introduction

Thank you for choosing the BRN180 GEN 2 SPORT Complete Upper Receiver Assembly. This guide provides essential safety instructions, usage guidelines, and disposal information to ensure a safe and effective experience with your product. Please read this document carefully before using the upper receiver assembly.

General Safety Guidelines

- Ensure that you are familiar with all local laws and regulations regarding firearm usage and ownership.
- Always treat every firearm as if it is loaded.
- Keep the firearm pointed in a safe direction at all times.
- Store the upper receiver assembly and any associated firearms securely, out of reach of unauthorized users, especially children.
- Regularly inspect the upper receiver assembly for signs of wear, damage, or malfunction before use.
- Use only compatible components with the BRN180 upper receiver assembly to ensure safe operation.
- Report any unsafe products or accidents to the appropriate authorities.

Specific Safety Precautions for Use

- Always wear appropriate eye and ear protection when using the upper receiver assembly.
- Ensure that the area is clear of bystanders before firing.
- Only use ammunition that is specified for the BRN180 upper receiver assembly (.223 Wylde).
- Do not modify the upper receiver assembly or its components in any way.
- Be aware of your surroundings and ensure a proper backstop is in place when firing.
- If a malfunction occurs, follow proper clearing procedures and do not attempt to fire again until the issue is resolved.

Instructions for Installation and Usage

Installation

1. **Check Compatibility:** Ensure that your lower receiver is a standard milspec AR15 lower receiver.
2. **Attach the Upper Receiver:**
 - Align the upper receiver with the lower receiver.
 - Push down until the pivot pin and takedown pin are fully engaged.
3. **Secure the Handguard:**
 - Use the locking screw to secure the handguard in place.
 - Ensure the handguard is properly aligned and locked before use.

Usage

1. **Loading the Firearm:**
 - Ensure the firearm is pointed in a safe direction.
 - Insert the magazine into the lower receiver until it clicks into place.
 - Pull the charging handle to chamber a round.
2. **Firing:**
 - Aim at the intended target and ensure the area is clear.
 - Squeeze the trigger gently to fire.
3. **PostFiring:**
 - Always keep the firearm pointed in a safe direction.
 - Remove the magazine and clear the chamber after use.

Disposal Instructions

- Dispose of any damaged or nonfunctional components in accordance with local regulations.
- Do not dispose of the upper receiver assembly in regular household waste.
- Contact your local waste management authority for proper disposal methods for firearm components.

Contact Information for Further Support

For any questions or concerns regarding the BRN180 GEN 2 SPORT Complete Upper Receiver Assembly, please refer to the contact information provided with your purchase. Ensure you have the product details ready for any inquiries.

By following these guidelines, you can ensure a safe and enjoyable experience with your BRN180 GEN 2 SPORT Complete Upper Receiver Assembly. Always prioritize safety and compliance with local laws and regulations.

Guida alla Sicurezza per il Ricevitore Superiore BRN180 GEN 2 SPORT

Introduzione

Grazie per aver scelto il Ricevitore Superiore BRN180 GEN 2 SPORT. Questo prodotto è progettato per garantire prestazioni elevate e sicurezza durante l'uso. È fondamentale seguire attentamente le istruzioni di sicurezza e manutenzione per garantire un utilizzo sicuro e responsabile.

Linee Guida Generali di Sicurezza

- Assicurati di utilizzare il prodotto solo per scopi previsti e in conformità con le leggi locali.
- Non utilizzare il ricevitore superiore se presenta segni di danno, usura o malfunzionamento.
- Tieni il prodotto lontano dalla portata di bambini e gruppi vulnerabili.
- Segnala eventuali prodotti difettosi o incidenti alle autorità competenti.
- Controlla regolarmente le notifiche di richiamo sulla piattaforma Safety Gate dell'UE.

Precauzioni di Sicurezza Specifiche per l'Uso

- Indossa sempre protezioni adeguate (occhiali e tappi per le orecchie) durante l'uso.
- Non puntare mai l'arma verso persone o animali.
- Assicurati che l'arma sia sempre in modalità di sicurezza quando non in uso.
- Non utilizzare munizioni danneggiate o non conformi alle specifiche del produttore.
- Non tentare di modificare o smontare il ricevitore superiore al di fuori delle istruzioni fornite.

Istruzioni per l'Installazione e l'Uso

1. Installazione del Ricevitore Superiore

- Assicurati che l'arma sia scarica prima di procedere all'installazione.
- Fissa il ricevitore superiore al ricevitore inferiore AR15 utilizzando le viti fornite.
- Verifica che il ricevitore superiore sia correttamente allineato e bloccato.

2. Uso del Sistema di Gas Regolabile

- Seleziona l'impostazione del gas più adatta alle condizioni e alle munizioni utilizzate.
- Controlla regolarmente il sistema di gas per eventuali ostruzioni o danni.

3. Manutenzione del Ricevitore Superiore

- Pulisci regolarmente il ricevitore superiore e il sistema di funzionamento a pistone per garantire prestazioni ottimali.
- Utilizza solo lubrificanti raccomandati dal produttore.

4. Rimozione del Handguard

- Utilizza una chiave adeguata per rimuovere la vite di bloccaggio del handguard.
- Rimuovi il handguard per accedere al sistema di gas senza smontare componenti interni.

Istruzioni per lo Smaltimento

- Segui le normative locali per lo smaltimento dei materiali e dei componenti.
- Non gettare il prodotto nell'indifferenziata; verifica se ci sono punti di raccolta specifici per i materiali metallici o elettronici.

Informazioni di Contatto per Ulteriore Supporto

Per ulteriori informazioni o domande riguardanti la sicurezza del prodotto, ti invitiamo a contattare il tuo rivenditore o consultare il sito web ufficiale del produttore.

