

# RMR CUT SLIDE FOR GLOCK® 19 GEN 3 - BROWNELLS RMR SLIDE FOR GEN3 GLOCK® 19 STAINLESS NITRIDE

[Handgun Parts](#) > [Slide Parts](#) > [Slides](#)

## Integral Red Dot Sight Mounting Slot, Plus a Ton of Custom Features!

The limited production Brownells Brown RMR Slide for Glock® 19 Gen3 pistols features a pre-cut slot for easy, secure, low-profile mounting of a Trijicon RMR or Holosun red dot sight. Up front, there are distinctive, cocking serrations that aid in manipulating the slide to check the chamber or clear a jam. And we'll admit it: the serrations just look cool, too. All RMR Slides also have standard Glock® factory front and rear sight dovetails for "iron" sights. To get proper co-witnessing with the RMR, you will need to also install suppressor-height iron sights. These limited production Brownells Brown slides for the Glock® 19 Gen3 come with a "window" cutout on top between the front serrations that enhances airflow to keep the barrel cooler - ideal for hard-working action competition pistols. Plus, if you have an upgraded barrel with a contrasting finish or a unique exterior pattern (fluting, spirals, "flames," etc.) the window lets you show it off a bit! A Brownells RMR Slide is the ideal upgrade for your factory Glock® 19 Gen3 OR the perfect "top half" for a brand-new custom gun built on a Polymer80 80% frame. Fits Gen3 Glock® 19 pistols & clones Built-in Trijicon RMR mounting slot Also accepts Holosun HE508T, HS507C & HS407C red dot sights Factory front/rear iron sight cuts, too Machined from corrosion-resistant 17-4 stainless steel billet Each RMR Slide for Glock® starts life as a billet of 17-4 stainless steel that is machined to Glock® factory specifications inside, so it'll accept factory or aftermarket barrels and internal parts. Each slide is heat-treated to Rc 41-44 on the Rockwell C scale for added surface hardness and wear resistance. The Brownells Brown slide is a limited production and once they are gone, they're gone. Brownells Gun Tech™ Note: Channel liner required for these slides. Channel liner is a press fit and requires a tool to install. We recommend #777-100-017. Includes patented optic cut technology pioneered by ZEV Technologies. Patent No. RE47335



## Attributes

- Name: [BROWNELLS RMR SLIDE FOR GEN3 GLOCK® 19 STAINLESS NITRIDE](#)
- Manufacturer: [BROWNELLS](#)
- Product no.: 078200002
- Mfr. No.:
- Cartridge: 9 mm Luger
- Finish: Stainless w/Nitride Finish
- Model: 19
- Sights: RMR
- Style: Front & Rear Serrations
- Weapon type: Glock
- Delivery weight: 0.299kg
- Shipping height: 51mm
- Shipping width: 140mm
- Shipping length: 279mm
- UPC: 050806112667

## **Item details**

Made in USA

US export classification: 0A501.x

# Table of Contents

- Startpage
- RMR CUT SLIDE FOR GLOCK® 19 GEN 3 BROWNELLS RMR SLIDE FOR GEN3 GLOCK® 19 STAINLESS NITRIDE Safety Instructions
- About Us

# RMR CUT SLIDE FOR GLOCK® 19 GEN 3

# BROWNELLS RMR SLIDE FOR GEN3 GLOCK® 19

## STAINLESS NITRIDE Safety Instructions

### Introduction

Thank you for choosing the Brownells RMR Cut Slide for Glock® 19 Gen 3. This product is designed to enhance the performance and functionality of your Glock® 19 Gen3 pistol. Please read this safety instruction guide carefully to ensure safe use and compliance with EU General Product Safety Regulation (GPSR).

### General Safety Guidelines

- **Product Safety:** Ensure that the product is used only for its intended purpose. Follow all instructions and guidelines provided.
- **Enhanced Recalls:** Stay informed about any recall notices related to this product. If a recall is issued, follow the instructions provided for returning or remedying the product.
- **Online Shopping:** If purchased online, ensure the platform meets safety requirements and provides the same protections as physical stores.
- **Special Consumer Focus:** This product is not intended for use by children. Keep all components out of reach of children to prevent accidents or misuse.
- **EU Contact Point:** For safety inquiries, refer to the EUbased contact point provided by the retailer or manufacturer.
- **Rapid Alerts:** Regularly check the EU Safety Gate platform for updates on product safety and potential hazards.

### Specific Safety Precautions for Use

- **Proper Installation:** Ensure that the RMR Slide is installed correctly on your Glock® 19 Gen3. Refer to the installation instructions provided.
- **Use of Optics:** When mounting a Trijicon RMR or Holosun red dot sight, ensure that it is securely attached to prevent detachment during use.
- **Cocking Serrations:** Use the cocking serrations to manipulate the slide safely. Avoid placing fingers in the ejection port when performing checks or clearing jams.
- **Iron Sights:** If using iron sights, ensure they are of suppressorheight for proper cowitnessing with the RMR sight.
- **Heat Management:** Be aware that the slide may become hot during extended use. Allow adequate cooling time before handling.
- **Inspection:** Regularly inspect the slide and all components for signs of wear or damage. Do not use if any parts appear compromised.

### Instructions for Installation and Usage

#### 1. Installation of the RMR Slide:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Remove the factory slide from the Glock® 19 Gen3.
- Align the Brownells RMR Slide with the frame and ensure it is seated correctly.
- Secure the slide using the appropriate screws and tools as specified in the installation manual.
- Install the Trijicon RMR or Holosun red dot sight in the precut slot, ensuring it is tightened to manufacturer specifications.

#### 2. Usage:

- Always follow safe firearm handling practices.
- Before each use, check the chamber to ensure it is clear.
- Use appropriate ammunition (9 mm Luger) as specified.
- Engage the safety features of the firearm when not in use.

## Disposal Instructions

- **EndofLife Disposal:** Dispose of the RMR Slide and its components in accordance with local regulations for electronic waste and metal recycling.
- **Environmental Considerations:** Do not dispose of in regular household waste. Check for recycling programs in your area that accept firearm components.

## Contact Information for Further Support

For any questions or concerns regarding the Brownells RMR Cut Slide for Glock® 19 Gen 3, please refer to the contact information provided by your retailer or manufacturer. Ensure you have your product details handy for efficient support.

By following these safety instructions, you can ensure the safe use of the Brownells RMR Cut Slide for Glock® 19 Gen 3. Thank you for your attention to safety and responsible firearm ownership.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)