

# 1911 EXTREME DUTY FRONT SIGHTS - FRONT SIGHTS, TR, .175" HIGH FITS KIMBER

[Handgun Parts](#) > [Sights](#) > [Front Sights](#)

Smooth, contoured edges have less chance of catching or snagging. Front sights are CNC-machined steel and mount in factory dovetail. Available in Tritium Dot for Colt and clones, and Kimber.



## Attributes

- Name: [FRONT SIGHTS, TR, .175" HIGH FITS KIMBER](#)
- Manufacturer: [NOVAK](#)
- Product no.: 100001536
- Mfr. No.: DFSK-6.175
- Color: Green
- Height: .175
- Make: Kimber
- Model: 1911
- Outline: White
- Style: Night Sight
- Width: .125
- Delivery weight: 0.005kg
- Shipping width: 83mm
- Shipping length: 89mm

## Item details

Made in USA

# Table of Contents

- Startpage
- Safety Instruction Guide for 1911 EXTREME DUTY FRONT SIGHTS
- About Us

# Safety Instruction Guide for 1911 EXTREME DUTY FRONT SIGHTS

## Introduction

Thank you for choosing the 1911 EXTREME DUTY FRONT SIGHTS designed for Kimber firearms. This guide provides essential safety instructions and guidelines to ensure safe and effective use of the product. Please read this document carefully before installation and use.

## General Safety Guidelines

- Ensure that the front sights are installed by a qualified gunsmith to avoid improper installation that may lead to accidents.
- Always handle firearms safely and responsibly, following all local laws and regulations.
- Inspect the front sights regularly for wear or damage. If any issues are found, discontinue use immediately and seek professional advice.
- Keep the front sights and firearm out of reach of children and unauthorized users.
- Report any unsafe products or incidents to the relevant authorities and check for recall updates on the EU's Safety Gate platform.

## Specific Safety Precautions for Use

- Only use the front sights with compatible firearms, specifically the Kimber 1911 model.
- Do not modify the front sights in any way as this may compromise safety and effectiveness.
- Ensure that the firearm is unloaded before installing or adjusting the front sights.
- Use protective eyewear when handling firearms to prevent injury from potential debris or accidents.
- Be aware of your surroundings and ensure a safe shooting environment when using the firearm equipped with these sights.

## Instructions for Installation and Usage

### 1. Installation:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Remove the existing front sight using appropriate tools.
- Align the new front sight with the factory dovetail and press it into place securely.
- Confirm that the sight is properly aligned and securely mounted before use.

### 2. Usage:

- When aiming, ensure that the front sight is clearly visible and aligned with the target.
- Practice regularly to become familiar with the new sight and improve accuracy.
- If the sight becomes loose or misaligned during use, stop immediately and check the installation.

## Disposal Instructions

- Dispose of the front sights in accordance with local regulations regarding metal and firearm accessories.
- Do not dispose of the product in regular household waste.
- Contact local recycling centers or hazardous waste facilities for proper disposal methods.

## **Contact Information for Further Support**

For any questions or concerns regarding the installation, use, or safety of the 1911 EXTREME DUTY FRONT SIGHTS, please refer to the manufacturer's contact information provided with the product packaging.

By following these guidelines, you can ensure the safe and effective use of your 1911 EXTREME DUTY FRONT SIGHTS. Thank you for prioritizing safety and responsibility in your shooting activities.

# About Us

## Brownells Austria

**Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

[www.brownells.at](http://www.brownells.at)