

AR-15 BARREL NUT - YANKEE HILL MACHINE CO., INC. AR-15 BARREL NUT ALUMINUM BLACK

[Rifle Parts](#) > [Barrel Parts](#) > [Rifle Barrel Hardware](#) > [Barrel Nuts](#)

The Correct Parts For All Yankee Hill Free-Float Forearms

Original factory parts to replace damaged or lost pieces for your Yankee Hill free-float forearm. Barrel nut is compatible with any standard AR-15 or M16 receiver. Part is designed to work with Yankee Hill forearms only.



Attributes

- Name: [YANKEE HILL MACHINE CO., INC. AR-15 BARREL NUT ALUMINUM BLACK](#)
- Manufacturer: [YANKEE HILL MACHINE CO., INC.](#)
- Product no.: 100009657
- Mfr. No.: YHM-9483
- Colour: Black
- Material: Aluminum
- Weapon type: AR-15
- Delivery weight: 0.454kg
- Shipping height: 25mm
- Shipping width: 83mm
- Shipping length: 146mm

Item details

Made in USA

Table of Contents

- Startpage
- AR15 Barrel Nut Safety Instructions
- About Us

AR15 Barrel Nut Safety Instructions

Introduction

Thank you for choosing the AR15 Barrel Nut from Yankee Hill Machine Co., Inc. This guide provides essential safety instructions and information to ensure the safe use and installation of the product. Please read and follow these guidelines carefully.

General Safety Guidelines

- Ensure that all tools and equipment used during installation are in good condition.
- Always wear appropriate safety gear, including safety glasses and gloves, when handling the barrel nut and performing installation.
- Keep the product out of reach of children and pets to prevent accidents.
- Inspect the product for any visible damage before use. Do not use if damaged.
- Follow all local laws and regulations regarding firearm modifications and usage.

Specific Safety Precautions for Use

- Only use the barrel nut with Yankee Hill freefloat forearms designed for compatibility.
- Ensure that the barrel nut is securely tightened to avoid any loosening during use, which could lead to operational failure.
- Do not exceed the manufacturer's recommended torque specifications when installing the barrel nut.
- Avoid applying excessive force that could damage the barrel nut or the receiver.
- If you are unsure about the installation process, seek assistance from a qualified gunsmith.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools, including a torque wrench and appropriate sockets.
- Ensure that the workspace is clean and free of distractions.

2. Installation:

- Remove the existing barrel nut if applicable, following the manufacturer's instructions.
- Clean the threads on the receiver to ensure proper fit and function.
- Align the new barrel nut with the receiver and handtighten it to ensure proper seating.
- Use a torque wrench to tighten the barrel nut to the manufacturer's specifications. Check the torque settings in the product specifications.

3. PostInstallation:

- Inspect the installation to ensure that the barrel nut is securely fastened and there are no gaps.
- Conduct a function check of the firearm to ensure proper operation.

4. Usage:

- Regularly inspect the barrel nut for signs of wear or damage during routine firearm maintenance.
- If any issues are detected, disassemble and inspect the barrel nut and forearm assembly before further use.

Disposal Instructions

- Dispose of the product in accordance with local regulations regarding aluminum waste.
- Do not dispose of the product in general household waste.
- Consider recycling the aluminum material if possible.

Contact Information for Further Support

For any questions or concerns regarding the AR15 Barrel Nut, please refer to the manufacturer's website or contact their customer support. Ensure you have the product information ready for assistance.

By following these safety instructions, you can ensure the safe and effective use of your AR15 Barrel Nut. Thank you for your attention to safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk