

AR-15/M16 NiB-X® BOLT ASSEMBLY - WMD GUNS AR-15 NiB-X® COMPLETE BOLT

[Rifle Parts](#) > [Bolt Parts](#) > [Bolts](#)

NiB-X~ Coating Gives Superior Performance

Nickel Boron exterior gives this bolt an incredibly hard finish that protects against wear and corrosion for the ultimate in durability. The extreme smoothness and built-in lubricity of the coating also reduces friction and gives carbon deposits nowhere to stick, so bolt can be easily wiped clean with a cloth or nylon brush. Comes complete with ejector, extractor, and gas rings installed.



Attributes

- Name: [WMD GUNS AR-15 NiB-X® COMPLETE BOLT](#)
- Manufacturer: [WMD GUNS](#)
- Product no.: 100012192
- Mfr. No.: NIBXBA556
- Cartridge: 223 Remington,300 AAC Blackout,5.56 mm NATO
- Finish: Nickel-Boron
- Weapon type: AR-15
- Delivery weight: 0.045kg
- Shipping height: 25mm
- Shipping width: 76mm
- Shipping length: 84mm
- UPC: 855899003232

Item details

Made in USA

US export classification: 0A501.c

Table of Contents

- Startpage
- Safety Instruction Guide for AR15/M16 NiBX® Bolt Assembly
- About Us

Safety Instruction Guide for AR15/M16 NiBX® Bolt Assembly

Introduction

Thank you for purchasing the AR15/M16 NiBX® Bolt Assembly from WMD Guns. This guide provides essential safety instructions and guidelines to ensure the safe use and maintenance of your product. Please read this document carefully before installation and use.

General Safety Guidelines

- Ensure you are familiar with the laws and regulations regarding firearm parts in your area.
- Always handle the bolt assembly with care to prevent accidental discharge or injury.
- Keep the bolt assembly out of reach of children and unauthorized users.
- Regularly inspect the bolt assembly for wear or damage.
- Use appropriate protective gear, such as safety glasses and gloves, when handling and installing the bolt assembly.

Specific Safety Precautions for Use

- Avoid using the bolt assembly with incompatible cartridges. This product is designed for .223 Remington, 5.56 mm NATO, and 300 AAC Blackout.
- Ensure the firearm is unloaded before installing or removing the bolt assembly.
- Do not attempt to modify or alter the bolt assembly in any way.
- Always follow the manufacturer's instructions for the firearm in which the bolt assembly will be used.
- If you experience any malfunctions, stop using the firearm immediately and consult a qualified gunsmith.

Instructions for Installation and Usage

1. Preparation

- Ensure the firearm is completely unloaded.
- Gather necessary tools, including a cleaning cloth and a nylon brush.

2. Installation

- Remove the existing bolt assembly from the firearm.
- Inspect the chamber and ensure it is clean and free of obstructions.
- Insert the new NiBX® bolt assembly into the carrier group.
- Ensure the ejector, extractor, and gas rings are properly aligned and seated.
- Replace the carrier group into the firearm, ensuring it is locked in place.

3. Usage

- After installation, conduct a function check of the firearm to ensure proper operation.
- Regularly clean the bolt assembly after use to maintain its performance and longevity.
- Use a cloth or nylon brush to wipe down the exterior, removing any carbon deposits.

Disposal Instructions

- Dispose of the bolt assembly in accordance with local regulations.
- If the product is damaged or no longer functional, do not attempt to repair it; instead, dispose of it responsibly.

- Contact local waste management authorities for guidance on the disposal of firearm parts.

Contact Information for Further Support

For any questions or concerns regarding the AR15/M16 NiBX® Bolt Assembly, please refer to the manufacturer's website or customer service for assistance.

Thank you for following these safety instructions. Your adherence to these guidelines ensures a safer experience with your firearm and its components.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk