

AR-15/M16 MS3 MULTI-MISSION SLING - MS3 Single QD Sling GEN2-RNG

For Split-Second, Cross-Shoulder Transitions In Rapidly Changing Tactical Environments

Versatile tactical sling switches instantly from traditional two-point configuration for hands-free carry to single-point setup for quick transitions in fast-changing tactical environments. Use with the Magpul ASAP™ rear adapter plate (sold separately) for 180° of unrestricted sling movement that lets you change shoulders to take full advantage of cover, address targets around corners or other barriers, and shift weapon position if one arm is injured. Built from ultra-thin, exceptionally strong nylon webbing, double stitched at stress points for added strength. MS3 QD sling replaces one Paraclip with a steel QD sling swivel that is compatible with QD sling cups commonly found on lower receivers, receiver end plates, and buttstocks. Compatible with Magpul RSA® and MSA™, and most loop-style sling adapters.



Versatile tactical sling switches instantly from traditional two-point configuration for hands-free carry to single-point setup for quick transitions in fast-changing tactical environments. Use with the Magpul ASAP™ rear adapter plate (sold separately) for 180° of unrestricted sling movement that lets you change shoulders to take full advantage of cover, address targets around corners or other barriers, and shift weapon position if one arm is injured. Built from ultra-thin, exceptionally strong nylon webbing, double stitched at stress points for added strength. MS3 QD sling replaces one Paraclip with a steel QD sling swivel that is compatible with QD sling cups commonly found on lower receivers, receiver end plates, and buttstocks. Compatible with Magpul RSA® and MSA™, and most loop-style sling adapters.

spese di spedizione incluse

Attributes

- Name: MS3 Single QD Sling GEN2-RNG
- Manufacturer: MAGPUL
- Product no.: 100013978L
- Mfr. No.: MAG515RGR
- Color: Ranger Green
- Material: Nylon
- Style: Quick Detach
- Width: 1-1/4"
- Delivery weight: 0.262kg
- UPC: 873750010724

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [English: AR15/M16 MS3 MultiMission Sling Safety Instructions](#)
- [Italiano: Guida alla Sicurezza per la Sling AR15/M16 MS3 MULTIMISSION SLING](#)

AR15/M16 MS3 MultiMission Sling Safety Instructions

Introduction

Thank you for choosing the AR15/M16 MS3 MultiMission Sling. This versatile tactical sling is designed for both traditional twopoint and singlepoint configurations, providing flexibility for various tactical situations. To ensure safe use and maximize the benefits of this product, please read and follow these safety instructions carefully.

General Safety Guidelines

- Always inspect the sling for any signs of wear or damage before each use.
- Ensure that the sling is securely attached to your firearm before handling.
- Use the sling only for its intended purpose; do not exceed the recommended load.
- Keep the sling out of reach of children and vulnerable individuals.
- If you experience any issues with the sling, discontinue use immediately and seek assistance.

Specific Safety Precautions for Use

- Use the sling in a manner that allows for quick transitions between configurations, ensuring that you can adapt to changing environments safely.
- When using the sling, be aware of your surroundings to prevent accidents or injuries.
- Avoid using the sling in situations where it may become entangled or snagged.
- If using the sling with the Magpul ASAP rear adapter plate, make sure it is properly installed to allow for unrestricted sling movement.
- Do not modify the sling or its components, as this may compromise safety and performance.

Instructions for Installation and Usage

1. Installation:

- Ensure that your firearm is unloaded before attaching the sling.
- Locate the QD sling cups on your firearm's lower receiver, receiver end plate, or buttstock.
- Attach the QD sling swivel to the appropriate cup, ensuring a secure fit.
- If using the Magpul ASAP rear adapter plate, follow the manufacturer's instructions for installation.

2. Usage:

- To switch from twopoint to singlepoint configuration, simply detach one end of the sling from the QD swivel and reattach it to the designated point on your firearm.
- Adjust the length of the sling by sliding the webbing through the adjuster, ensuring it fits comfortably for your use.
- Practice transitioning between configurations in a safe environment to become familiar with the sling's operation.

Disposal Instructions

- Dispose of the sling in accordance with local regulations for textile and plastic waste.
- Do not incinerate the sling, as it may release harmful substances when burned.
- If the sling is damaged beyond repair, consider recycling components where possible.

Contact Information for Further Support

For any inquiries regarding safety or product usage, please refer to the manufacturer's website or your point of purchase for assistance.

By following these safety instructions, you can ensure a safe and effective experience with your AR15/M16 MS3 MultiMission Sling. Thank you for your attention to safety.

Guida alla Sicurezza per la Sling AR15/M16 MS3 MULTIMISSION SLING

Introduzione

Grazie per aver scelto la Sling AR15/M16 MS3 MULTIMISSION SLING. Questa guida fornisce informazioni importanti sulla sicurezza per garantire un uso corretto e sicuro del prodotto. È fondamentale seguire queste istruzioni per evitare incidenti e garantire la massima efficienza nell'uso della slinga.

Linee Guida Generali di Sicurezza

- Assicurati di leggere e comprendere tutte le istruzioni prima di utilizzare il prodotto.
- Controlla sempre il prodotto per eventuali segni di usura o danni prima dell'uso.
- Non utilizzare la slinga in condizioni meteorologiche estreme o in ambienti pericolosi senza le dovute precauzioni.
- Tieni la slinga lontana dalla portata dei bambini e degli animali domestici.
- Segnala qualsiasi prodotto non sicuro o incidente alle autorità competenti.

Precauzioni di Sicurezza Specifiche per l'Uso

- **Controllo della Slinga:** Verifica che la slinga sia correttamente montata e che tutti i ganci e le clip siano ben fissati prima dell'uso.
- **Transizioni Veloci:** Quando cambi la configurazione della slinga da due punti a punto singolo, assicurati di farlo in un ambiente sicuro e controllato.
- **Movimento della Slinga:** Utilizza la piastra adattatore posteriore Magpul ASAP™ per garantire un movimento della slinga senza restrizioni e per evitare intralci.
- **Sicurezza dell'Arma:** Assicurati che l'arma sia scarica prima di attaccare o staccare la slinga.
- **Uso Adeguato:** Non utilizzare la slinga per scopi diversi da quelli previsti. Non sovraccaricare la slinga oltre le specifiche indicate.

Istruzioni per l'Installazione e l'Uso

1. Installazione della Slinga:

- Fissa il gancio a sgancio rapido della slinga alle tazze per slinga QD sul lower receiver dell'arma.
- Assicurati che il gancio sia completamente inserito e bloccato in posizione.
- Se utilizzi la piastra adattatore posteriore Magpul ASAP™, montala seguendo le istruzioni fornite con il prodotto.

2. Regolazione della Lunghezza:

- Regola la lunghezza della slinga tirando il meccanismo di regolazione fino a raggiungere la lunghezza desiderata (da 33" a 54").
- Controlla che la slinga sia ben fissata e che non ci siano parti allentate.

3. Uso della Slinga:

- Indossa la slinga in modo che possa adattarsi comodamente al tuo corpo.
- Per passare da una configurazione a due punti a una a punto singolo, segui le istruzioni di transizione in un ambiente sicuro.
- Cambia spalla per ottimizzare la copertura e la posizione dell'arma.

Istruzioni per lo Smaltimento

- Non gettare la slinga nell'ambiente. Segui le normative locali per lo smaltimento dei materiali in nylon e acciaio.
- Se la slinga è danneggiata o non più utilizzabile, smaltiscila in modo responsabile presso un centro di raccolta autorizzato.

Informazioni di Contatto per Ulteriori Supporto

Per domande o preoccupazioni riguardanti la sicurezza del prodotto, contatta il tuo rivenditore o il produttore. Assicurati di avere il numero di modello e altre informazioni pertinenti a disposizione quando richiedi assistenza.

Seguendo queste linee guida, contribuirai a garantire un uso sicuro e efficace della Sling AR15/M16 MS3 MULTIMISSION SLING. Grazie per la tua attenzione e per aver scelto il nostro prodotto.