

AR-15 EXTENDED MAGAZINE RELEASES - ODIN WORKS INC. AR-15 EXTENDED MAGAZINE RELEASE FLAT DARK EARTH

[Rifle Parts](#) > [Receiver Parts](#) > [Magazine Parts](#) > [Magazine Releases](#)

A flagship product for ODIN Works, the XMR (eXtended Magazine Release) is one accessory every AR needs. Machined from billet 6061 aluminum and designed to work with KNS pins. The XMR is 4x larger than a mil spec button making it easily accessible by all shapes and sizes of hands and fingers. Works with both AR15 lower receivers. Simple install takes only minutes, allen wrench included.



Attributes

- Name: [ODIN WORKS INC. AR-15 EXTENDED MAGAZINE RELEASE FLAT DARK EARTH](#)
- Manufacturer: [ODIN WORKS INC.](#)
- Product no.: 100022679
- Mfr. No.: ACC-XMR-FDE
- Weapon type: AR-15
- Delivery weight: 0.15kg
- Shipping height: 25mm
- Shipping width: 83mm
- Shipping length: 127mm
- UPC: 856205005070

Item details

Made in USA

US export classification: 0A501.x

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for AR15 Extended Magazine Releases](#)
- [About Us](#)

Safety Instruction Guide for AR15 Extended Magazine Releases

Introduction

Thank you for choosing the AR15 Extended Magazine Releases from ODIN Works Inc. This product is designed to enhance the functionality of your AR15 firearm. It is essential to follow the safety guidelines outlined in this document to ensure safe and effective use.

General Safety Guidelines

- Always treat every firearm as if it is loaded.
- Ensure that the firearm is pointed in a safe direction at all times.
- Keep your finger off the trigger until you are ready to shoot.
- Store this product out of reach of children and unauthorized users.
- Regularly inspect your firearm and accessories for wear or damage.
- Report any unsafe products or accidents to the appropriate authorities.
- Stay informed about recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Ensure that the magazine release is compatible with your AR15 lower receiver.
- Do not attempt to modify or alter the magazine release in any way.
- Only use this product with KNS pins as specified in the installation instructions.
- Avoid using excessive force when operating the magazine release.
- Wear safety glasses when handling firearms to protect your eyes from potential debris.

Instructions for Installation and Usage

Installation Instructions

1. **Gather Tools:** Ensure you have an allen wrench (included) and a clean workspace.
2. **Safety Check:** Verify that the firearm is unloaded and the chamber is clear.
3. **Remove Old Magazine Release:**
 - Locate the existing magazine release button.
 - Use the allen wrench to unscrew and remove the old button.
4. **Install New Magazine Release:**
 - Align the new XMR with the existing hole.
 - Secure the XMR by tightening it with the allen wrench. Do not overtighten.
5. **Check Functionality:** Ensure the magazine release operates smoothly before use.

Usage Instructions

- To release the magazine, press the XMR with your finger.
- Ensure that the firearm is pointed in a safe direction when releasing the magazine.
- Practice using the magazine release while the firearm is unloaded to become familiar with its operation.

Disposal Instructions

- Dispose of any packaging materials responsibly, following local recycling guidelines.
- If the product is damaged or no longer needed, dispose of it in accordance with local waste disposal regulations.

Contact Information for Further Support

For questions or concerns regarding this product, please refer to the manufacturer's contact information provided in the product packaging or visit the manufacturer's website.

By following these safety instructions, you can ensure a safe and enjoyable experience with your AR15 Extended Magazine Releases. Thank you for your attention to safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk