

MFR XS FREE FLOAT M-LOK HANDGUARD - DANIEL DEFENSE MFR XS HANDGUARD FREE FLOAT ALUMINUM 13.5" BLACK

[Rifle Parts](#) > [Build Kits](#) > [Handguards & Rails](#)

Easy Handling & Plenty Of Room For Accessories

Daniel Defense's MFR XS M-LOK free-floating handguard combines the popular M-LOK accessory attachment system with excellent weight savings, as well as superior cooling and ergonomics. Daniel Defense employs a unique bolt-on system that lets you attach the MFR XS to a standard AR-15 barrel nut, which helps keep the outside diameter of this handguard to a minimum, making it easy to grasp, helping you control your rifle. The Daniel Defense MFR XS M-LOK handguard offers seven rows of M-LOK attachment points on the sides and bottom, along with an uninterrupted MIL-STD 1913 Picatinny top rail. Integrated in both the left and right side rails are ambidextrous QD pushbutton sling swivel attachment points. Machined 6061 T6 aluminum Type III hardcoat anodized finish Grade 8 military specification fasteners Anti-rotation tabs to keep the handguard aligned with the receiver. The Daniel Defense MFR XS M-LOK handguard can be used with a pinned low-profile gas block on pistol, carbine, mid-length or rifle length gas systems.



Attributes

- Name: [DANIEL DEFENSE MFR XS HANDGUARD FREE FLOAT ALUMINUM 13.5" BLACK](#)
- Manufacturer: [DANIEL DEFENSE](#)
- Product no.: 100024355
- Mfr. No.: 01-107-15189-006
- Colour: Black
- Length: 13.5
- Material: Aluminum
- Style: M-LOK
- Type: Free Float
- Delivery weight: 0.624kg
- Shipping height: 95mm
- Shipping width: 102mm
- Shipping length: 432mm
- UPC: 815604019774

Item details

Made in USA

US export classification: 0A501.y.1

Table of Contents

- Startpage
- MFR XS Free Float MLOK Handguard Safety Instruction Guide
- About Us

MFR XS Free Float MLOK Handguard Safety Instruction Guide

Introduction

Thank you for choosing the MFR XS Free Float MLOK Handguard by Daniel Defense. This guide provides essential safety instructions and information to ensure the safe and effective use of this product. Please read and follow these guidelines carefully.

General Safety Guidelines

- **Product Safety:** Ensure that the handguard is used only as intended. Do not modify it in any way that may compromise its integrity or safety.
- **Enhanced Recalls:** Stay informed about any recalls related to this product. If you receive a recall notice, follow the instructions provided to remedy the situation.
- **Online Shopping:** When purchasing online, ensure you are buying from reputable sources that comply with EU safety regulations.
- **Special Consumer Focus:** This product is not intended for use by children. Keep it out of reach of minors.
- **EU Contact Point:** For any safety inquiries, refer to the product packaging or the manufacturer's website for contact information.
- **Rapid Alerts:** Regularly check the EU Safety Gate platform for updates on product safety and recalls.

Specific Safety Precautions for Use

- **Installation:** Ensure that the handguard is installed according to the manufacturer's instructions to avoid any misalignment or potential hazards.
- **Handling:** Always handle the weapon with care. Treat it as if it is loaded, even if you believe it is not.
- **Sling Swivel Attachment:** Use the ambidextrous QD pushbutton sling swivel attachment points properly to secure your sling. Ensure they are fully engaged before use.
- **Weight Limit:** Be aware of the weight limits of the handguard and do not exceed them with attachments.
- **Regular Inspections:** Regularly inspect the handguard for any signs of wear or damage. If any issues are found, cease use immediately and consult a professional.

Instructions for Installation and Usage

1. Preparation:

- Ensure you have all necessary tools and components before beginning installation.
- Read the installation manual thoroughly.

2. Installation Steps:

- Remove the existing handguard from your AR15 by loosening the barrel nut.
- Align the MFR XS handguard with the standard AR15 barrel nut.
- Secure the handguard using the provided Grade 8 military specification fasteners.
- Make sure the antirotation tabs are properly engaged to keep the handguard aligned with the receiver.

3. Usage:

- Once installed, familiarize yourself with the handguard and its features.

- Attach accessories using the seven rows of MLOK attachment points as needed.
- Ensure that all attachments are securely fastened before use.

4. Safety Checks:

- Before each use, check the handguard for any loose components.
- Verify that the sling attachment points are functional and secure.

Disposal Instructions

- Dispose of the handguard and any associated materials in accordance with local regulations.
- Do not dispose of the product in regular household waste. Check for recycling options or designated disposal sites for aluminum products.

Contact Information for Further Support

For any further support or inquiries regarding safety and usage of the MFR XS Free Float MLOK Handguard, please refer to the contact information provided on the product packaging or visit the manufacturer's official website.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk