

2 CAVITY CONICAL CAP & BALL MOLDS - LEE PRECISION 2 CAVITY CONICAL CAP & BALL 0.375" DIAMETER 130GR RN

[Reloading](#) > [Bullet Casting](#) > [Casting Moulds](#) > [Muzzleloading Moulds](#)

These double cavity conical cap and ball molds are machined aluminum blocks and hard anodized sprue plate. They feature tangential cut off which helps eliminate the nip at the sprue cut off.



Attributes

- Name: [LEE PRECISION 2 CAVITY CONICAL CAP & BALL 0.375" DIAMETER 130GR RN](#)
- Manufacturer: [LEE PRECISION](#)
- Product no.: 100032184
- Mfr. No.: 90378
- Delivery weight: 0.386kg
- Shipping height: 51mm
- Shipping width: 76mm
- Shipping length: 279mm
- UPC: 734307903787

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for 2 Cavity Conical Cap & Ball Molds](#)
- [About Us](#)

Safety Instruction Guide for 2 Cavity Conical Cap & Ball Molds

Introduction

Thank you for choosing the LEE Precision 2 Cavity Conical Cap & Ball Molds. This guide provides essential safety instructions and guidelines to ensure the safe use of this product. It is important to read and understand this document before using the molds to avoid any potential hazards.

General Safety Guidelines

- Ensure that the molds are used in a wellventilated area to prevent the accumulation of fumes from any materials used.
- Keep the molds out of reach of children and vulnerable individuals.
- Regularly inspect the molds for any signs of damage or wear before each use.
- Always follow the manufacturer's instructions for use and maintenance.
- Report any unsafe products or accidents to the appropriate authorities immediately.
- Stay informed about product recalls by checking the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Always wear appropriate personal protective equipment (PPE), such as gloves and safety glasses, when handling the molds.
- Ensure that the molds are securely clamped or held in place during use to prevent accidental movement.
- Do not exceed the recommended temperature limits when using the molds.
- Avoid touching hot surfaces of the molds to prevent burns.
- Use only compatible materials as specified by the manufacturer to avoid chemical reactions.
- Do not attempt to modify the molds in any way, as this may compromise safety and performance.

Instructions for Installation and Usage

1. Preparation:

- Clean the molds thoroughly before first use to remove any manufacturing residues.
- Ensure that your work area is organized and free from clutter.

2. Installation:

- Securely mount the molds on a stable workbench or surface.
- Ensure that the molds are aligned properly to avoid miscasting.

3. Usage:

- Preheat the molds according to the manufacturer's guidelines.
- Pour the material into the molds carefully to avoid spills.
- Allow the material to set as per the recommended time before removing it from the molds.
- After use, allow the molds to cool down completely before handling.

4. Cleaning:

- Clean the molds with a soft cloth and appropriate cleaning solution after each use.
- Avoid using abrasive materials that can scratch or damage the mold surface.

Disposal Instructions

- Dispose of any unused or damaged molds in accordance with local regulations.
- Do not throw molds in regular household waste if they contain hazardous materials; consult local waste management guidelines for proper disposal methods.

Contact Information for Further Support

For any inquiries regarding product safety, usage, or support, please refer to the manufacturer's contact information provided on the product packaging or the official website.

By following these safety guidelines and instructions, you can ensure a safe and effective experience with your LEE Precision 2 Cavity Conical Cap & Ball Molds. Thank you for your attention to safety!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk