

# EAR PLUG LANYARD - DECIBULLZ EAR PLUG LANYARD

[Shooting Accessories](#) > [Ear & Eye Protection](#) > [Ear Plugs](#)

## Never Lose Your Earplugs Again

Keep your Decibullz Custom Molded Earplugs together and handy with this premium lanyard. Color: Black Designed specifically for Decibullz Earplugs the lanyard is easily attached allowing for convenience and wear around the neck. Simply remove the back plugs from your Decibullz Custom Molded Earplugs and insert the lanyard plug.



## Attributes

- Name: [DECIBULLZ EAR PLUG LANYARD](#)
- Manufacturer: [DECIBULLZ](#)
- Product no.: 100035858
- Mfr. No.: PLG1-CORD
- Colour: Black
- NRR: 25 dB
- Style: Plugs
- Delivery weight: 0.045kg
- Shipping height: 19mm
- Shipping width: 64mm
- Shipping length: 95mm
- UPC: 854843005568

## Item details

Made in USA

# Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for Decibullz Ear Plug Lanyard](#)
- [About Us](#)

# Safety Instruction Guide for Decibullz Ear Plug Lanyard

## Introduction

Thank you for choosing the Decibullz Ear Plug Lanyard. This guide provides essential safety instructions and guidelines to ensure the safe use of your product. Please read this guide carefully to maximize the benefits and minimize any risks associated with the use of the lanyard.

## General Safety Guidelines

- Ensure that the lanyard is used only with Decibullz Custom Molded Earplugs.
- Keep the lanyard and earplugs out of reach of children to prevent choking hazards.
- Inspect the lanyard regularly for any signs of wear or damage before each use.
- If the lanyard is damaged or shows signs of wear, discontinue use immediately and replace it.
- Avoid exposing the lanyard to extreme temperatures or harsh chemicals that may degrade the material.

## Specific Safety Precautions for Use

- Do not use the lanyard if you have a known allergy to the materials used in its construction.
- Ensure that the lanyard is securely attached to the earplugs before use to prevent accidental loss.
- When wearing the lanyard, avoid situations where it could become entangled in machinery or other hazards.
- If you experience any discomfort or irritation while using the earplugs with the lanyard, remove them immediately and consult a healthcare professional.

## Instructions for Installation and Usage

### 1. Remove the Back Plugs:

- Carefully remove the back plugs from your Decibullz Custom Molded Earplugs.

### 2. Insert the Lanyard Plug:

- Take the lanyard plug and insert it into the earplug where the back plug was removed.

### 3. Secure the Lanyard:

- Ensure the lanyard is securely attached to the earplugs. Tug gently on the lanyard to confirm it is secure.

### 4. Wearing the Lanyard:

- Place the lanyard around your neck, ensuring it is comfortable and not too tight.
- Adjust the length of the lanyard if necessary to ensure it hangs comfortably.

### 5. Removing the Lanyard:

- To remove the lanyard, simply detach the lanyard plug from the earplug by pulling it out gently.

## Disposal Instructions

- Dispose of the lanyard in accordance with local regulations for plastic waste.
- Do not dispose of the lanyard in regular household waste if local regulations require specific disposal

methods for plastic products.

- If the lanyard is no longer usable, consider recycling it if possible.

## **Contact Information for Further Support**

For any safety inquiries or additional support regarding your Decibullz Ear Plug Lanyard, please reach out to your local retailer or the manufacturer directly.

## **Conclusion**

By following these safety instructions, you can ensure the safe and effective use of your Decibullz Ear Plug Lanyard. Always prioritize safety and consult professionals when in doubt. Thank you for your attention to these guidelines, and enjoy your Decibullz products.

# About Us

## Brownells UK

**Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)