

1895 MARLIN TOP RAIL - MIDWEST INDUSTRIES 1895 MARLIN TOP RAIL BLACK PICATINNY

[Rifle Parts](#) > [Forend & Handguard Parts](#) > [Handguard & Rail Accessories](#) > [Accessory Rails](#)

One Piece Picatinny Scope Rail 6.0 Inches overall length Machined to mil spec tolerances Constructed from 6061 aluminum, hard coat anodized for a lifetime of service Includes mounting screws 100% Made in U.S.A. with a lifetime warranty Works with Henry 30-30 and the 45-70 rifles (Not compatible with Henry 38/357, 44 Mag, and 45 Colt receivers) Weight 2.8oz



Attributes

- Name: [MIDWEST INDUSTRIES 1895 MARLIN TOP RAIL BLACK PICATINNY](#)
- Manufacturer: [MIDWEST INDUSTRIES](#)
- Product no.: 100039854
- Mfr. No.: MI-1895R
- Colour: Black
- Length: 6"
- Material: Aluminum
- Model: 1895
- Style: Picatinny
- Type: Bolt On
- Weapon type: Marlin
- Delivery weight: 0.454kg
- Shipping height: 25mm
- Shipping width: 102mm
- Shipping length: 229mm
- UPC: 818537014489

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for 1895 MARLIN TOP RAIL MIDWEST INDUSTRIES](#)
- [About Us](#)

Safety Instruction Guide for 1895 MARLIN TOP RAIL MIDWEST INDUSTRIES

Introduction

Thank you for choosing the 1895 MARLIN TOP RAIL from MIDWEST INDUSTRIES. This product is designed to provide a reliable and secure mounting solution for your optics. To ensure your safety and the longevity of the product, please read this safety instruction guide carefully.

General Safety Guidelines

- Ensure that the product is used according to the manufacturer's specifications.
- Always inspect the product for any signs of damage or wear before use.
- Keep the product out of reach of children and vulnerable individuals.
- Report any unsafe conditions or product failures to the appropriate authorities.
- Stay informed about product recalls by checking the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Only use the 1895 MARLIN TOP RAIL with compatible rifles, specifically Henry 3030 and 4570 rifles.
- Do not attempt to use this product with Henry 38/357, 44 Mag, and 45 Colt receivers, as this may pose safety risks.
- Ensure that the rail is securely mounted before using the rifle.
- Avoid overtightening the mounting screws, which could damage the rail or the rifle.
- Always wear appropriate safety gear, such as eye protection, when handling firearms.

Instructions for Installation and Usage

1. Preparation

- Gather all necessary tools, including a screwdriver compatible with the mounting screws provided.
- Ensure that the rifle is unloaded and pointed in a safe direction.

2. Installation

- Identify the mounting location on your rifle.
- Align the Picatinny rail with the mounting holes on the rifle.
- Insert the provided mounting screws into the holes and tighten them securely, but do not overtighten.

3. Usage

- Once installed, attach your scope or optics to the Picatinny rail according to the manufacturer's instructions for the optic.
- Check the stability of the mounted optic before use.
- Regularly inspect the mounting for any signs of loosening or damage.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in general waste; consider recycling options if available.
- Ensure that any hazardous materials are disposed of safely and responsibly.

Contact Information for Further Support

For any inquiries regarding safety or product information, please consult the manufacturer's website or contact their customer service department. Ensure to have your product details ready for efficient assistance.

By following these guidelines and instructions, you can ensure the safe and effective use of your 1895 MARLIN TOP RAIL. Thank you for prioritizing safety and compliance with the EU General Product Safety Regulation.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk