

SR-5-G2 BIPODS - ACCU-TAC SR-5 G2 ARCA SPEC QD BIPOD MATTE BLACK

[Shooting Accessories](#) > [Bipods, Monopods & Accessories](#) > [Bipods](#)

The Accu-Tac SR-5 G2 Bipod was designed, engineered, and manufactured in the USA. It is 100% billet, made from the highest quality aircraft aluminum available. Its wide stance and ratcheted leg extension gives you the adjustability needed for precision aim and repeatability. You will feel the stability and security of your rifle as never felt before. The SR-5 G2 has the ability to cant which can be locked with its new throw lever. Accu-Tac's quick detach rail mount is simple, quick, and very secure; it attaches to a 1913 Picatinny rail and mounts in seconds without the need to use extra tools for tightening. Their ratcheted leg extension design allows the shooter to quickly adjust to 5 different heights without having to align each leg equally. The spring-loaded leg extension retracts quickly with a one-button retraction lever. The retracted leg height of 6 inches extends to a full open position of 10 inches with 3 other positions in-between. To engage or adjust leg position, simply pull the spring loaded leg downward to move each leg independently. Leg position can be deployed in a 90 degree, 45 degree position either forwards or backwards, locking securely into 5 positions through a 180 degree arc. Accu-Tac's quick detach rail mount is simple, quick, and very secure. The quick detach attaches to a standard Arca Swiss or Arca style rail and mounts in seconds without the need to use extra tools for tightening. Our ratcheted leg extension design allows the shooter to quickly adjust to 5 different heights without having to align each leg equally. The spring-loaded leg extension retracts quickly with a one-button retraction lever. The retracted leg height of 6 inches extends to a full open position of 10 inches with 3 other positions in-between. To engage or adjust leg position, simply pull the spring-loaded leg downward to move each leg independently. Leg position can be deployed in a 90 degree, 45 degree position either forwards or backwards, locking securely into 5 positions through a 180 degree arc. Quick Detach: Materials 6061 T6 Aluminum alloy / High strength steel hardware Min. Height (Legs at 45°) 6.25" / 158.75 mm Min. Height (Legs at 90°) 8.0" / 203 mm Max. Height (Legs at 90°) 10.75" / 273 mm Min. Stance (Legs at 45°) 9.25" / 235 mm Max. Stance (Legs at 90°) 15.75" / 400 mm Closed Position Width 3.25" / 82.5 mm Closed Position Length 9.0" / 228.6 mm Weight 22 oz Color Flat Black Coating Type III (MIL-SPEC) Hard Anodize Arca Spec: Materials 6061 T6 Aluminum alloy / High strength steel hardware Min. Height 6.5" / 165mm (Legs at 45°) Min. Height 8.25" / 210mm (Legs at 90°) Max. Height 11.00" / 279.40 mm (Legs at 90°) Min. Stance 9.25" / 235mm (Legs at 45°) Max. Stance 15.75" / 400mm (Legs at 90°) Closed Position Width 3.250" / 82.5mm Closed Position Length 9" / 228.6mm Weight 22.96 oz Color Flat Black Coating Type III (MIL-SPEC) Hard Anodize



Attributes

- Name: [ACCU-TAC SR-5 G2 ARCA SPEC QD BIPOD MATTE BLACK](#)
- Manufacturer: [ACCU-TAC](#)
- Product no.: 100040480
- Mfr. No.: SRASQD-G205
- Attachment: Quick Detach
- Colour: Black

- Feet Material: Rubber
- Folding: Yes
- Height: 6.5 to 11
- Weight: 22.96 oz
- Delivery weight: 0.907kg
- Shipping height: 83mm
- Shipping width: 140mm
- Shipping length: 318mm
- UPC: 858520006435

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for SR5G2 Bipods
- About Us

Safety Instruction Guide for SR5G2 Bipods

Introduction

Thank you for choosing the AccuTac SR5 G2 Bipod. This product is designed for stability and precision in various shooting conditions. Please read this safety instruction guide thoroughly to ensure safe and effective use of the bipod.

General Safety Guidelines

- Always inspect the bipod before each use to ensure it is in good condition.
- Use the bipod only for its intended purpose: to stabilize firearms.
- Keep the bipod out of reach of children when not in use.
- Do not exceed the weight limit specified by the manufacturer.
- Ensure the bipod is securely attached to the firearm before use.
- Be aware of your surroundings and ensure a safe shooting environment.
- Follow all local laws and regulations regarding firearm use and safety.

Specific Safety Precautions for Use

- **Stability:** Always set the bipod on a stable and flat surface to prevent tipping.
- **Leg Positioning:** Ensure the legs are fully extended and locked in place before use.
- **Cant Adjustment:** Use the cant feature responsibly and ensure it is locked before aiming.
- **Quick Detach Mechanism:** Familiarize yourself with the quick detach mechanism to ensure proper attachment and detachment.
- **Retracting Legs:** Use the onebutton retraction lever carefully to avoid pinching fingers.
- **Weather Conditions:** Avoid using the bipod in extreme weather conditions that may compromise its performance.

Instructions for Installation and Usage

1. Installation:

- Attach the bipod to a 1913 Picatinny rail or Arca Swiss rail.
- Ensure the quick detach mechanism clicks securely into place.
- Check that the bipod is firmly attached by gently pulling on it.

2. Adjusting Leg Height:

- To extend the legs, pull down on the springloaded leg while holding the bipod steady.
- Adjust each leg independently to achieve the desired height.
- Lock the legs in place by ensuring they click into the correct position.

3. Using the Cant Feature:

- Adjust the cant by loosening the throw lever.
- Position the bipod to the desired angle and tighten the lever to lock it in place.

4. Retracting the Legs:

- To retract, press the onebutton retraction lever.
- Ensure that the legs are fully retracted before storing the bipod.

5. Storage:

- Store the bipod in a cool, dry place away from direct sunlight.
- Avoid placing heavy objects on top of the bipod during storage.

Disposal Instructions

- Dispose of the bipod in accordance with local regulations.
- Do not dispose of the bipod in regular household waste.
- Consider recycling the materials if applicable.

Contact Information for Further Support

For any inquiries regarding safety, usage, or support for your AccuTac SR5 G2 Bipod, please refer to the manufacturer's website or contact your local retailer.

By following these guidelines, you can ensure a safe and enjoyable experience with your AccuTac SR5 G2 Bipod. Always prioritize safety and responsible firearm handling.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk