

# **TALOS 6-24X50MM SFP ILLUMINATED RIFLE SCOPE - TALOS 6-24X50MM SFP ILLUMINATED ATMR1 IR MIL RETICLE BLACK**

[Optics & Mounting](#) > [Scopes](#) > [Rifle Scopes](#)

**TALOS 6-24X50MM SFP ILLUMINATED RIFLE SCOPE** If you ask any hunter, they'll probably tell you they have filled more tags in the low-light hours than any other time. With that said, it would be wise to design a scope to excel in early-morning and late-evening light. With the Talos scope with Athlon Advanced multi-coated lenses for clarity and brightness in low light, you'll be able to add precious minutes to every hunting day. These scopes, with their 4X magnification range, will give you great versatility whether you are hunting whitetails in the dense southern pine forest of Georgia, or prairie dogs on the wide-open ranges of Wyoming. With one-piece tube design, the Talos line includes an assortment of specialty scopes for big-game, varmint, MSR's, 22 rimfire, slug, black powder, and turkey hunting. **FEATURES:** FULLY MULTI-COATED LENSES NITROGEN PURGED AIRCRAFT GRADE ALUMINUM TUBE ILLUMINATED RETICLE ETCHED GLASS RETICLE WATERPROOF FOG PROOF SHOCKPROOF ONE PIECE TUBE CONSTRUCTION SPECIFICATIONS: RETICLE TYPE: BDC 600 IR POWER: 6-24x OBJ. LENS: 50 mm TUBE SIZE: 1" TURRETS: Capped EYE RELIEF: 3.03-3.11" FOV @100Y: 16.8-4.5 ft CLICK VALUE: 0.25 MOA ADJUSTMENT PER ROTATION: 15 MOA TOTAL ELEVATION ADJUSTMENT: 60 MOA TOTAL WINDAGE ADJUSTMENT: 60 MOA PARALLAX ADJUSTMENT: Side Focus 10 Yds. - Infinity PURGING MATERIAL: Argon WEIGHT: 23.0 oz



## **Attributes**

- Name: [TALOS 6-24X50MM SFP ILLUMINATED ATMR1 IR MIL RETICLE BLACK](#)
- Manufacturer: [ATHLON OPTICS](#)
- Product no.: 100042188
- Mfr. No.: 215013
- Battery: CR-2032
- Click Value: 0.1 MRAD
- Click Value: 0.1 MRAD
- Eye Relief: 3.11", 3.03"
- Finish: Black
- Focal Plane: Second
- Illumination: Yes
- Length: 13.9"
- Max Magnification: 24x
- Min. Magnification: 6x
- Model Number: Talos
- Objective Size: 50mm
- Reticle: ATMR1 IR
- Tube Size: 1"
- Weight: 23.0 oz
- Delivery weight: 1.361kg
- Shipping height: 102mm
- Shipping width: 102mm
- Shipping length: 406mm
- UPC: 813869020696

## **Item details**

This product contains a battery.

US export classification: 0A504.a

# Table of Contents

- Startpage
- TALOS 624X50MM SFP ILLUMINATED RIFLE SCOPE Safety Instructions
- About Us

# TALOS 624X50MM SFP ILLUMINATED RIFLE SCOPE

## Safety Instructions

### Introduction

Thank you for choosing the TALOS 624X50MM SFP ILLUMINATED RIFLE SCOPE. This guide provides important safety information and instructions to ensure the safe and effective use of your rifle scope. Please read this document carefully before using the product.

### General Safety Guidelines

- Ensure the scope is used in compliance with local laws and regulations regarding firearm use.
- Always treat your rifle as if it is loaded, even if you believe it is not.
- Keep the scope and all firearm components out of reach of children and unauthorized users.
- Inspect the scope regularly for any signs of damage or wear. Do not use if damaged.
- Avoid using the scope in extreme weather conditions that could affect its performance.
- If you experience any problems with the scope, discontinue use and seek assistance.

### Specific Safety Precautions for Use

- **Magnification:** Use the appropriate magnification level for your shooting situation. High magnification may reduce the field of view and make it harder to track moving targets.
- **Illumination:** Use the illuminated reticle feature responsibly, especially in lowlight conditions, to avoid distracting yourself or others.
- **Eye Relief:** Maintain a safe distance from the eyepiece to avoid injury from recoil. The recommended eye relief is between 3.11 inches and 3.03 inches.
- **Battery Safety:** Ensure the battery is installed correctly. Dispose of used batteries according to local regulations.
- **Cleaning:** Use a soft cloth to clean the lenses. Avoid using harsh chemicals or abrasive materials that could scratch the lenses.

### Instructions for Installation and Usage

#### 1. Mounting the Scope:

- Select a suitable mounting base compatible with your rifle.
- Securely attach the scope to the mounting base, ensuring it is level and aligned with the barrel.
- Tighten the mounting screws according to the manufacturer's specifications.

#### 2. Adjusting the Scope:

- To adjust the magnification, rotate the magnification ring to the desired level (6x to 24x).
- Adjust the windage and elevation turrets to zero in your scope according to your shooting needs.

#### 3. Using the Illumination:

- To turn on the illuminated reticle, locate the illumination control dial and adjust to your preferred brightness level.
- Always turn off the illumination when not in use to conserve battery life.

#### 4. Sighting in the Scope:

- Use a stable shooting rest to sight in your rifle.

- Fire a group of shots at a target, then adjust the windage and elevation settings as needed to align the point of impact with the point of aim.

#### **5. PostUse Care:**

- After use, remove the scope from the rifle if storing for extended periods.
- Store the scope in a dry, cool place to prevent moisture damage.

## **Disposal Instructions**

- Dispose of the scope and any electronic components, including batteries, in accordance with local regulations.
- Do not dispose of the scope in regular household waste. Check for recycling programs in your area for electronic devices.

## **Contact Information for Further Support**

For any questions regarding safety or product performance, please refer to the manufacturer's website or customer service for assistance. Always ensure you have the latest information regarding product safety and compliance.

By following these guidelines, you can ensure a safe and enjoyable experience with your TALOS 624X50MM SFP ILLUMINATED RIFLE SCOPE. Thank you for your attention to safety.

# About Us

## Brownells Austria

**Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

[www.brownells.at](http://www.brownells.at)