

MIDAS TSR1 RED DOT - MIDAS TSR1 3 MOA DOT RETICLE RED DOT

[Optics & Mounting](#) > [Electronic Sights](#) > [Red Dot Sights](#)

The speed and versatility of a red dot goes unmatched in close range engagements. Whether you are running an AR or PCC in competition, hunting, or running a red dot on an optics ready pistol, the TSR series of red dots has you covered. With 50,000 hours of battery life and motion sensor activation, the TSR series is always ready. Furthermore, you can mount the sight on select handgun models, such as Glock, by taking off the picatinny rail mount and mounting it on the adapter plate (sold separately). To remove the picatinny rail mount, loosen the two top screws on the main chassis.



Attributes

- Name: [MIDAS TSR1 3 MOA DOT RETICLE RED DOT](#)
- Manufacturer: [ATHLON OPTICS](#)
- Product no.: 100042197
- Mfr. No.: 403014
- Battery Life: 50000 hours
- Brightness Settings: 10 settings
- Click Value: 1 MOA
- Click Value: 1 MOA
- Finish: Black
- Power Supply: CR 2032
- Reticle: 3 MOA Dot
- Sight Type: Red Dot
- Weight: 2.8 oz
- Delivery weight: 0.227kg
- Shipping height: 76mm
- Shipping width: 102mm
- Shipping length: 102mm
- UPC: 813869021754

Item details

US export classification: 0A504.c

Table of Contents

- Startpage
- MIDAS TSR1 Red Dot Safety Instruction Guide
- About Us

MIDAS TSR1 Red Dot Safety Instruction Guide

Introduction

Thank you for choosing the MIDAS TSR1 Red Dot. This guide provides essential safety instructions and usage guidelines to ensure your product is used safely and effectively. Please read this guide thoroughly before using the product.

General Safety Guidelines

- Always ensure that the red dot sight is securely mounted before use.
- Check the sight for any damage before installation.
- Keep the product out of reach of children and unauthorized users.
- Use only the recommended battery type (CR 2032) for optimal performance.
- Do not expose the sight to extreme temperatures or harsh environments.
- In case of malfunction or damage, discontinue use immediately and seek assistance.

Specific Safety Precautions for Use

- Avoid looking directly at the sun through the sight, as it may cause permanent eye damage.
- Ensure that the sight is properly zeroed before engaging in shooting activities.
- Always wear appropriate eye protection when using firearms equipped with the red dot sight.
- Be aware of your surroundings and ensure a safe shooting environment.
- Regularly check the battery life and replace it as needed to maintain functionality.

Instructions for Installation and Usage

Installation

1. Remove the Picatinny Rail Mount:

- Loosen the two top screws on the main chassis.
- Carefully detach the picatinny rail mount from the sight.

2. Mounting the Sight:

- If using on a handgun, attach the sight to the adapter plate (sold separately).
- Ensure that the sight is securely fastened to prevent movement during use.

3. Powering On:

- Insert a new CR 2032 battery into the battery compartment.
- Activate the sight using the motion sensor or by pressing the power button.

Usage

- Adjust the brightness settings to suit your environment using the 10 available settings.
- The reticle is a 3 MOA dot; ensure you are familiar with its operation before use.
- Regularly check for any signs of wear or damage during use.

Disposal Instructions

- Dispose of the product and batteries in accordance with local regulations.
- Do not dispose of batteries in household waste; take them to a designated recycling facility.

Contact Information for Further Support

For any safety inquiries or further assistance, please refer to the official contact point provided with your product. It is essential to ensure you have access to support for any issues that may arise.

Thank you for your attention to safety and for choosing the MIDAS TSR1 Red Dot. Enjoy your experience and stay safe!

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at