

HOT BUTTON - UNITY TACTICAL MLOK SINGLE LEAD SUREFIRE 7", BLACK

[Shooting Accessories](#) > [Flashlights & Accessories](#) > [Flashlight Accessories](#)

Hot Button is a revolutionary control device for weapon-mounted electronic accessories. Developed out of a need to conserve rail-estate, improve actuation ergonomics, and mechanically integrate with weapon fore ends, Hot Button has successfully reinvented how you interface with your lights and lasers. The first major innovation is the button angle. Legacy remote tape switches feature a flat pad that forces users to strain their thumbs in an unnatural angle to apply consistent pressure to activate a momentary function. Hot Button presents the activation button at a 45-degree angle for an exponentially more comfortable press. This is especially important when activating the button under pressure. A raised, crenelated bezel protects the button from accidental actuation, while providing a tactile index point for the user's thumb. Because Hot Button is angled, the overall footprint is much smaller than factory OEM pressure pads. Not only does this clean up rails on traditional weapons, but it greatly increases the accessory layout options on smaller SMG and PDW's. If that weren't enough, we have designed two separate versions of Hot Button that will attach directly to either Mil-Std M1913 Picatinny or M-LOK rail interface. Both rail systems are approved and standardized by the US Department of Defense for use on issued weapons. Hot Button secures to these rails with hardware, eliminating the need for Velcro, 100mph Tape, or Zip Ties. This secure attachment method ensures your switches stay on the gun (in the location you placed them) regardless of battlefield abuse. Hot Button is available for standard Surefire tail caps and standard Crane-Style laser ports (found in B.E. Meyers, Holosun, Insight/L-3, Steiner, and Wilcox products).



Attributes

- Name: [UNITY TACTICAL MLOK SINGLE LEAD SUREFIRE 7", BLACK](#)
- Manufacturer: [UNITY TACTICAL](#)
- Product no.: 100043346
- Mfr. No.: HBM-SB
- Colour: Black
- Delivery weight: 0.086kg
- Shipping height: 64mm
- Shipping width: 89mm
- Shipping length: 13mm
- UPC: 810007880099

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for HOT BUTTON UNITY TACTICAL MLOK SINGLE LEAD SUREFIRE 7", BLACK
- About Us

Safety Instruction Guide for HOT BUTTON UNITY TACTICAL MLOK SINGLE LEAD SUREFIRE 7", BLACK

Introduction

Thank you for choosing the Hot Button Unity Tactical MLOK Single Lead Surefire 7". This innovative control device is designed to enhance your experience with weaponmounted electronic accessories. To ensure safe and effective use of this product, please read and follow the safety instructions outlined in this guide.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose as described in this guide.
- Keep the product out of reach of children and vulnerable individuals.
- Inspect the product regularly for any signs of damage or wear. Do not use if damaged.
- In case of malfunction or accidents, report the incident to the appropriate authorities.
- Be aware of the specific safety regulations applicable to your region.

Specific Safety Precautions for Use

• Button Activation:

- The button is designed to be activated at a 45degree angle. Ensure your thumb is positioned correctly to avoid strain.
- Do not apply excessive force to the button, as this may lead to accidental activation or damage.

• Environmental Considerations:

- Avoid exposing the product to extreme temperatures, moisture, or harsh chemicals.
- Ensure that the product is dry before installation and use.

• Secure Attachment:

- Always ensure that the Hot Button is securely attached to the rail system to prevent it from becoming dislodged during use.
- Follow the installation instructions carefully to ensure proper attachment.

• Use of Accessories:

- Only use compatible accessories with the Hot Button to ensure safe operation.
- Check compatibility with your weapon system and accessories before use.

Instructions for Installation and Usage

1. Installation:

- Identify the rail system on your weapon (MilStd M1913 Picatinny or MLOK).
- Align the Hot Button with the rail and secure it using the provided hardware.
- Ensure that the button is positioned for easy access and activation.

2. Usage:

- To activate the button, position your thumb at the 45degree angle and press gently.
- When under pressure, maintain a firm grip to ensure consistent activation without accidental discharge.

3. Maintenance:

- Regularly check the button and attachment points for any signs of wear or looseness.
- Clean the product with a soft, dry cloth. Avoid using abrasive materials or solvents.

Disposal Instructions

- Dispose of the Hot Button in accordance with local regulations regarding electronic waste.
- Do not dispose of the product in household waste. Instead, take it to a designated electronic waste disposal facility.

Contact Information for Further Support

For any inquiries or concerns regarding the safety and use of the Hot Button, please refer to the manufacturer's contact details provided with the product packaging or on the manufacturer's website. Ensure that you have the product information available when seeking assistance.

By following these safety instructions, you can ensure a safe and effective experience with your Hot Button Unity Tactical MLOK Single Lead Surefire 7". Thank you for your attention to these important guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk