

HOT BUTTON - UNITY TACTICAL MLOK SINGLE LEAD SUREFIRE 7", FDE

[Shooting Accessories](#) > [Flashlights & Accessories](#) > [Flashlight Accessories](#)

Hot Button is a revolutionary control device for weapon-mounted electronic accessories. Developed out of a need to conserve rail-estate, improve actuation ergonomics, and mechanically integrate with weapon fore ends, Hot Button has successfully reinvented how you interface with your lights and lasers. The first major innovation is the button angle. Legacy remote tape switches feature a flat pad that forces users to strain their thumbs in an unnatural angle to apply consistent pressure to activate a momentary function. Hot Button presents the activation button at a 45-degree angle for an exponentially more comfortable press. This is especially important when activating the button under pressure. A raised, crenelated bezel protects the button from accidental actuation, while providing a tactile index point for the user's thumb. Because Hot Button is angled, the overall footprint is much smaller than factory OEM pressure pads. Not only does this clean up rails on traditional weapons, but it greatly increases the accessory layout options on smaller SMG and PDW's. If that weren't enough, we have designed two separate versions of Hot Button that will attach directly to either Mil-Std M1913 Picatinny or M-LOK rail interface. Both rail systems are approved and standardized by the US Department of Defense for use on issued weapons. Hot Button secures to these rails with hardware, eliminating the need for Velcro, 100mph Tape, or Zip Ties. This secure attachment method ensures your switches stay on the gun (in the location you placed them) regardless of battlefield abuse. Hot Button is available for standard Surefire tail caps and standard Crane-Style laser ports (found in B.E. Meyers, Holosun, Insight/L-3, Steiner, and Wilcox products).



Attributes

- Name: [UNITY TACTICAL MLOK SINGLE LEAD SUREFIRE 7", FDE](#)
- Manufacturer: [UNITY TACTICAL](#)
- Product no.: 100043347
- Mfr. No.: HBM-SF
- Colour: Flat Dark Earth
- Delivery weight: 0.091kg
- Shipping height: 64mm
- Shipping width: 89mm
- Shipping length: 114mm
- UPC: 810007880105

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for Hot Button Unity Tactical MLOK Single Lead Surefire 7", FDE
- About Us

Safety Instruction Guide for Hot Button Unity Tactical MLOK Single Lead Surefire 7", FDE

Introduction

Thank you for choosing the Hot Button Unity Tactical MLOK Single Lead Surefire 7". This innovative control device is designed to enhance your experience with weaponmounted electronic accessories. Please read this safety instruction guide carefully to ensure safe and effective use of the product.

General Safety Guidelines

- Always follow the manufacturer's instructions for use and installation.
- Ensure that the product is compatible with your weapon system before use.
- Regularly inspect the product for any signs of wear or damage.
- Keep the product out of reach of children and unauthorized users.
- Report any unsafe products or accidents to the relevant authorities.
- Check for recall updates on the EU's Safety Gate platform to stay informed about product safety.

Specific Safety Precautions for Use

• Hazard Identification:

- The Hot Button is designed for use with weaponmounted accessories. Improper use may result in accidental discharge.
- The raised bezel protects against accidental activation; however, always verify the status of your device before use.

• Avoiding Hazards:

- Do not apply excessive force when pressing the activation button to prevent damage to the device.
- Ensure that the device is securely attached to the rail system to avoid detachment during use.
- Use the product only as intended and according to these safety guidelines.

• Age Specific Warnings:

- This product is not intended for use by individuals under the age of 18. Ensure that all users are trained and knowledgeable about the safe handling of firearms and accessories.

Instructions for Installation and Usage

• Installation:

1. Ensure that your weapon is unloaded and in a safe condition before installation.
2. Identify the appropriate rail system—either MilStd M1913 Picatinny or MLOK.
3. Align the Hot Button with the rail system and secure it using the provided hardware.
4. Tighten the screws firmly but do not overtighten to avoid damaging the rail or the device.

• Usage:

1. To activate the device, press the button at a 45degree angle for optimal comfort.
2. Maintain a firm grip on your weapon while using the Hot Button to ensure stability.
3. Regularly check the device during use to ensure it remains securely attached and functional.

Disposal Instructions

- Dispose of the Hot Button in accordance with local regulations regarding electronic waste.
- Do not throw the product in regular household waste. Instead, seek out designated recycling facilities or programs for proper disposal.

Contact Information for Further Support

For any inquiries or support regarding the Hot Button Unity Tactical MLOK Single Lead Surefire 7", please refer to the manufacturer's website or customer service for assistance. Ensure that you have all relevant information about your product ready for a more efficient response.

By following these safety instructions, you can ensure a safe and effective experience with your Hot Button Unity Tactical MLOK Single Lead Surefire 7". Thank you for your attention to these important guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk