

HOT BUTTON - UNITY TACTICAL MLOK SINGLE LEAD LASER 7", BLACK

[Shooting Accessories](#) > [Flashlights & Accessories](#) > [Flashlight Accessories](#)

Hot Button is a revolutionary control device for weapon-mounted electronic accessories. Developed out of a need to conserve rail-estate, improve actuation ergonomics, and mechanically integrate with weapon fore ends, Hot Button has successfully reinvented how you interface with your lights and lasers. The first major innovation is the button angle. Legacy remote tape switches feature a flat pad that forces users to strain their thumbs in an unnatural angle to apply consistent pressure to activate a momentary function. Hot Button presents the activation button at a 45-degree angle for an exponentially more comfortable press. This is especially important when activating the button under pressure. A raised, crenelated bezel protects the button from accidental actuation, while providing a tactile index point for the user's thumb. Because Hot Button is angled, the overall footprint is much smaller than factory OEM pressure pads. Not only does this clean up rails on traditional weapons, but it greatly increases the accessory layout options on smaller SMG and PDW's. If that weren't enough, we have designed two separate versions of Hot Button that will attach directly to either Mil-Std M1913 Picatinny or M-LOK rail interface. Both rail systems are approved and standardized by the US Department of Defense for use on issued weapons. Hot Button secures to these rails with hardware, eliminating the need for Velcro, 100mph Tape, or Zip Ties. This secure attachment method ensures your switches stay on the gun (in the location you placed them) regardless of battlefield abuse. Hot Button is available for standard Surefire tail caps and standard Crane-Style laser ports (found in B.E. Meyers, Holosun, Insight/L-3, Steiner, and Wilcox products).



Attributes

- Name: [UNITY TACTICAL MLOK SINGLE LEAD LASER 7", BLACK](#)
- Manufacturer: [UNITY TACTICAL](#)
- Product no.: 100043348
- Mfr. No.: HBM-IB
- Colour: Black
- Delivery weight: 0.077kg
- Shipping height: 57mm
- Shipping width: 83mm
- Shipping length: 121mm
- UPC: 810007880112

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instructions for HOT BUTTON UNITY TACTICAL MLOK SINGLE LEAD LASER 7", BLACK
- About Us

Safety Instructions for HOT BUTTON UNITY TACTICAL MLOK SINGLE LEAD LASER 7", BLACK

Introduction

Thank you for choosing the Hot Button Unity Tactical MLOK Single Lead Laser. This innovative device is designed to enhance your weapon-mounted electronic accessories while ensuring safety and usability. Please read this safety instruction guide carefully to ensure safe operation and compliance with EU regulations.

General Safety Guidelines

- Ensure safe use of the Hot Button by following all instructions provided in this guide.
- Be aware of potential risks associated with weapon-mounted accessories and take necessary precautions.
- Regularly check for updates on product recalls and safety notices through the EU's Safety Gate platform.
- Report any unsafe products and accidents to the appropriate authorities.

Specific Safety Precautions for Use

- Always ensure that the weapon is unloaded before installing or adjusting the Hot Button.
- Do not use the Hot Button if it appears damaged or malfunctioning.
- Keep the Hot Button and its components out of reach of children and unauthorized users.
- Avoid using the Hot Button in extreme weather conditions or environments that may compromise its functionality.
- When activating the button, ensure that you have a firm grip on the weapon to prevent accidental discharge.

Instructions for Installation and Usage

Installation

1. **Preparation:** Ensure your weapon is unloaded and in a safe condition before installation.
2. **Select Rail Type:** Determine whether you will be using the MilStd M1913 Picatinny or MLOK rail interface.
3. **Attach Hot Button:**
 - For Picatinny Rail:
 - Align the Hot Button with the desired position on the rail.
 - Secure the Hot Button using the provided hardware.
 - For MLOK Rail:
 - Position the Hot Button in the desired location.
 - Use the provided hardware to secure it firmly.
4. **Check Security:** Ensure that the Hot Button is securely attached and does not move when force is applied.

Usage

1. **Activating the Button:**
 - Press the button at a 45-degree angle for optimal comfort and control.
 - Ensure your thumb is positioned on the raised bezel for accurate activation.
2. **Maintaining Control:**
 - Always maintain a firm grip on your weapon when using the Hot Button.
 - Be aware of your surroundings and any potential hazards when activating the device.

Disposal Instructions

- Dispose of the Hot Button and its components in accordance with local regulations.
- Do not dispose of electronic components in regular household waste.
- Check with local authorities for designated electronic waste disposal facilities.

Contact Information for Further Support

For any safety inquiries or additional support regarding the Hot Button Unity Tactical MLOK Single Lead Laser, please refer to the appropriate channels for assistance.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk