

HOT BUTTON - UNITY TACTICAL PICATINNY SINGLE LEAD SUREFIRE 7", BLACK

[Shooting Accessories](#) > [Flashlights & Accessories](#) > [Flashlight Accessories](#)

Hot Button is a revolutionary control device for weapon-mounted electronic accessories. Developed out of a need to conserve rail-estate, improve actuation ergonomics, and mechanically integrate with weapon fore ends, Hot Button has successfully reinvented how you interface with your lights and lasers. The first major innovation is the button angle. Legacy remote tape switches feature a flat pad that forces users to strain their thumbs in an unnatural angle to apply consistent pressure to activate a momentary function. Hot Button presents the activation button at a 45-degree angle for an exponentially more comfortable press. This is especially important when activating the button under pressure. A raised, crenelated bezel protects the button from accidental actuation, while providing a tactile index point for the user's thumb. Because Hot Button is angled, the overall footprint is much smaller than factory OEM pressure pads. Not only does this clean up rails on traditional weapons, but it greatly increases the accessory layout options on smaller SMG and PDW's. If that weren't enough, we have designed two separate versions of Hot Button that will attach directly to either Mil-Std M1913 Picatinny or M-LOK rail interface. Both rail systems are approved and standardized by the US Department of Defense for use on issued weapons. Hot Button secures to these rails with hardware, eliminating the need for Velcro, 100mph Tape, or Zip Ties. This secure attachment method ensures your switches stay on the gun (in the location you placed them) regardless of battlefield abuse. Hot Button is available for standard Surefire tail caps and standard Crane-Style laser ports (found in B.E. Meyers, Holosun, Insight/L-3, Steiner, and Wilcox products).



Attributes

- Name: [UNITY TACTICAL PICATINNY SINGLE LEAD SUREFIRE 7", BLACK](#)
- Manufacturer: [UNITY TACTICAL](#)
- Product no.: 100043350
- Mfr. No.: HBR-SB
- Colour: Black
- Delivery weight: 0.095kg
- Shipping height: 64mm
- Shipping width: 89mm
- Shipping length: 127mm
- UPC: 810007880211

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [HOT BUTTON UNITY TACTICAL PICATINNY SINGLE LEAD SUREFIRE 7", BLACK Safety Instructions](#)
- [About Us](#)

HOT BUTTON UNITY TACTICAL PICATINNY SINGLE LEAD SUREFIRE 7", BLACK Safety Instructions

Introduction

Thank you for purchasing the Hot Button Unity Tactical Picatinny Single Lead Surefire 7". This revolutionary control device enhances the functionality of weaponmounted electronic accessories. To ensure your safety and the optimal performance of this product, please read and follow the guidelines outlined in this manual.

General Safety Guidelines

- **Product Safety:** Ensure safe use of the Hot Button by adhering to all instructions provided. This product is designed for military and law enforcement applications and should be used responsibly.
- **Enhanced Recalls:** Stay informed about any product recalls. In case of a recall, you will receive standardized notices and free remedies for any dangerous products.
- **Online Shopping:** If purchased online, ensure that the platform complies with safety requirements similar to physical stores.
- **Special Consumer Focus:** This product is not intended for use by children. Keep it out of reach of minors to prevent accidents.
- **EU Contact Point:** For safety inquiries, please refer to the relevant EUbased contact.
- **Rapid Alerts:** Monitor the EU Safety Gate platform for timely updates on any unsafe products.

Specific Safety Precautions for Use

- **Proper Handling:** Always handle the Hot Button with care. Avoid dropping or exposing it to extreme environmental conditions.
- **Accidental Activation:** The raised, crenelated bezel helps prevent accidental activation. Always ensure the button is not obstructed before use.
- **Pressure Activation:** Use the button with a firm but controlled pressure to ensure effective activation, especially under stress.
- **Compatibility:** Ensure that the Hot Button is compatible with your weapon system before installation. Only use it with standard Surefire tail caps and CraneStyle laser ports.
- **Secure Attachment:** Make sure the Hot Button is securely attached to the rail system to avoid detachment during use.

Instructions for Installation and Usage

1. Installation:

- Ensure that the weapon is unloaded and safe before installation.
- Identify the rail interface (MilStd M1913 Picatinny or MLOK) on your weapon.
- Align the Hot Button with the rail and secure it using the provided hardware.
- Check that the button is firmly attached and does not move.

2. Usage:

- Activate the button by applying pressure at the 45degree angle for optimal comfort.
- Utilize the tactile index point on the bezel for better thumb placement.
- Regularly check the attachment and functionality of the Hot Button to ensure it operates correctly.

Disposal Instructions

- **Environmental Considerations:** Dispose of the Hot Button responsibly. Do not throw it in general waste.
- **Recycling:** If possible, recycle the product according to local regulations. Check for any specific disposal instructions provided by local authorities.

Contact Information for Further Support

For any questions or concerns regarding the Hot Button, please consult your retailer or the manufacturer directly for assistance.

By following these safety instructions, you can ensure the safe and effective use of the Hot Button Unity Tactical Picatinny Single Lead Surefire 7". Thank you for choosing our product, and stay safe!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk