

HOT BUTTON - UNITY TACTICAL PICATINNY SINGLE LEAD SUREFIRE 7", FDE

[Shooting Accessories](#) > [Flashlights & Accessories](#) > [Flashlight Accessories](#)

Hot Button is a revolutionary control device for weapon-mounted electronic accessories. Developed out of a need to conserve rail-estate, improve actuation ergonomics, and mechanically integrate with weapon fore ends, Hot Button has successfully reinvented how you interface with your lights and lasers. The first major innovation is the button angle. Legacy remote tape switches feature a flat pad that forces users to strain their thumbs in an unnatural angle to apply consistent pressure to activate a momentary function. Hot Button presents the activation button at a 45-degree angle for an exponentially more comfortable press. This is especially important when activating the button under pressure. A raised, crenelated bezel protects the button from accidental actuation, while providing a tactile index point for the user's thumb. Because Hot Button is angled, the overall footprint is much smaller than factory OEM pressure pads. Not only does this clean up rails on traditional weapons, but it greatly increases the accessory layout options on smaller SMG and PDW's. If that weren't enough, we have designed two separate versions of Hot Button that will attach directly to either Mil-Std M1913 Picatinny or M-LOK rail interface. Both rail systems are approved and standardized by the US Department of Defense for use on issued weapons. Hot Button secures to these rails with hardware, eliminating the need for Velcro, 100mph Tape, or Zip Ties. This secure attachment method ensures your switches stay on the gun (in the location you placed them) regardless of battlefield abuse. Hot Button is available for standard Surefire tail caps and standard Crane-Style laser ports (found in B.E. Meyers, Holosun, Insight/L-3, Steiner, and Wilcox products).



Attributes

- Name: [UNITY TACTICAL PICATINNY SINGLE LEAD SUREFIRE 7", FDE](#)
- Manufacturer: [UNITY TACTICAL](#)
- Product no.: 100043351
- Mfr. No.: HBR-SF
- Colour: Flat Dark Earth
- Delivery weight: 0.095kg
- Shipping height: 64mm
- Shipping width: 89mm
- Shipping length: 13mm
- UPC: 810007880228

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for HOT BUTTON UNITY TACTICAL PICATINNY SINGLE LEAD SUREFIRE 7", FDE
- About Us

Safety Instruction Guide for HOT BUTTON UNITY TACTICAL PICATINNY SINGLE LEAD SUREFIRE 7", FDE

Introduction

Thank you for choosing the HOT BUTTON UNITY TACTICAL PICATINNY SINGLE LEAD SUREFIRE 7", FDE. This innovative control device is designed to enhance your experience with weapon-mounted electronic accessories. To ensure your safety and the optimal performance of this product, please read and follow these safety instructions carefully.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose as described in the product manual.
- Always follow local laws and regulations regarding the use and mounting of weapon accessories.
- Keep this product out of reach of children and unauthorized users.
- Regularly inspect the product for any signs of damage or wear. Do not use if damaged.
- Report any unsafe conditions or incidents to the appropriate authorities.

Specific Safety Precautions for Use

- The HOT BUTTON is designed for use on standard Surefire tail caps and standard CraneStyle laser ports. Ensure compatibility before use.
- Avoid applying excessive force when activating the button to prevent damage.
- Do not expose the product to extreme temperatures or harsh environmental conditions.
- Ensure that the raised, crenelated bezel is intact to prevent accidental actuation.
- When using the product under pressure, maintain a firm grip to avoid slipping.
- Be aware of your surroundings and ensure that the weapon is pointed in a safe direction when activating the device.

Instructions for Installation and Usage

Installation

1. **Select the Appropriate Rail Interface:** Ensure that you are using either MilStd M1913 Picatinny or MLOK rail interface.
2. **Secure the Device:**
 - Use the provided hardware to attach the HOT BUTTON securely to the rail.
 - Ensure that the attachment is tight and that the device does not move during use.
3. **Check Compatibility:** Confirm that the device is compatible with your weapon's Surefire tail caps and laser ports.

Usage

1. **Activating the Device:**
 - Press the activation button at the 45-degree angle for optimal comfort.
 - Ensure your thumb is positioned on the tactile index point for better control.
2. **Maintaining Control:**
 - Practice activating the button in a safe environment to familiarize yourself with its function.
 - Always ensure that the weapon is in a safe position when practicing.

Disposal Instructions

- Dispose of the product in accordance with local regulations for electronic waste.
- Do not dispose of the product in regular household waste.
- If the product is damaged or no longer functional, consider recycling or contacting a local waste management service for proper disposal.

Contact Information for Further Support

For any safety inquiries or further assistance regarding the HOT BUTTON, please refer to the manufacturer's contact information provided in the product packaging or manual.

Thank you for your attention to these safety guidelines. Your safety and the proper use of this product are our top priorities.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk