

HOT BUTTON - UNITY TACTICAL PICATINNY SINGLE LEAD LASER 7", BLACK

[Shooting Accessories](#) > [Flashlights & Accessories](#) > [Flashlight Accessories](#)

Hot Button is a revolutionary control device for weapon-mounted electronic accessories. Developed out of a need to conserve rail-estate, improve actuation ergonomics, and mechanically integrate with weapon fore ends, Hot Button has successfully reinvented how you interface with your lights and lasers. The first major innovation is the button angle. Legacy remote tape switches feature a flat pad that forces users to strain their thumbs in an unnatural angle to apply consistent pressure to activate a momentary function. Hot Button presents the activation button at a 45-degree angle for an exponentially more comfortable press. This is especially important when activating the button under pressure. A raised, crenelated bezel protects the button from accidental actuation, while providing a tactile index point for the user's thumb. Because Hot Button is angled, the overall footprint is much smaller than factory OEM pressure pads. Not only does this clean up rails on traditional weapons, but it greatly increases the accessory layout options on smaller SMG and PDW's. If that weren't enough, we have designed two separate versions of Hot Button that will attach directly to either Mil-Std M1913 Picatinny or M-LOK rail interface. Both rail systems are approved and standardized by the US Department of Defense for use on issued weapons. Hot Button secures to these rails with hardware, eliminating the need for Velcro, 100mph Tape, or Zip Ties. This secure attachment method ensures your switches stay on the gun (in the location you placed them) regardless of battlefield abuse. Hot Button is available for standard Surefire tail caps and standard Crane-Style laser ports (found in B.E. Meyers, Holosun, Insight/L-3, Steiner, and Wilcox products).



Attributes

- Name: [UNITY TACTICAL PICATINNY SINGLE LEAD LASER 7", BLACK](#)
- Manufacturer: [UNITY TACTICAL](#)
- Product no.: 100043352
- Mfr. No.: HBR-IB
- Colour: Black
- Delivery weight: 0.086kg
- Shipping height: 64mm
- Shipping width: 89mm
- Shipping length: 127mm
- UPC: 810007880235

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for HOT BUTTON UNITY TACTICAL PICATINNY SINGLE LEAD LASER 7", BLACK
- About Us

Safety Instruction Guide for HOT BUTTON UNITY TACTICAL PICATINNY SINGLE LEAD LASER 7", BLACK

Introduction

Thank you for choosing the HOT BUTTON UNITY TACTICAL PICATINNY SINGLE LEAD LASER. This guide provides essential safety instructions to ensure the safe use of your product. Please read this guide carefully before using the device.

General Safety Guidelines

- Ensure that the product is used in accordance with the manufacturer's instructions to prevent accidents and injuries.
- Always handle the device with care. Improper use may result in injury or damage to the product.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the product for any signs of wear or damage. If any damage is found, discontinue use immediately.
- Report any unsafe product experiences to the relevant authorities.
- Stay informed about recall updates through the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Always ensure that your hands are dry when operating the device.
- Avoid using the product in wet or damp conditions to prevent electrical hazards.
- Do not modify or attempt to repair the device without professional assistance.
- When using the device, maintain a firm grip to prevent accidental activation.
- Be aware of your surroundings when using the device, especially in highpressure situations.
- Ensure that the device is securely attached to the weapon before use to avoid accidental disconnection.

Instructions for Installation and Usage

Installation

1. Select the Mounting Rail:

- Choose between MilStd M1913 Picatinny or MLOK rail interface for installation.

2. Secure the Device:

- Use the provided hardware to securely attach the Hot Button to the selected rail.
- Ensure that the device is firmly in place and does not move when pressure is applied.

3. Check for Proper Alignment:

- Confirm that the activation button is positioned at a comfortable angle (45 degrees) for easy access.

Usage

1. Activating the Device:

- Press the activation button with your thumb at a 45degree angle for optimal comfort.
- Ensure that your grip is firm to maintain control over the device.

2. **During Use:**

- Be mindful of the raised, crenelated bezel which serves as a tactile index point for your thumb.
- Avoid applying excessive force to the activation button to prevent accidental activation.

3. **PostUse Care:**

- After use, inspect the device for any signs of wear or damage.
- Store the device in a cool, dry place away from direct sunlight and moisture.

Disposal Instructions

- Dispose of the product in accordance with local regulations for electronic waste.
- Do not dispose of the device in regular household waste.
- If unsure about disposal methods, contact local waste management authorities for guidance.

Contact Information for Further Support

For any inquiries regarding the safety of this product, please refer to your local EU contact point for assistance.

Thank you for following these safety instructions. Your safety is our priority. Enjoy your experience with the HOT BUTTON UNITY TACTICAL PICATINNY SINGLE LEAD LASER.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk