

# HOT BUTTON - UNITY TACTICAL PICATINNY SINGLE LEAD LASER 7", FDE

[Shooting Accessories](#) > [Flashlights & Accessories](#) > [Flashlight Accessories](#)

Hot Button is a revolutionary control device for weapon-mounted electronic accessories. Developed out of a need to conserve rail-estate, improve actuation ergonomics, and mechanically integrate with weapon fore ends, Hot Button has successfully reinvented how you interface with your lights and lasers. The first major innovation is the button angle. Legacy remote tape switches feature a flat pad that forces users to strain their thumbs in an unnatural angle to apply consistent pressure to activate a momentary function. Hot Button presents the activation button at a 45-degree angle for an exponentially more comfortable press. This is especially important when activating the button under pressure. A raised, crenelated bezel protects the button from accidental actuation, while providing a tactile index point for the user's thumb. Because Hot Button is angled, the overall footprint is much smaller than factory OEM pressure pads. Not only does this clean up rails on traditional weapons, but it greatly increases the accessory layout options on smaller SMG and PDW's. If that weren't enough, we have designed two separate versions of Hot Button that will attach directly to either Mil-Std M1913 Picatinny or M-LOK rail interface. Both rail systems are approved and standardized by the US Department of Defense for use on issued weapons. Hot Button secures to these rails with hardware, eliminating the need for Velcro, 100mph Tape, or Zip Ties. This secure attachment method ensures your switches stay on the gun (in the location you placed them) regardless of battlefield abuse. Hot Button is available for standard Surefire tail caps and standard Crane-Style laser ports (found in B.E. Meyers, Holosun, Insight/L-3, Steiner, and Wilcox products).



## Attributes

- Name: [UNITY TACTICAL PICATINNY SINGLE LEAD LASER 7", FDE](#)
- Manufacturer: [UNITY TACTICAL](#)
- Product no.: 100043353
- Mfr. No.: HBR-IF
- Colour: Flat Dark Earth
- Delivery weight: 0.086kg
- Shipping height: 57mm
- Shipping width: 83mm
- Shipping length: 121mm
- UPC: 810007880242

## Item details

Made in USA

# Table of Contents

- Startpage
- Safety Instruction Guide for HOT BUTTON UNITY TACTICAL PICATINNY SINGLE LEAD LASER 7", FDE
- About Us

# Safety Instruction Guide for HOT BUTTON UNITY TACTICAL PICATINNY SINGLE LEAD LASER 7", FDE

## Introduction

Thank you for choosing the HOT BUTTON UNITY TACTICAL PICATINNY SINGLE LEAD LASER. This innovative control device enhances the functionality of weaponmounted electronic accessories. To ensure your safety and the optimal performance of the product, please read and follow this safety instruction guide carefully.

## General Safety Guidelines

- **Product Safety:** This product is designed for safe use in accordance with the EU General Product Safety Regulation (GPSR). Ensure that you are familiar with its operation and handling.
- **Online Shopping:** If purchased online, ensure that the seller complies with safety regulations similar to physical stores.
- **Enhanced Recalls:** Be aware of any recalls associated with this product. Check the EU's Safety Gate platform for updates.
- **Special Consumer Focus:** This product is not intended for use by children. Keep it out of reach of minors.
- **Rapid Alerts:** Stay informed about any safety alerts regarding this product through the Safety Gate system.

## Specific Safety Precautions for Use

- **Hazard Identification:**
  - Improper installation or use may lead to accidental activation or malfunction.
  - Ensure that the device is securely attached to the weapon to avoid detachment during use.
- **Avoiding Hazards:**
  - Do not use the device in conditions that may impair its performance (e.g., extreme temperatures, moisture).
  - Always check the device for damage before use.
  - Do not attempt to disassemble or modify the device.
- **Agespecific Warnings:**
  - This product is not suitable for individuals under the age of 18. Ensure that it is used only by responsible adults.

## Instructions for Installation and Usage

### • Installation:

1. Ensure that the weapon is unloaded and safe before installation.
2. Select the appropriate rail interface (MilStd M1913 Picatinny or MLOK).
3. Align the HOT BUTTON with the rail and secure it using the provided hardware.
4. Ensure that the button is easily accessible and that it does not interfere with the operation of the weapon.

### • Usage:

1. To activate the device, press the button at a 45degree angle for optimal comfort and control.
2. Be mindful of the raised bezel, which helps prevent accidental activation.
3. Regularly check the device to ensure it remains securely attached and functional.

## Disposal Instructions

- When disposing of this product, follow local regulations for electronic waste.
- Remove batteries (if applicable) and dispose of them separately in accordance with local guidelines.
- Do not dispose of the product in regular household waste.

## Contact Information for Further Support

For any safety inquiries or support regarding the HOT BUTTON UNITY TACTICAL PICATINNY SINGLE LEAD LASER, please refer to the manufacturer's contact details provided with your product packaging or on their official website.

By following these safety guidelines and instructions, you can ensure a safe and effective experience with your HOT BUTTON device. Thank you for your attention to these important safety measures.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)