

AR-15 OVERMOLDED ULTIMATE DUST COVER FOR 223/5.56 - STRIKE INDUSTRIES AR-15 OVERMOLDED ULTIMATE DUST COVER 223/5.56 FDE

[Rifle Parts](#) > [Receiver Parts](#) > [Ejection Port Cover Parts](#) > [Ejection Port Cover Assemblies](#)

The Strike Industries AR Overmolded Ultimate Dust Cover for .223/5.56 is the next iteration of our Ultimate Dust Cover (UDC). The upgraded UDC design with double injection mold and overmolded rubberized soft sealing lip for better seal to prevent debris and water from entering when the cover is closed. The SI patent pending ""True Seal"" internal lip seals the port tighter than traditional dust cover designs. The AR Overmolded UDC comes pre-assembled with all the parts needed for a quick tool-less installation and easy disassembly using something as common as a pen or small point. Built into the UDC is an adjustable detent set screw to compensate for wear on the upper receiver. The SI patent pending noise-reduction rubber padding also makes it nearly 100% silent during activation. Made of overmolded high-strength impact resistant custom blended SI Polmer Extreme material, the SI AR Overmolded UDC does not deform or get bent out of shape. Resistant to rust unlike traditional steel covers, if the time ever comes, knowing you can remove and quickly reinstall makes this an easy cost-effective choice.

Consider the Strike Industries AR Overmolded Ultimate Dust Cover for .223/5.56 on a new build or when you are going to untorque the barrel nut as this is the easiest time to remove your old stamped steel dust cover to upgrade. Install AND remove any SI UDC in just 5 to 10 seconds.

COMPATIBILITY: AR-15 Mil-Spec upper receivers Aero Precision M4E1 NOT

COMPATIBLE: Upper Receivers: VLTOR MUR: Modular Upper Receiver and ZRO Delta Lantac Enhanced BCG due to carrier and bolt design



Attributes

- Name: [STRIKE INDUSTRIES AR-15 OVERMOLDED ULTIMATE DUST COVER 223/5.56 FDE](#)
- Manufacturer: [STRIKE INDUSTRIES](#)
- Product no.: 100043854
- Mfr. No.: SI-AR-OMUDC-223-FDE
- Weapon type: AR-15
- Delivery weight: 0.018kg
- Shipping height: 13mm
- Shipping width: 25mm
- Shipping length: 102mm
- UPC: 793811764765

Item details

US export classification: 0A501.x

Table of Contents

- Startpage
- Safety Instruction Guide for AR15 Overmolded Ultimate Dust Cover for .223/5.56
- About Us

Safety Instruction Guide for AR15 Overmolded Ultimate Dust Cover for .223/5.56

Introduction

Thank you for choosing the Strike Industries AR Overmolded Ultimate Dust Cover for .223/5.56. This product is designed to enhance the performance of your AR15 while ensuring safety during use. Please read this safety instruction guide carefully to understand how to use, install, and dispose of the product safely.

General Safety Guidelines

- Ensure that the product is suitable for your specific AR15 model before installation.
- Always handle firearms and firearm accessories with care, following all safety protocols.
- Keep the dust cover clean and free of debris to maintain optimal performance.
- Store the product in a dry place to prevent damage from moisture or rust.
- Regularly inspect the dust cover for any signs of wear or damage before use.
- If you notice any defects or issues, discontinue use immediately and seek assistance.

Specific Safety Precautions for Use

- Do not attempt to modify the dust cover, as this can compromise its integrity and safety.
- Ensure that the dust cover is properly closed when not in use to prevent debris and moisture from entering the firearm.
- Be cautious when handling your firearm, especially during installation and removal of the dust cover.
- Keep the dust cover and all firearm components out of reach of children and unauthorized users.
- If you are unfamiliar with firearm accessories or installation procedures, seek guidance from a qualified professional.

Instructions for Installation and Usage

1. Preparation:

- Ensure your firearm is unloaded and pointed in a safe direction.
- Gather necessary tools, including a pen or small point for toolless disassembly.

2. Installation:

- Remove the old dust cover by gently pressing the detent pin with a pen or small point.
- Align the new AR Overmolded Ultimate Dust Cover with the upper receiver.
- Slide the dust cover into place until it clicks securely.
- Adjust the detent set screw if necessary to ensure a tight fit.

3. Usage:

- To activate the dust cover, simply push it open. Ensure it closes securely afterward.
- Regularly check the dust cover for proper function and ensure it remains unobstructed.

4. Removal:

- To remove the dust cover, press the detent pin again and slide the cover off the upper receiver.
- Store the dust cover in a safe location for future use.

Disposal Instructions

- Dispose of the dust cover responsibly if it becomes damaged or unusable.
- Follow local regulations for disposing of firearm accessories.
- Do not throw the dust cover in regular household waste if it contains hazardous materials.

Contact Information for Further Support

For any safety inquiries or concerns regarding the AR15 Overmolded Ultimate Dust Cover, please consult your retailer or manufacturer. Always refer to the manufacturer's guidelines for the most accurate and up-to-date information.

By following these safety instructions, you can ensure a safe and effective experience with your Strike Industries AR Overmolded Ultimate Dust Cover. Thank you for your attention to safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk