

CALIBER MARKED DUST COVER ASSEMBLIES - YANKEE HILL MACHINE CO., INC. CALIBER MARKED DUST COVER ASSEMBLY 9MM

[Rifle Parts](#) > [Receiver Parts](#) > [Ejection Port Cover Parts](#) > [Ejection Port Cover Assemblies](#)

YHM has long been a supplier of Caliber Marked upper receivers, but they soon asked themselves ""What if we want to change the caliber of that upper receiver?"" For this reason, they now offer caliber marked dust covers for those who may end up changing the caliber of their top end/upper receiver. SPECIFICATIONS Assemblies Include the following: Caliber Marked Dust Cover Rod and Retaining Clip Spring



Attributes

- Name: [YANKEE HILL MACHINE CO., INC. CALIBER MARKED DUST COVER ASSEMBLY 9MM](#)
- Manufacturer: [YANKEE HILL MACHINE CO., INC.](#)
- Product no.: 100050332
- Mfr. No.: YHM-111-9
- Delivery weight: 0.045kg
- Shipping height: 3mm
- Shipping width: 76mm
- Shipping length: 127mm
- UPC: 816701017724

Item details

Made in USA

US export classification: 0A501.x

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for CALIBER MARKED DUST COVER ASSEMBLIES](#)
- [About Us](#)

Safety Instruction Guide for CALIBER MARKED DUST COVER ASSEMBLIES

Introduction

Thank you for choosing the CALIBER MARKED DUST COVER ASSEMBLY 9MM from YANKEE HILL MACHINE CO., INC. This product is designed to enhance your upper receiver's versatility by allowing for caliber changes. To ensure safe and effective use, please read and follow these safety instructions carefully.

General Safety Guidelines

- Always ensure that the product is installed correctly and securely before use.
- Regularly inspect the dust cover and its components for any signs of wear or damage.
- Use the product only as intended, and do not modify it in any way.
- Keep the product out of reach of children and vulnerable individuals.
- Report any unsafe product incidents or accidents to the appropriate authorities.
- Stay informed on product recalls by checking the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Ensure the dust cover is compatible with your specific upper receiver model.
- Avoid using the dust cover if it shows any signs of damage or malfunction.
- Do not attempt to force the dust cover into place if it does not fit correctly.
- Always handle the upper receiver and dust cover with care to prevent injury.
- Wear safety glasses when installing or removing the dust cover to protect your eyes.

Instructions for Installation and Usage

1. Preparation

- Gather all necessary tools for installation.
- Ensure the workspace is clean and free of obstructions.

2. Installation Steps

- Remove the existing dust cover if applicable:
 - Locate the retaining clip and gently remove it.
 - Slide the old dust cover off the upper receiver.
- Install the CALIBER MARKED DUST COVER:
 - Align the new dust cover with the mounting points on the upper receiver.
 - Slide the dust cover into place.
 - Secure the dust cover using the retaining clip and ensure it is firmly in position.

3. Usage

- After installation, check the movement of the dust cover to ensure it functions properly.
- Test the fit and function of the upper receiver with the new dust cover before any live use.
- Regularly check the dust cover during usage for any signs of wear or misalignment.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in regular household waste.

- If the product is damaged or no longer usable, consider recycling components where possible.

Contact Information for Further Support

For any questions or concerns regarding the CALIBER MARKED DUST COVER ASSEMBLY 9MM, please refer to the manufacturer's website or the product packaging for contact details.

Thank you for following these safety instructions. Your safety and satisfaction are our top priorities.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk