

HANDGUN BULLET MOULDS - LEE PRECISION 44 CALIBER (0.430") 310GR ROUND NOSE MOLD

[Reloading](#) > [Bullet Casting](#) > [Casting Moulds](#) > [Handgun Moulds](#)

All Lee mould blocks are made from aluminum because of its exceptional moulding qualities. All mould cavities are CNC machined for unmatched roundness and size control. All moulds are double cavity to speed casting. Include handles and sprue plates.



Attributes

- Name: [LEE PRECISION 44 CALIBER \(0.430"\) 310GR ROUND NOSE MOLD](#)
- Manufacturer: [LEE PRECISION](#)
- Product no.: 100053307
- Mfr. No.: 90858
- Bullet Style: -
- Bullet Weight (Grains): 310
- Caliber: 44 Caliber
- Cavities: 2
- Diameter (in): 0.430
- Delivery weight: 0.363kg
- Shipping height: 52mm
- Shipping width: 66mm
- Shipping length: 272mm
- UPC: 734307908584

Item details

Made in USA

Table of Contents

- Startpage
- HANDBULLET MOULDS LEE PRECISION 44 CALIBER (0.430") 310GR ROUND NOSE MOLD Safety Instruction Guide
- About Us

HANDGUN BULLET MOULDS LEE PRECISION 44 CALIBER (0.430") 310GR ROUND NOSE MOLD Safety Instruction Guide

Introduction

Thank you for purchasing the Lee Precision 44 Caliber (0.430") 310gr Round Nose Mold. This guide provides essential safety information and instructions to ensure the safe and effective use of your product. Please read this manual carefully and follow all safety guidelines to minimize risks.

General Safety Guidelines

- Always handle molds with care to prevent injury.
- Use appropriate personal protective equipment (PPE) such as gloves and safety glasses when using the mold.
- Ensure your workspace is clean and free from hazards.
- Keep the mold out of reach of children and pets.
- Follow all local laws and regulations regarding the use of reloading equipment and ammunition.
- Regularly inspect the mold for wear or damage before use.
- Report any unsafe products or incidents to the relevant authorities.

Specific Safety Precautions for Use

- Ensure that the mold is securely fastened to the casting platform before use.
- Do not exceed the recommended temperature limits during casting.
- Avoid skin contact with molten lead; it can cause severe burns.
- Use proper ventilation when casting bullets to avoid inhalation of fumes.
- Always allow the mold to cool down before handling it after use.
- Never leave molten lead unattended during the casting process.
- Store the mold in a dry and safe location when not in use.

Instructions for Installation and Usage

1. Setup:

- Ensure that you have a stable and heatresistant work surface.
- Attach the mold to your casting platform securely.

2. Preparation:

- Preheat the mold according to the manufacturer's recommendations.
- Prepare your lead and ensure it is free from contaminants.

3. Casting:

- Pour molten lead into the mold cavities slowly to avoid splashing.
- Allow the lead to cool and solidify as per the recommended time.
- Open the mold carefully to remove the cast bullets.

4. PostUse Care:

- Clean the mold using appropriate methods to prevent lead buildup.

- Store the mold in a cool, dry place to prevent corrosion.

Disposal Instructions

- Dispose of any lead scraps or waste according to local regulations.
- Do not throw the mold in regular trash; check with local recycling centers for proper disposal methods.

Contact Information for Further Support

For any questions or concerns regarding the safety and use of your Lee Precision 44 Caliber Mold, please refer to the manufacturer's contact details provided on the product packaging or visit the official website.

By following these guidelines, you can ensure a safe and efficient experience while using your Lee Precision 44 Caliber (0.430") 310gr Round Nose Mold. Thank you for your attention to safety!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk