

ZEROED SV 2.0 MUZZLE BRAKE - CMMG ZEROED 9MM SV 2.0 MUZZLE BRAKE 1/2X28

[Rifle Parts](#) > [Muzzle Devices](#) > [Compensators & Muzzle Brakes](#)

ZEROED Muzzle Brake 5.56mm The CMMG® ZEROED™ Muzzle Brake features angled ports that provides excellent recoil control and minimizes muzzle rise. This allows for faster return to target for more accurate follow-up shots and creates a more enjoyable shooting experience. Designed for 5.56mm and has 1/2x28 threads. Made from 4140 Steel with a Nitride finish, the ZEROED Muzzle Brake has the durability and attention to detail that all CMMG products are known for. Includes: Muzzle Brake 5.56mm | 1/2-28 Crush Washer



Attributes

- Name: [CMMG ZEROED 9MM SV 2.0 MUZZLE BRAKE 1/2X28](#)
- Manufacturer: [CMMG](#)
- Product no.: 100400301
- Mfr. No.: 99DA5F5
- Caliber: 9 mm (.355-.356)
- Finish: Nitride
- Threads: 1/2-28
- Delivery weight: 0.109kg
- Shipping height: 44mm
- Shipping width: 102mm
- Shipping length: 203mm
- UPC: 810046234969

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [ZEROED SV 2.0 MUZZLE BRAKE SAFETY INSTRUCTIONS](#)
- [About Us](#)

ZEROED SV 2.0 MUZZLE BRAKE SAFETY INSTRUCTIONS

Introduction

Thank you for choosing the CMMG ZEROED SV 2.0 Muzzle Brake. This product is designed to enhance your shooting experience by providing excellent recoil control and minimizing muzzle rise. To ensure safe and effective use, please read and follow these safety instructions carefully.

General Safety Guidelines

- Always treat every firearm as if it is loaded.
- Ensure that you are in a safe environment when using this product.
- Always wear appropriate eye and ear protection when shooting.
- Keep this product out of reach of children and unauthorized users.
- Familiarize yourself with the local laws and regulations regarding firearm accessories.
- Regularly inspect the muzzle brake for any signs of wear or damage before use.

Specific Safety Precautions for Use

- Use only with firearms that are compatible with 5.56mm caliber and have 1/2x28 threads.
- Do not exceed the manufacturer's specifications for ammunition.
- Ensure that the muzzle brake is securely attached to the firearm before use.
- Avoid using the muzzle brake in wet or muddy conditions that may affect its performance.
- Do not attempt to modify or alter the muzzle brake in any way.

Instructions for Installation and Usage

1. Installation:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Remove the existing muzzle device if applicable.
- Clean the threads of the barrel to ensure proper installation.
- Screw the ZEROED Muzzle Brake onto the barrel, aligning the threads carefully.
- Use a crush washer to ensure a secure fit. Tighten to the manufacturer's specifications without overtightening.

2. Usage:

- After installation, conduct a function check to ensure the muzzle brake is properly installed.
- When firing, maintain a firm grip on the firearm and ensure your stance is stable.
- Monitor the performance of the muzzle brake during use; if you notice excessive recoil or muzzle rise, stop using the product and consult a professional.
- After use, clean the muzzle brake according to the manufacturer's recommendations to maintain its performance.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in regular household waste.
- Contact your local waste management authority for guidance on proper disposal methods.

Contact Information for Further Support

For additional support or inquiries regarding safety, please refer to the manufacturer's website or contact your local dealer.

By following these safety instructions, you can ensure a safer shooting experience with the CMMG ZEROED SV 2.0 Muzzle Brake. Always prioritize safety and responsible usage.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk