

MOSSBERG PATRIOT LONG ACTION PICATINNY SCOPE MOUNT - EGW MOSSBERG PATRIOT LA 1-PIECE PICATINNY BASE 20 MOA

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Rifle Bases](#)

This mount comes standard with a bevel on both sides making it ambidextrous. EGW recommends measuring the hole spacing in your receiver to confirm it matches with the dimensions they have published. Picatinny cross slots run the full length of the rail, which gives the shooter flexibility when mounting scope rings and other accessories. The channel in the center reduces the overall mass of the mount. Also, in many cases, it will not obstruct usage of factory iron sights. Their one-piece scope mounts are the obvious choice for hunters and tactical shooters alike. They machine these in their shop using one of their machining centers. After machining, the mounts are tumbled, sand blasted, and Type II anodized for long lasting durability. Installation: EGW recommends 20 inch lbs of torque and a drip of blue loctite (loctite is sold separately). They recommend: 0 MOA - if shooting 0-500 yards 20 MOA - if shooting 500-1000 yards When zeroing your rifle with a 20 MOA mount, they recommend zeroing at 200 yards. The entire mount and accessories (from the mounting screws and wrench down to the packaging) are made in the USA.



Attributes

- Name: [EGW MOSSBERG PATRIOT LA 1-PIECE PICATINNY BASE 20 MOA](#)
- Manufacturer: [EGW](#)
- Product no.: 296000629
- Mfr. No.: 45802
- Action Type: Long
- Colour: Black
- Elevation: 20 MOA
- Material: Aluminum
- Model: Patriot
- Number of Bases: 1-Piece
- Style: Picatinny Rail
- Weapon type: Mossberg
- Delivery weight: 0.091kg
- Shipping height: 25mm
- Shipping width: 89mm
- Shipping length: 229mm
- UPC: 841370112869

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [MOSSBERG PATRIOT LONG ACTION PICATINNY SCOPE MOUNT Consumer Safety Instruction Guide](#)
- [About Us](#)

MOSSBERG PATRIOT LONG ACTION PICATINNY SCOPE MOUNT Consumer Safety Instruction Guide

Introduction

Thank you for choosing the MOSSBERG PATRIOT LONG ACTION PICATINNY SCOPE MOUNT. This guide is designed to provide you with important safety information, installation instructions, and usage guidelines to ensure your product is used safely and effectively. Please read this manual carefully before using the product.

General Safety Guidelines

- Always ensure that the mount is compatible with your specific rifle model and scope.
- Inspect the mount for any defects or damage before installation. Do not use if damaged.
- Follow all installation and usage instructions provided in this guide to avoid accidents.
- Keep the product out of reach of children and vulnerable individuals.
- Report any unsafe conditions or accidents to the appropriate authorities.
- Regularly check for recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Ensure that the rifle is unloaded before installing the mount.
- Do not exceed the recommended torque specifications during installation (20 inch lbs).
- Use a drip of blue Loctite to secure the mounting screws; Loctite is sold separately.
- When zeroing your rifle, do so at a distance of 200 yards when using a 20 MOA mount.
- Be aware of the potential for obstruction of factory iron sights when using the mount.
- Always wear appropriate safety gear when handling firearms.

Instructions for Installation and Usage

1. Preparation

- Gather all necessary tools: mounting screws, wrench, and blue Loctite.
- Ensure your rifle is unloaded and in a safe position.

2. Measuring Hole Spacing

- Measure the hole spacing in your receiver to confirm it matches the published dimensions of the mount.

3. Installation Steps

- Align the mount with the holes on your rifle receiver.
- Insert the mounting screws through the mount and into the receiver.
- Tighten the screws to the recommended torque of 20 inch lbs.
- Apply a drip of blue Loctite to each screw to secure them in place.

4. Mounting the Scope

- Position your scope rings on the Picatinny rail according to your desired placement.
- Secure the scope rings as per the manufacturer's instructions.

5. Zeroing the Rifle

- Once the scope is mounted, take the rifle to a safe shooting range.
- Zero the rifle at 200 yards, adjusting the scope as necessary.

Disposal Instructions

- Dispose of the packaging materials responsibly by recycling where possible.
- If the mount becomes damaged beyond repair, follow local regulations for disposal of aluminum products.

Contact Information for Further Support

For any questions or concerns regarding the MOSSBERG PATRIOT LONG ACTION PICATINNY SCOPE MOUNT, please consult the manufacturer's website or customer service for assistance.

By following these guidelines, you can ensure the safe and effective use of your MOSSBERG PATRIOT LONG ACTION PICATINNY SCOPE MOUNT. Thank you for your attention to safety and enjoy your product responsibly.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk