

FN FNS, FNX LEUPOLD DELTAPOINT PRO SIGHT MOUNT - EGW SIGHT MOUNT FOR DELTAPOINT PRO FITS FN/FNS/FNX

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Handgun Bases](#)

Simply remove the rear sight on your gun and replace it with EGW mount in order to mount your Leupold DeltaPoint Pro, JPoint, Redfield Accelerator, or Optima red-dot sight. You can take the mount off and replace your rear sight at any time. Mounting hardware included. Installation Instructions Remove the rear sight* Install the EGW Sight Mount in the dovetail Tighten set screw (if applicable) Place the red dot sight on the EGW Sight Mount (placing a small piece of paper between the red dot sight and the sight mount will make for easier removal and will keep Loctite off of the red dot sight.) Apply blue Loctite to the provided mounting screws Torque mounting screws to 15in/lbs This mount does not fit: FN FNP (the slide radius is too large to allow this mount to fit) FN 5.7 Any Optics Ready Pistol



Attributes

- Name: [EGW SIGHT MOUNT FOR DELTAPOINT PRO FITS FN/FNS/FNX](#)
- Manufacturer: [EGW](#)
- Product no.: 296000686
- Mfr. No.: 49428
- Colour: Black
- Material: Aluminum
- Model: FNS,FNX
- Number of Bases: 1-Piece
- Style: Tactical
- Weapon type: FN
- Delivery weight: 0.045kg
- Shipping height: 25mm
- Shipping width: 76mm
- Shipping length: 140mm
- UPC: 841370114405

Item details

Made in USA

Table of Contents

- Startpage
- FN FNS, FNX LEUPOLD DELTAPOINT PRO SIGHT MOUNT Safety Instructions
- About Us

FN FNS, FNX LEUPOLD DELTAPOINT PRO SIGHT MOUNT Safety Instructions

Introduction

Thank you for choosing the FN FNS, FNX Leupold DeltaPoint Pro Sight Mount. This product is designed to enhance your shooting experience by allowing you to mount a variety of red dot sights securely. To ensure safe and effective use, please read this safety instruction guide carefully before installation and usage.

General Safety Guidelines

- Ensure that the product is used only as intended and in accordance with the manufacturer's instructions.
- Always handle firearms and accessories with care, following all local laws and regulations.
- Inspect the sight mount and firearm before each use to ensure they are in good condition.
- Keep the sight mount and firearms out of reach of children and unauthorized users.
- Report any unsafe products or accidents to the relevant authorities.

Specific Safety Precautions for Use

- Use only the recommended tools and hardware provided for installation.
- Do not attempt to modify the sight mount in any way, as this may compromise safety and functionality.
- Ensure that the red dot sight is properly secured to the mount to prevent it from becoming loose during use.
- Avoid placing any objects between the sight mount and the firearm that could interfere with proper installation.
- Be cautious when applying blue Loctite; avoid contact with the red dot sight to prevent damage.

Instructions for Installation and Usage

1. Remove the Rear Sight

- Carefully detach the rear sight from your firearm according to the manufacturer's instructions.

2. Install the EGW Sight Mount

- Place the EGW Sight Mount into the dovetail where the rear sight was removed.
- Ensure it is positioned correctly for a secure fit.

3. Tighten Set Screw (if applicable)

- If your mount has a set screw, tighten it to secure the mount in place.

4. Place the Red Dot Sight

- Position your red dot sight on the EGW Sight Mount.
- To facilitate easier removal, place a small piece of paper between the red dot sight and the sight mount.

5. Apply Blue Loctite

- Apply blue Loctite to the provided mounting screws to prevent loosening during use.

6. Torque Mounting Screws

- Use a torque wrench to tighten the mounting screws to 15 in/lbs.

7. Final Check

- Ensure that the sight mount and red dot sight are securely attached before using the firearm.

Disposal Instructions

- Dispose of the sight mount and any packaging materials in accordance with local regulations.
- Do not dispose of the product in household waste. Check for recycling options in your area.

Contact Information for Further Support

For any questions or concerns regarding the FN FNS, FNX Leupold DeltaPoint Pro Sight Mount, please refer to the manufacturer's website or contact their customer support team for assistance.

By following these safety instructions, you can ensure a safe and enjoyable experience with your FN FNS, FNX Leupold DeltaPoint Pro Sight Mount. Always prioritize safety and take the necessary precautions when handling firearms and accessories.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk