

RMR CUT SLIDE FOR GLOCK® 19 GEN 3 - BROWNELLS RMR SLIDE +WINDOW FOR GEN3 GLOCK® 19 LIMITED COLOR BROWN

[Handgun Parts](#) > [Slide Parts](#) > [Slides](#)

Integral Red Dot Sight Mounting Slot, Plus a Ton of Custom Features!

The limited production Brownells Brown RMR Slide for Glock® 19 Gen3 pistols features a pre-cut slot for easy, secure, low-profile mounting of a Trijicon RMR or Holosun red dot sight. Up front, there are distinctive, cocking serrations that aid in manipulating the slide to check the chamber or clear a jam. And we'll admit it: the serrations just look cool, too. All RMR Slides also have standard Glock® factory front and rear sight dovetails for "iron" sights. To get proper co-witnessing with the RMR, you will need to also install suppressor-height iron sights. These limited production Brownells Brown slides for the Glock® 19 Gen3 come with a "window" cutout on top between the front serrations that enhances airflow to keep the barrel cooler - ideal for hard-working action competition pistols. Plus, if you have an upgraded barrel with a contrasting finish or a unique exterior pattern (fluting, spirals, "flames," etc.) the window lets you show it off a bit! A Brownells RMR Slide is the ideal upgrade for your factory Glock® 19 Gen3 OR the perfect "top half" for a brand-new custom gun built on a Polymer80 80% frame. Fits Gen3 Glock® 19 pistols & clones Built-in Trijicon RMR mounting slot Also accepts Holosun HE508T, HS507C & HS407C red dot sights Factory front/rear iron sight cuts, too Machined from corrosion-resistant 17-4 stainless steel billet Each RMR Slide for Glock® starts life as a billet of 17-4 stainless steel that is machined to Glock® factory specifications inside, so it'll accept factory or aftermarket barrels and internal parts. Each slide is heat-treated to Rc 41-44 on the Rockwell C scale for added surface hardness and wear resistance. The Brownells Brown slide is a limited production and once they are gone, they're gone. Brownells Gun Tech™ Note: Channel liner required for these slides. Channel liner is a press fit and requires a tool to install. We recommend #777-100-017. Includes patented optic cut technology pioneered by ZEV Technologies. Patent No. RE47335



Attributes

- Name: [BROWNELLS RMR SLIDE +WINDOW FOR GEN3 GLOCK® 19 LIMITED COLOR BROWN](#)
- Manufacturer: [BROWNELLS](#)
- Product no.: 430100409
- Mfr. No.:
- Cartridge: 9 mm Luger
- Finish: Bronze
- Model: 19
- Sights: RMR
- Style: Window
- Weapon type: Glock
- Delivery weight: 0.281kg

Item details

Made in USA
US export classification: 0A501.x

Table of Contents

- Startpage
- RMR CUT SLIDE FOR GLOCK® 19 GEN 3 SAFETY INSTRUCTIONS
- About Us

RMR CUT SLIDE FOR GLOCK® 19 GEN 3 SAFETY INSTRUCTIONS

Introduction

Thank you for choosing the RMR Cut Slide for Glock® 19 Gen 3 by Brownells. This guide provides essential safety instructions to ensure the proper and safe use of your product. It is designed to comply with the EU General Product Safety Regulation (GPSR) and aims to protect consumers by providing clear and comprehensive safety information.

General Safety Guidelines

- **Product Safety:** Always ensure safe use of the RMR Cut Slide. This product is designed for nonfood use and should only be used in accordance with the manufacturer's guidelines.
- **Enhanced Recalls:** In the event of a safety recall, you will be notified through standardized recall notices. You are entitled to free remedies for any dangerous products.
- **Online Shopping Safety:** If purchased online, ensure that the platform meets safety requirements equivalent to those of physical stores.
- **Consumer Focus:** Extra precautions should be taken when this product is used by or around vulnerable groups, including children.
- **EU Contact Point:** For safety inquiries, refer to the designated EU contact point associated with this product.
- **Rapid Alerts:** Stay informed about unsafe products through the EU's Safety Gate system.

Specific Safety Precautions for Use

- **Installation:** Ensure that the RMR Slide is installed correctly according to the provided instructions. Improper installation can lead to malfunctions.
- **Use with Compatible Firearms:** Only use this slide with Glock® 19 Gen 3 pistols or compatible clones. Using it with incompatible firearms can pose safety risks.
- **Sights:** To achieve proper cowitnessing with the RMR, install suppressorheight iron sights. Failure to do so may hinder performance and safety.
- **Handling:** Always handle the firearm with care. Ensure the firearm is unloaded before installing or removing the slide.
- **Maintenance:** Regularly inspect the slide for any signs of wear or damage. Do not use the slide if any defects are found.
- **Heat Management:** Be aware that the window cutout enhances airflow but does not eliminate the need for proper heat management during extended use.
- **Training:** Ensure that you are adequately trained in the use of firearms and understand the specific features of your Glock® 19 Gen 3 with the RMR Slide.

Instructions for Installation and Usage

1. Preparation:

- Ensure your Glock® 19 Gen 3 is unloaded and pointed in a safe direction.
- Gather necessary tools, including the recommended #777100017 channel liner installation tool.

2. Removing the Old Slide:

- Follow the manufacturer's guidelines to safely remove the existing slide from your Glock® 19 Gen 3.

3. Installing the RMR Slide:

- Align the RMR Slide with the frame of the Glock® 19 Gen 3.
- Press fit the channel liner into the slide using the installation tool.
- Ensure the slide is seated correctly on the frame and functions smoothly.

4. Installing Sights:

- Install suppressorheight iron sights to achieve proper cowitnessing with the RMR.
- Confirm that the sights are securely mounted.

5. Final Checks:

- Conduct a function check to ensure that the slide operates correctly with the installed components.
- Verify that all parts are secure and there are no obstructions.

6. Usage:

- When using your firearm, always follow the basic rules of firearm safety.
- Be aware of your surroundings and ensure a safe shooting environment.

Disposal Instructions

- **Environmental Considerations:** Dispose of any packaging and old components in accordance with local regulations. Do not dispose of in regular waste if they contain hazardous materials.
- **Recycling:** Whenever possible, recycle materials used in packaging and installation.

Contact Information for Further Support

For any questions or concerns regarding the RMR Cut Slide for Glock® 19 Gen 3, please refer to the manufacturer's instructions or contact the designated EU support contact for assistance.

By following these safety instructions, you can ensure a safe and enjoyable experience with your RMR Cut Slide for Glock® 19 Gen 3. Thank you for your attention to safety!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk