

# VICKERS 2-TO-1 RED SWIVEL SLING - BLUE FORCE GEAR VICKERS 2-TO-1 RED SWIVEL SLING WOLF GRAY

[Shooting Accessories](#) > [Slings & Sling Swivels](#) > [Slings](#)

While 2-point slings are ideal for most situations, there are times, like deploying from a vehicle or fighting in complex structures, when a 1-point sling has a clear advantage. Combining Blue Force Gear's new polymer Burnsed Socket and patented RED Swivel, the Vickers 221 Sling allows users to switch from 2-point to 1-point mode instantly by pulling on the RED Swivel knob and reinserting it in to the Burnsed Socket at the rear of the receiver. The instantaneous adjustability of the sling is still maintained in both 1 and 2 point modes. Constructed similar to the world's standard Vickers Combat Applications Sling™, a RED™ Swivel is sewn to the front of the sling towards the muzzle. A standard push button swivel and new molded Burnsed Socket are woven onto the rear allowing full adjustability of the sling for use with or without body armor. The 221™ Sling fits any weapon with two QD sling swivel sockets with the rear socket towards the end of the receiver. For SCARS, Sigs, HKs, or other weapon systems with eyelets at the rear of the receiver, a Universal Wire Loop with Push Button Socket can be added instead of the included push button socket. Sling Build: 1.25" sling webbing 2.00" tubular webbing with closed cell foam padding for padded models Invista solution dyed CORDURA® webbing ITW GhilleTex™ Acetal hardware - a military grade, low IR plastic RED™ Swivel Build: Machined steel, phosphated for maximum corrosion resistance Nylon coated, double crimped directly to 7 strand stainless steel aircraft cable Textured spheroid-conical shaped pull knob Stainless Steel internals



## Attributes

- Name: [BLUE FORCE GEAR VICKERS 2-TO-1 RED SWIVEL SLING WOLF GRAY](#)
- Manufacturer: [BLUE FORCE GEAR](#)
- Product no.: 430100703
- Mfr. No.: VCAS-2TO1-RED-1
- Colour: Gray
- Material: Nylon
- Style: 2-point Sling
- Width: 1.25"
- Delivery weight: 0.202kg
- Shipping height: 51mm
- Shipping width: 159mm
- Shipping length: 140mm
- UPC: 812114021792

## Item details

Made in USA

# Table of Contents

- Startpage
- Vickers 2to1 Red Swivel Sling Safety Instruction Guide
- About Us

# Vickers 2to1 Red Swivel Sling Safety Instruction Guide

## Introduction

Thank you for choosing the Vickers 2to1 Red Swivel Sling by Blue Force Gear. This guide provides essential safety instructions and guidelines to ensure the safe and effective use of your sling. Please read this document carefully before using the product.

## General Safety Guidelines

- Ensure the sling is used only for its intended purpose: securing firearms or equipment.
- Regularly inspect the sling for any signs of wear, damage, or malfunction before each use.
- Do not exceed the weight limit specified by the manufacturer.
- Always keep the sling away from sharp edges and hot surfaces.
- Ensure that the sling is properly adjusted and secured before use.
- Store the sling in a cool, dry place when not in use to prevent deterioration.
- Be aware of your surroundings and avoid using the sling in crowded or unsafe environments.

## Specific Safety Precautions for Use

### • Hazard Identification:

- Improper use of the sling may lead to accidental discharge or injury.
- Failure to secure the sling properly can result in loss of equipment.
- The sling may become entangled in objects or clothing if not used carefully.

### • Avoiding Hazards:

- Always check that the sling is securely attached to the firearm before use.
- Use the sling in a controlled environment, free of obstacles that could cause entanglement.
- Ensure that the sling is adjusted to fit your body size and type securely.
- Do not use the sling in situations where it could become a strangulation hazard.

### • Age Specific Warnings:

- This product is not intended for use by children without adult supervision.
- Ensure that any minors using the sling are instructed on its safe use.

## Instructions for Installation and Usage

### • Installation:

1. Identify the QD sling swivel sockets on your firearm.
2. Attach the front of the sling to the forward QD socket.
3. Attach the rear of the sling to the rear QD socket.
4. Ensure both attachments are secure and locked in place.

### • Adjusting the Sling:

1. To switch from 2point to 1point mode, pull on the RED Swivel knob.
2. Reinserting the RED Swivel into the Burnsed Socket at the rear of the receiver allows for quick mode changes.

3. Adjust the length of the sling using the Acetal triglides to ensure a comfortable fit.

- **Usage:**

1. When using the sling, ensure it is properly adjusted to avoid slippage.
2. Maintain a firm grip on your firearm while using the sling.
3. Be mindful of the sling's position to prevent snagging on clothing or gear.

## Disposal Instructions

- Dispose of the sling in accordance with local regulations for plastic and textile products.
- Do not incinerate the sling, as it may release harmful substances.
- If the sling is damaged beyond repair, consider recycling the materials if possible.

## Contact Information for Further Support

For any questions or concerns regarding the use or safety of the Vickers 2to1 Red Swivel Sling, please refer to the manufacturer's website or contact their customer support directly.

Thank you for your attention to these safety guidelines. Your safety is our priority. Enjoy the use of your Vickers 2to1 Red Swivel Sling responsibly.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)