

M-LOK CABLE MANAGEMENT PANEL - FORWARD CONTROLS DESIGN M-LOK CABLE MANAGEMENT PANEL, EXTENDED FDE

[Rifle Parts](#) > [Forend & Handguard Parts](#) > [Handguard & Rail Accessories](#) > [Accessory Rails](#)

PCM (Panel, Cable Management) it is an MLOK compatible cable management panel/cover that protects and routes the cable underneath. TNVC and FCD had determined that internal/protected routing of cable is the most secure means of keeping it immobile, as it doesn't rely on friction, and can't be pulled out without removing the panel itself. PCM makes it possible for the cable to go straight through, or round a 90 degree angle, or even a 180 degree turn.

PCM's cable routing can accommodate cables up to 0.140" in diameter. For references, Surefire's cables are 0.115" average, while the thickest Unity Tactical cables are 0.140 average. Billet machined from solid 6061 aluminum and Type III hard coat anodized, PCM has the AA (all angles), dimpled texture we've been using on FCD's bolt catches, magazine release buttons, and forward assist since 2016. PCM is shipped with MLOK mounting hardware, and can be staggered next to each other. One panel per package. Available in Type III anodized black, FDE, or ODG. Length: PCM, 1.57", fills one MLOK slot. Width: 0.6" Height: 0.22" (installed) Weight: PCM, 0.32oz, with MLOK nut and bolt. PCM-L, 3.14", fills two MLOK slots. Width: 0.6" Height: 0.22" (installed) Proudly designed and made in the USA. PCM is a collaboration between FCD and TNVC (Tactical Night Vision Company), TNVC's PCM can be found here: <https://tnvc.com/shop/tnvc-fcd-pcm-mlok/> NOTE: PCM ships with one panel per package.



Attributes

- Name: [FORWARD CONTROLS DESIGN M-LOK CABLE MANAGEMENT PANEL, EXTENDED FDE](#)
- Manufacturer: [FORWARD CONTROLS DESIGN](#)
- Product no.: 430103572
- Mfr. No.: PCM-L, FDE
- Colour: Flat Dark Earth
- Length: 3.14
- Material: Aluminum
- Style: Extended
- Type: M-LOK
- Weapon type: AR-15
- Delivery weight: 0.503kg
- Shipping height: 20mm
- Shipping width: 83mm
- Shipping length: 140mm
- UPC: 688201997383

Item details

Made in USA

Table of Contents

- Startpage
- MLOK Cable Management Panel Safety Instructions
- About Us

MLOK Cable Management Panel Safety Instructions

Introduction

Thank you for choosing the MLOK Cable Management Panel from Forward Controls Design. This product is designed to enhance your cable management while ensuring safety and efficiency. Please read this safety instruction guide carefully to ensure proper usage, installation, and disposal of the product.

General Safety Guidelines

To ensure safe use of the MLOK Cable Management Panel, please follow these general safety guidelines:

- Always inspect the product for any visible damage before use.
- Ensure that the panel is installed securely to prevent any accidental dislodging.
- Do not exceed the maximum cable diameter of 0.140 inches to maintain optimal performance.
- Keep the product out of reach of children and vulnerable individuals.
- Use only the provided MLOK mounting hardware for installation.
- Follow local regulations regarding the use and disposal of aluminum products.

Specific Safety Precautions for Use

When using the MLOK Cable Management Panel, please observe the following safety precautions:

- Avoid pulling or tugging on cables that are routed through the panel.
- Do not attempt to modify or alter the panel in any way, as this may compromise safety.
- Ensure that the panel is not exposed to extreme temperatures or harsh chemicals.
- If you notice any signs of wear or damage, discontinue use immediately and contact customer support.
- Always ensure that the installation area is clean and free of debris to prevent accidental injury.

Instructions for Installation and Usage

To install and use the MLOK Cable Management Panel safely, please follow these instructions:

1. Preparation

- Gather necessary tools: a screwdriver and the provided MLOK mounting hardware.
- Ensure the installation area is clean and free from obstructions.

2. Installation Steps

- Align the MLOK Cable Management Panel with the desired MLOK slot on your accessory rail.
- Insert the MLOK nut into the slot and align it with the panel.
- Secure the panel in place by tightening the mounting hardware using a screwdriver. Ensure it is firmly attached but do not overtighten.
- Route the cables through the panel according to your needs, ensuring they do not exceed the maximum diameter of 0.140 inches.
- Confirm that the cables are securely routed and that the panel is properly installed.

3. Usage

- Use the panel to manage and protect cables, allowing for straight routing or bends up to 180 degrees.
- Regularly check the installation to ensure that cables remain secure and that the panel is not

loose.

Disposal Instructions

When it comes time to dispose of the MLOK Cable Management Panel, please follow these disposal instructions:

- Check local regulations regarding the disposal of aluminum products.
- If the panel is damaged or no longer needed, recycle it at a designated recycling facility.
- Do not dispose of the product in regular household waste.

Contact Information for Further Support

For any inquiries or concerns regarding the MLOK Cable Management Panel, please refer to the contact information provided with your product packaging or visit the official website for further assistance.

By following these safety instructions, you can ensure the safe and effective use of your MLOK Cable Management Panel. Thank you for your attention to safety and for choosing Forward Controls Design products.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk