

# M5E1 6.5 CREEDMORE ASSEMBLED UPPER RECEIVER W/GEN 2 HANDGUARD - M5E1 6.5 CM ASSEMBLED UPPER FLUTED 22" RIFLE THREADED BLACK

[Rifle Parts](#) > [Receiver Parts](#) > [Receivers](#) > [Upper Receivers](#)

## Feature-Laden Upper for a "Boringly Accurate" Target Rifle

Aero Precision's M5E1 6.5 Creedmoor Upper Receiver is ready to be the foundation of a lightweight, tack-driving target rifle. Chambered for the inherently accurate 6.5mm Creedmoor cartridge that's taking the long-range target shooting community by storm, the M5E1 fits DPMS GEN 1 LR-308 lower receivers and clones and accepts the DPMS-compatible bolt/carrier group and charging handle of your choice. The BCG and charger are omitted because...many target shooters prefer to select them separately. (No need to pay for parts you're going to replace, right?) Each M5E1 6.5 Creedmoor Upper Receiver comes with a high-quality 416R stainless steel target barrel with a 1-8" twist to stabilize a variety of popular target bullets. An extra-length gas system slows gas velocity for gentler, more reliable cycling and reduced wear on the gas block, BCG, and receiver. Available in a compact 18" length with a MID-LENGTH gas system; or choose a 20" or 22" lengths for extra bullet velocity and RIFLE-LENGTH gas system. Forged 7075 T6 aluminum receiver, hardcoat anodized matte black Fits DPMS Gen I LR-308 lower receivers & clones Ejection port cover & forward assist installed Matte bead-blasted finish on barrel (not fluted) A2-style flash suppressor Handguard: 1.78" inside diameter clears most muzzle devices and 1.5" suppressors .2795" dia. pivot/takedown pin holes Charging handle & bolt/carrier group NOT included The M5E1 6.5 Creedmoor Upper Receiver is fitted with Aero Precision's Gen 2 Enhanced M-LOK Handguard with an uninterrupted, gap-free, full-length Picatinny top rail runs from the rear of the receiver across the entire length of the handguard. There are plenty of M-LOK accessory attachment slots and QD sling swivel sockets at the 3/6/9 o'clock positions. Texture milled into the flats gives you a secure hold and adds to your gun's unique appearance. The result: a laser-accurate target rifle with a rock-solid accessory mounting platform.



## Attributes

- Name: M5E1 6.5 CM ASSEMBLED UPPER FLUTED 22" RIFLE THREADED BLACK
- Manufacturer: AERO PRECISION
- Product no.: 430103915
- Mfr. No.: APAR308554M70
- Cartridge: 6.5 Creedmoor
- Color: Black
- Contour: Fluted
- Finish: Anodized
- Length: 22"
- Make: AR .308
- Muzzle: 5/8-24
- Style: -
- Twist: 1-8
- Delivery weight: 2.722kg
- Shipping height: 102mm
- Shipping width: 95mm
- Shipping length: 943mm
- UPC: 840014613229

## Item details

Made in USA

US export classification: 0A501.e

# Table of Contents

- [Startpage](#)
- [M5E1 6.5 Creedmoor Assembled Upper Receiver Safety Instructions](#)
- [About Us](#)

# M5E1 6.5 Creedmoor Assembled Upper Receiver

## Safety Instructions

### Introduction

Thank you for choosing the M5E1 6.5 Creedmoor Assembled Upper Receiver. This product is designed to provide a reliable and accurate shooting experience. To ensure your safety and the safe use of this product, please read and follow the guidelines outlined in this document.

### General Safety Guidelines

- Always treat your firearm as if it is loaded.
- Keep your firearm pointed in a safe direction at all times.
- Keep your finger off the trigger until you are ready to shoot.
- Ensure the firearm is stored safely and securely, out of reach of children and unauthorized users.
- Always wear appropriate eye and ear protection when shooting.
- Be aware of your surroundings and ensure a safe shooting environment.
- Regularly inspect your firearm for any signs of wear or damage.
- Follow all local laws and regulations regarding firearm ownership and use.

### Specific Safety Precautions for Use

- Ensure that the M5E1 6.5 Creedmoor Upper Receiver is compatible with your lower receiver before use.
- Only use ammunition that is specified for the 6.5 Creedmoor caliber.
- Do not modify or alter the upper receiver in any way that could compromise safety.
- When attaching or detaching the upper receiver, ensure the firearm is unloaded.
- Be cautious of the gas system; avoid placing your face directly over the gas port during operation.
- Do not exceed the manufacturer's recommended specifications for barrel length and twist rate.
- If you experience any malfunctions, cease using the firearm immediately and consult a qualified gunsmith.

### Instructions for Installation and Usage

#### 1. Installation:

- Ensure the firearm is unloaded and the lower receiver is clear of any ammunition.
- Align the M5E1 6.5 Creedmoor Upper Receiver with your compatible lower receiver.
- Securely attach the upper receiver to the lower receiver using the pivot and takedown pins.
- Confirm that both the upper and lower receivers are locked in place.

#### 2. Usage:

- Load the firearm with 6.5 Creedmoor ammunition.
- Engage the safety until you are ready to shoot.
- Aim at your target and ensure a clear line of sight.
- When ready, disengage the safety and gently squeeze the trigger to fire.
- After shooting, engage the safety and safely unload the firearm.

### Disposal Instructions

- Dispose of any packaging materials in accordance with local regulations.
- If the upper receiver is no longer in use or is damaged, do not discard it in regular waste.
- Contact a local firearms dealer or law enforcement agency for safe disposal methods.

### Contact Information for Further Support

For any safety inquiries or concerns regarding the M5E1 6.5 Creedmoor Assembled Upper Receiver, please contact the manufacturer or refer to your purchase documentation for appropriate contact information.

By following these safety instructions and guidelines, you can help ensure a safe and enjoyable shooting experience with your M5E1 6.5 Creedmoor Assembled Upper Receiver. Always prioritize safety and responsible firearm handling.

# About Us

## Brownells Austria

**Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

[www.brownells.at](http://www.brownells.at)