

S-BR-MLOK BIPOD - HARRIS S-BR-MLOK BIPOD M-LOK 6-9" ROTATE

[Shooting Accessories](#) > [Bipods, Monopods & Accessories](#) > [Bipods](#)

Features: Extends from 6" to 9" Direct attachment to a MLoc Handguard only Swivels (tilts) to compensate for uneven terrain Ultralight weight - 11.7 oz Has a built-in sling swivel stud to attach the sling Most useful for shooting off the bench Uses a 1/8 hex key (not included) Made in the USA Material: Heat treated steel and hard alloys Hard Rubber Leg Caps Polymer knob Finish: Anodized Black



Attributes

- Name: [HARRIS S-BR-MLOK BIPOD M-LOK 6-9" ROTATE](#)
- Manufacturer: [HARRIS](#)
- Product no.: 430104187
- Mfr. No.: S-BR (M-LOK)
- Colour: Black
- Feet Material: Steel
- Height: 6 to 9
- Style: M-LOK
- Delivery weight: 0.399kg
- Shipping height: 76mm
- Shipping width: 127mm
- Shipping length: 203mm
- UPC: 051156113243

Item details

Made in USA

Table of Contents

- Startpage
- SBRMLOK Bipod Safety Instructions
- About Us

SBRMLOK Bipod Safety Instructions

Introduction

Thank you for choosing the SBRMLOK Bipod by HARRIS. This product is designed to enhance your shooting experience by providing stability and support. To ensure safe and effective use, please read this safety instruction guide carefully before using the bipod.

General Safety Guidelines

- Always follow local laws and regulations regarding the use of shooting equipment.
- Ensure that the bipod is used only for its intended purpose as a shooting support device.
- Regularly inspect the bipod for any signs of wear or damage before each use.
- Keep the bipod out of reach of children and pets when not in use.
- Report any unsafe products or incidents to the relevant authorities.
- Stay informed about recall updates by checking the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Ensure that the bipod is securely attached to the MLOK handguard before use.
- Be cautious when using the bipod on uneven terrain to avoid tipping or falling.
- Do not exceed the recommended weight limit of the bipod.
- Use the builtin sling swivel stud only for attaching compatible slings.
- Avoid using the bipod in extreme weather conditions that may affect its performance.
- Always ensure that the bipod is stable before taking a shot.

Instructions for Installation and Usage

1. Installation:

- Identify the MLOK slots on your handguard.
- Align the bipod's attachment point with the desired MLOK slot.
- Use a 1/8 hex key (not included) to securely fasten the bipod to the handguard.
- Ensure that the bipod is firmly attached and does not wobble.

2. Usage:

- Extend the bipod legs to the desired height (6" to 9").
- Adjust the angle of the bipod by swiveling it to compensate for uneven ground.
- Place the bipod on a stable surface and ensure that it is level before taking aim.
- After use, collapse the bipod legs for easy storage.

Disposal Instructions

- Dispose of the bipod in accordance with local regulations for metal and plastic waste.
- Do not dispose of the bipod in household waste.
- Consider recycling materials where possible to minimize environmental impact.

Contact Information for Further Support

For any safety inquiries or further assistance regarding the SBRMLOK Bipod, please refer to the manufacturer's contact information provided with the product packaging.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk