

1A2-H BIPOD - HARRIS 1A2-H BIPOD SLING SWIVEL STUD 13.5-23" SOLID BASE

[Shooting Accessories](#) > [Bipods, Monopods & Accessories](#) > [Bipods](#)

Features: Extends from 13 1/2" to 23" Smooth Legs Two-piece leg construction Solid Base Attaches to the Sling Swivel Stud Ultralight weight - 15 oz For prone or sitting position 100% Made in the USA. Material: Heat treated steel and hard alloys Hard Rubber Leg Caps Finish: Anodized Black



Attributes

- Name: [HARRIS 1A2-H BIPOD SLING SWIVEL STUD 13.5-23" SOLID BASE](#)
- Manufacturer: [HARRIS](#)
- Product no.: 430104202
- Mfr. No.: 1A2-H
- Colour: Black
- Feet Material: Steel
- Height: 13.5 to 23
- Style: Sling Swivel Stud
- Delivery weight: 0.426kg
- Shipping height: 76mm
- Shipping width: 127mm
- Shipping length: 381mm
- UPC: 051156011280

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for 1A2H BIPOD HARRIS
- About Us

Safety Instruction Guide for 1A2H BIPOD HARRIS

Introduction

Thank you for choosing the 1A2H BIPOD HARRIS. This product is designed to enhance your shooting experience by providing stability and support. To ensure safe usage and compliance with the EU General Product Safety Regulation (GPSR), please read this safety instruction guide carefully before using the bipod.

General Safety Guidelines

- Ensure that the bipod is used only for its intended purpose.
- Always inspect the bipod before each use for any signs of wear or damage.
- Keep the bipod out of reach of children to prevent accidents.
- Do not modify the bipod in any way, as this may compromise its safety and functionality.
- Use the bipod on stable and level ground to prevent tipping or sliding.
- Be aware of your surroundings and ensure there are no obstructions that could cause accidents.

Specific Safety Precautions for Use

- Always check that the bipod is securely attached to the sling swivel stud before use.
- Avoid using the bipod in adverse weather conditions, such as high winds or heavy rain.
- When transitioning from a prone to a sitting position, ensure that the bipod is stable and secure.
- Do not exceed the weight limit of the bipod as specified by the manufacturer.
- Use caution when adjusting the height of the bipod to prevent pinching or injury.
- Ensure that the bipod legs are fully extended and locked in place before use.

Instructions for Installation and Usage

1. Installation:

- Locate the sling swivel stud on your firearm.
- Align the bipod with the sling swivel stud.
- Attach the bipod to the sling swivel stud by pushing it down until it clicks into place.
- Ensure that the bipod is securely attached by gently pulling on it.

2. Usage:

- To extend the bipod legs, press the release button and pull the legs down to the desired height (between 13.5" to 23").
- Ensure the legs are locked in place before using the bipod.
- Position the bipod on stable ground, ensuring that it is not on a slope or uneven surface.
- When in use, adjust your shooting position to maintain balance and stability.

Disposal Instructions

- Dispose of the bipod in accordance with local regulations regarding metal and plastic waste.
- Do not dispose of the bipod in regular household waste.
- Consider recycling the materials if possible.

Contact Information for Further Support

For any safety inquiries or support regarding the 1A2H BIPOD HARRIS, please consult the manufacturer's customer service or your local retailer.

Thank you for your attention to these safety instructions. Your safety and satisfaction are our top priorities.
Enjoy your shooting experience with the 1A2H BIPOD HARRIS!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk