

SIGHT PUSHER FOR GLOCK - REAL AVID SIGHT PUSHER FOR GLOCK

[Gunsmith Tools](#) > [Handgun Tools](#) > [Sight Tools](#)

The Sight Pusher for Glock is a professional grade tool that makes quick work of changing Glock pistol sights while protecting both gun slides and the sights themselves. Heavy-duty, built to last and smartly designed to work on all Glock models, factory and aftermarket Glock sights. The over-sized ergonomic Easy Torque Handle™ partners with extra-fine drive threads to provide maximum force, with minimal effort when removing and installing Glock sights. A specially designed press block features multiple contact surfaces to accommodate all Glock sights while applying maximum force to the actual dovetail surface at the optimal leverage point. The slide locking base securely anchors all sizes of Glock slides into place. EASILY AND SAFELY CHANGE PRESS-FIT SIGHTS ON GLOCKS 4MM PRESS BLOCK TOOTH CONNECTS WITHIN THE SIGHT'S DOVETAIL SLOT; 45, 75, and 90-degree SLIDE LOCKING BASE FITS SUBCOMPACT, COMPACT, STANDARD AND COMPETITION GLOCK SLIDES 2-IN-1 TOOL FOR GLOCK* ARMORER'S COMBINATION DISASSEMBLY & FRONT SIGHT TOOL The integrated 2-in-1 Tool for Glock stores within the Easy Torque Handle and features a 3/16" Nut Driver for changing Glock front sights and a 3mm Armorer's Pin Punch for Glock disassembly and maintenance.



Attributes

- Name: [REAL AVID SIGHT PUSHER FOR GLOCK](#)
- Manufacturer: [REAL AVID](#)
- Product no.: 430104412
- Mfr. No.: AVGLOCKSP
- Weapon type: Glock
- Delivery weight: 3.175kg
- Shipping height: 38mm
- Shipping width: 267mm
- Shipping length: 286mm
- UPC: 813119014338

Table of Contents

- Startpage
- SIGHT PUSHER FOR GLOCK Safety Instruction Guide
- About Us

SIGHT PUSHER FOR GLOCK Safety Instruction Guide

Introduction

Thank you for purchasing the Sight Pusher for Glock. This professionalgrade tool is designed to assist you in changing Glock pistol sights safely and efficiently while protecting both the gun slide and the sights. Please read this safety instruction guide carefully to ensure proper use and maintenance of the product.

General Safety Guidelines

- Always read and follow the instructions provided in this manual before using the Sight Pusher for Glock.
- Ensure that the firearm is unloaded and pointed in a safe direction before using the tool.
- Keep the Sight Pusher out of reach of children and unauthorized users.
- Inspect the tool for any damage before each use. Do not use if damaged.
- Use the tool only for its intended purpose as described in this manual.
- If you experience any difficulties or have questions regarding the use of the tool, seek assistance from a qualified professional.

Specific Safety Precautions for Use

- Ensure that the firearm is completely unloaded before attaching the slide to the tool.
- Always wear appropriate safety gear, such as safety glasses, to protect your eyes during use.
- Do not apply excessive force when using the tool to avoid damage to the sights or the firearm.
- Be cautious of your fingers and hands when operating the tool to prevent pinching or injury.
- Only use the tool in a welllit area to ensure visibility during operation.

Instructions for Installation and Usage

1. Preparation:

- Ensure that your Glock firearm is unloaded and pointed in a safe direction.
- Remove the slide from the frame of the Glock according to the manufacturer's instructions.

2. Setting Up the Sight Pusher:

- Place the Glock slide securely into the slide locking base of the Sight Pusher.
- Adjust the locking mechanism to ensure that the slide is held firmly in place.

3. Changing the Sights:

- Identify the type of sight you are replacing (factory or aftermarket).
- Align the 4mm press block tooth with the sight's dovetail slot.
- Use the Easy Torque Handle™ to apply gentle pressure to the sight, ensuring that you do not exceed the necessary force.
- Once the sight is removed, insert the new sight into the dovetail slot and repeat the process to secure it in place.

4. Final Checks:

- Inspect the installation to ensure that the sight is properly aligned and secured.
- Reattach the slide to the frame of the Glock according to the manufacturer's instructions.

Disposal Instructions

- Dispose of any packaging materials responsibly by recycling where possible.
- If the Sight Pusher becomes damaged beyond repair, dispose of it in accordance with local waste disposal regulations.

Contact Information for Further Support

For any inquiries regarding the Sight Pusher for Glock, please refer to the manufacturer's contact information provided in the product packaging or visit their official website.

By adhering to these safety guidelines and instructions, you can ensure a safe and effective experience while using the Sight Pusher for Glock. Thank you for prioritizing safety and responsible usage.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk