

BITTY DOT MOUNTS - TEXAS WEAPON SYSTEMS BITTY DOT MOUNT FOR RED DOT SIGHT PICATINNY 5-SLOT BLACK

[Optics & Mounting](#) > [Electronic Sights](#) > [Mounting Hardware](#)

Texas Weapon Systems Bitty Dot Mount™ (BDM) – smallest, lightest, beefiest, little red dot mount you can buy! This tiny little mount is engineered with big features for superior performance and rugged durability. Product Details Large front tab with girder design is super stiff yet very light (just 1.3 oz) Integral rear sight follows original AK design Lowest possible optic mount surface for lower 1/3 co-witness Solidly attaches to sight block with the proven nut plate from the G3 DogLeg™ rail Single larger bolt secures the system, no tiny screws to strip out 6061-T6 Aluminum with matte hard black anodize finish Easy installation / no permanent mods required Lifetime warranty 5 slot Picatinny Rail and is compatible with low profile red dot sights. Fits Russian and Yugo pattern AK rifles with standard rear sight block. Kit Includes Sight Mount Hinge Pin with E-clip Nut plate 8-32 x 5/16 socket head cap screw Instructions BDM0: Has a 5 slot Picatinny Rail and is compatible with low profile red dot sights. BDM1: Compatible with the Aimpoint Micro, Primary Arms, Holosun, Vortex Sparc, and other micro clone variants. BDM2: Compatible with the Trijicon MRO. BDM3: Compatible with Doctor, Burris FF, Vortex Viper/Venom. BDM4: Compatible with the Trijicon RMR.



Attributes

- Name: [TEXAS WEAPON SYSTEMS BITTY DOT MOUNT FOR RED DOT SIGHT PICATINNY 5-SLOT BLACK](#)
- Manufacturer: [TEXAS WEAPON SYSTEMS](#)
- Product no.: 430105012
- Mfr. No.: 36100
- Colour: Black
- Fits / Used For: Low Profile Red Dot Sights
- Weapon type: AK-47
- Delivery weight: 0.037kg
- Shipping height: 25mm
- Shipping width: 76mm
- Shipping length: 127mm
- UPC: 857740007390

Item details

Made in USA

Table of Contents

- Startpage
- BITTY DOT MOUNTS TEXAS WEAPON SYSTEMS BITTY DOT MOUNT SAFETY INSTRUCTIONS
- About Us

BITTY DOT MOUNTS TEXAS WEAPON SYSTEMS

BITTY DOT MOUNT SAFETY INSTRUCTIONS

Introduction

Thank you for choosing the Texas Weapon Systems Bitty Dot Mount™ (BDM). This product is designed to enhance your shooting experience by providing a reliable and durable mounting solution for your red dot sight. To ensure safe and effective use, please read and follow these safety instructions carefully.

General Safety Guidelines

- Ensure the Bitty Dot Mount is compatible with your firearm and red dot sight before installation.
- Always handle firearms with care and follow all safety protocols associated with firearm use.
- Regularly inspect the mount and red dot sight for any signs of wear or damage.
- Keep the mount and sight clean and free from debris to maintain optimal performance.
- Store the mount in a dry, cool place when not in use to prevent corrosion or damage.

Specific Safety Precautions for Use

- **Potential Hazards:**
 - Improper installation may lead to the sight becoming loose or detaching during use.
 - Using incompatible sights may result in malfunction or damage.
- **Avoiding Hazards:**
 - Ensure all screws and components are securely tightened before use.
 - Do not exceed the manufacturer's specified weight limit for the mounted sight.
 - Avoid using the mount in extreme weather conditions without proper precautions.
- **AgeRelated Warnings:**
 - This product is not intended for use by individuals under the age of 18 without adult supervision.

Instructions for Installation and Usage

1. Installation:

- Gather all components included in the kit: sight mount, hinge pin with Eclip, nut plate, and 832 x 5/16 socket head cap screw.
- Begin by attaching the nut plate to the sight block of your firearm using the provided bolt.
- Align the Bitty Dot Mount with the nut plate and secure it using the larger bolt. Ensure it is tightened securely.
- Verify that the mount is stable and does not wobble before proceeding to attach the red dot sight.
- Follow the specific compatibility instructions for your red dot sight model (BDM0, BDM1, BDM2, BDM3, BDM4) to ensure proper attachment.

2. Usage:

- Once installed, check the alignment of your red dot sight and make any necessary adjustments.
- Test the mount by gently shaking the firearm to ensure that the sight remains securely attached.
- Always perform a function check before heading to the range or field.

Disposal Instructions

- Dispose of the Bitty Dot Mount and any packaging materials in accordance with local regulations.
- If the product is damaged or no longer in use, consider recycling materials where possible.

Contact Information for Further Support

For any safety inquiries or additional support regarding the Bitty Dot Mount, please refer to the manufacturer's contact information provided in the product packaging or on the official website.

By following these safety instructions, you can ensure a safe and enjoyable experience with your Texas Weapon Systems Bitty Dot Mount. Always prioritize safety and responsible firearm use.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk