

TWF FULL/COMPACT TEXTURED FRAME - LONE WOLF DIST. TWF FULL/COMPACT TEXTURED FRAME BUILT BLACK

[Handgun Parts](#) > [Frame Parts](#) > [Frames](#)

When Lone Wolf first launched the original Timberwolf frame, one of the first questions was “when will it be available in 9mm, .40 S&W, and .357SIG?” That time is now, because they’ve revamped and upgraded the design to bring you the Timberwolf Full Size. The first thing you’ll notice is that the TWF fits in your hand like a much smaller pistol. The TWF-C and TWF-F accept Gen3 and Gen4 G17,17L,22,24,31,34,35, and 37 slides. When using a Gen4 slide you simply remove the installed adapter in the dust cover area of the frame. Using Gen3 slides you leave the adapter in place to fill the gap between the slide and dust cover. The TWF includes the dust cover adapter, removable magazine well, and interchangeable backstraps (TWL & TWF backstraps are interchangeable) No matter what your shooting goal is, the TWF will fit your needs. Whether you want a gun for backwoods carry, a longslide for competition, a slim and easy to carry 9mm for personal protection, or just want to build the coolest gun at the range, the Timberwolf Fullsize can make your dreams come true.

Assembled frames come with the following parts installed. If purchasing a bare frame with parts kit the same parts are used but not installed, if you are using your own parts please note most parts are GEN3 parts except the magazine catch and trigger housing which requires a GEN4 style part. Part Name TWF LWD Extended Slide Stop 3 Pin LWD-7496 LWD Ext Slide Lock Lever Black LWD-ESLL LWD Connector 3.5 lb LWD-342 LWD Trigger Spring 6 lb LWD-350-6 LWD Trigger Pin LWD-420 LWD Locking Block Pin LWD-4368 LWD Slide Lock Spring LWD-5446 LWD Locking Block LWD-1447 LWD Trigger Housing Pin (Black) LWD-427B LWD Universal Trigger Housing LWD-UTH-9 LWD Mag Catch Spring LWD-280 LWD Magazine Catch Reversible (Gen 4) LWD-7534 LWD Trigger Bar LWD-3608 LWD Polymer Trigger Shoe, Black (Standard, non adjustable) LWD-PolyShoe *When swapping mag catch directions you must REMOVE the magazine catch spring, do NOT just pry the spring around the mag catch, frame damage will occur.



Attributes

- Name: [LONE WOLF DIST. TWF FULL/COMPACT TEXTURED FRAME BUILT BLACK](#)
- Manufacturer: [LONE WOLF DIST.](#)
- Product no.: 430105229
- Mfr. No.: LWD-TWF3-BUILT
- Capacity: 0-Round
- Cartridge: Multi
- Finish: Black
- Length: 8"
- Model: 17L,37,31,24,34,35,17,22
- Style: Complete
- Weapon type: Glock
- Delivery weight: 0.272kg
- Shipping height: 57mm
- Shipping width: 140mm
- Shipping length: 222mm
- UPC: 639737071849

Item details

Made in USA

US export classification: 0A509.c

Table of Contents

- Startpage
- TWF Full/Compact Textured Frame Safety Instruction Guide
- About Us

TFW Full/Compact Textured Frame Safety Instruction Guide

Introduction

Thank you for choosing the TWF Full/Compact Textured Frame from Lone Wolf Dist. This guide is designed to provide you with essential safety information to ensure the safe use of your product. Please read this manual carefully before using the frame.

General Safety Guidelines

- Ensure that you are familiar with the operation of the TWF Full/Compact Textured Frame before use.
- Always treat the frame as if it is loaded, even when you believe it is not.
- Keep the frame out of reach of children and unauthorized users.
- Use protective eyewear and hearing protection when operating the firearm.
- Regularly inspect the frame for any signs of wear or damage.
- Follow all local laws and regulations regarding firearm usage.

Specific Safety Precautions for Use

- Always ensure the firearm is pointed in a safe direction when loading or unloading.
- Do not rely solely on the safety mechanism; always keep your finger off the trigger until ready to shoot.
- Avoid using the frame in adverse conditions (e.g., wet, muddy, or icy environments) to prevent loss of control.
- When using Gen4 slides, remove the installed adapter in the dust cover area of the frame as instructed.
- When using Gen3 slides, ensure that the adapter is left in place to fill the gap between the slide and dust cover.
- When swapping the magazine catch directions, remove the magazine catch spring to prevent damage to the frame.

Instructions for Installation and Usage

1. Assembling the Frame

- Ensure you have the necessary parts before assembly.
- Install the following parts:
 - TWF LWD Extended Slide Stop
 - LWD Extended Slide Lock Lever
 - LWD Connector
 - LWD Trigger Spring
 - LWD Trigger Pin
 - LWD Locking Block Pin
 - LWD Slide Lock Spring
 - LWD Locking Block
 - LWD Trigger Housing Pin
 - LWD Universal Trigger Housing
 - LWD Magazine Catch Spring
 - LWD Magazine Catch
 - LWD Trigger Bar
 - LWD Polymer Trigger Shoe
- Note: If using your own parts, ensure that most parts are GEN3 parts, except for the magazine catch and trigger housing, which require GEN4 style parts.

2. Using the Frame

- Familiarize yourself with the frame's features and controls.
- Load the firearm according to the manufacturer's instructions.
- Practice safe shooting techniques at a designated shooting range.
- Clean and maintain the frame regularly to ensure optimal performance.

Disposal Instructions

- Dispose of any parts or materials in accordance with local regulations.
- Do not dispose of the frame in regular household waste.
- Contact local waste management authorities for guidance on proper disposal methods.

Contact Information for Further Support

For any questions or concerns regarding the TWF Full/Compact Textured Frame, please refer to the manufacturer's contact information provided with your product. Always ensure you are following the latest safety guidelines and recommendations.

By following these safety instructions, you can enhance your experience and ensure safe usage of your TWF Full/Compact Textured Frame. Thank you for your attention to safety!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk