

# **CUSTOMIZABLE TWO-POINT SLINGS - Edgar Sherman Design**

## **CUSTOMIZABLE TWO-POINT SLING AOR1-DESERT DIGITAL**

[Shooting Accessories](#) > [Slings & Sling Swivels](#) > [Slings](#)

The Edgar Sherman Design Sling, ESD Sling, was designed with purpose, research extreme testing, and experience. The ESD Sling is adaptable to the end-user. The ESD Sling is highly customizable to any rifle, sub-gun, shotgun, hunting rifle, bolt action, and PDW weapon system. There are two adjustment sections on the ESD sling. A rear adjustment section to fit the ESD sling to your body size and additional gear. And a quick-adjust section to loosen or tighten the sling while in use. The ESD Sling adjustment system is more adaptable to natural body movement and body mechanics. The 1-inch width of the ESD sling has less friction than wider slings and allows the ESD sling to move across your body without resistance. The ESD sling has a new updated elastic regulator preventing webbing from twisting or jamming when adjusting. This elastic has a natural pull tab that allows the sling to be folded upon itself and stored tightly on the weapon system. This feature is great for patrol vehicle storage or bag/pack/case storage. Simply pull on the ESD Sling to deploy the sling to its full length. Key Features NEW MK 1.5 updated elastic is featured on all slings to quicken and ease the stowing functionality of the sling. NEW MK 1.5 updated tags for a cleaner, more legible, and higher fade-resistant logo NEW MK 1.5 Made in USA and Berry Amendment Compliant tag hid in the rear section of the sling ESD Pull Tab featured on all slings! Enhanced grip for easier adjustability. Quick-adjust moves naturally in both opening and closing Super lightweight Streamline design Can fold into itself for vehicle operations and quickly be released from storage Berry Amendment compliant materials 20+inches of adjustment in the rear section of the strap Open Ends: This means that you will have an ITW tri-glide on each end of the sling to secure your attachment method. You could add any connection method for your rifle that you'd like and if needed trim the sling to your size (this is standard on most rifle slings). Hand-made in the USA



### **Attributes**

- Name: [Edgar Sherman Design CUSTOMIZABLE TWO-POINT SLING AOR1-DESERT DIGITAL](#)
- Manufacturer: [Edgar Sherman Design](#)
- Product no.: 430105380
- Mfr. No.: ESD-SL-AOR1
- Colour: AOR1-Desert Digital
- Material: Nylon
- Style: 2-point
- Width: 2"
- Delivery weight: 0.113kg
- Shipping height: 38mm
- Shipping width: 76mm
- Shipping length: 279mm
- UPC: 850027445632

### **Item details**

Made in USA

# Table of Contents

- Startpage
- CUSTOMIZABLE TWOPOINT SLING Safety Instructions
- About Us

# **CUSTOMIZABLE TWOPOINT SLING Safety Instructions**

## **Introduction**

Thank you for choosing the Edgar Sherman Design CUSTOMIZABLE TWOPOINT SLING. This guide provides essential safety instructions to ensure the safe and effective use of your sling. Please read this document carefully before use.

## **General Safety Guidelines**

- Ensure that the sling is compatible with your firearm before use.
- Inspect the sling for any signs of wear or damage before each use.
- Always use the sling in a safe environment, free from obstacles or hazards.
- Keep the sling out of reach of children and vulnerable individuals.
- Report any unsafe products or accidents to the appropriate authorities.
- Regularly check for recall updates on the EU's Safety Gate platform.

## **Specific Safety Precautions for Use**

- Adjust the sling to fit your body size and any additional gear properly.
- Do not exceed the recommended weight limit when using the sling with your firearm.
- Ensure that the sling is securely attached to your firearm before use.
- Avoid using the sling in extreme weather conditions, which may affect its performance.
- Maintain a proper grip on your firearm while using the sling to prevent accidental discharge.
- Be aware of your surroundings and ensure that the firearm is pointed in a safe direction at all times.

## **Instructions for Installation and Usage**

### **1. Installation:**

- Attach the ITW triglide to each end of the sling to secure your attachment method.
- If necessary, trim the sling to your preferred length. This is standard for most rifle slings.
- Ensure that the sling is properly threaded through the triglide and secured.

### **2. Usage:**

- Adjust the rear section of the sling to fit your body size and additional gear.
- Use the quickadjust section to loosen or tighten the sling while in use.
- To deploy the sling, simply pull on the ESD Sling to extend it to its full length.
- When not in use, fold the sling onto itself and store it tightly on the weapon system for easy transport.

## **Disposal Instructions**

- Dispose of the sling in accordance with local regulations regarding textile and plastic waste.
- Do not burn the sling, as it may release harmful substances into the environment.

## **Contact Information for Further Support**

For any questions or concerns regarding the use of your CUSTOMIZABLE TWOPOINT SLING, please contact the manufacturer or refer to the product packaging for further assistance.

Thank you for your attention to these safety instructions. Enjoy your experience with the CUSTOMIZABLE TWOPOINT SLING!

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)