

AT OPTIC MOUNTS - BRAVO COMPANY BCM LOWER 1/3 AT OPTIC MOUNT FOR AIMPOINT MICRO T2

[Optics & Mounting](#) > [Electronic Sights](#) > [Mounting Hardware](#)

BCM® A/T™ Optic Mounts Capability in the face of the unexpected and catastrophic, the BCM A/T Mount is built in anticipation of a “no fail” shot that will save another human life. PERFORMANCE WITHOUT PEER Improving on Mil-Spec rail interfaces dating back over 30 years, the BCM A/T mount delivers unprecedented zero retention on a properly mounted red dot optic. Low profile and snag-free, BCM A/T Mounts are built with a minimal number of components - delivering a stronger component with less points of failure, ready to take on dynamic and adverse settings. Each A/T Mount features multiple integral recoil lugs to mitigate recoil and counter recoil to preserve your zero and ensure “no fail” shots are placed where intended by the trained rifleman. Starting at 2.15 oz, each 7075T6 billet mount is hard coat anodized per Mil-A-8625F. Additionally, both the steel alloy clamp and nut are hardened with Nitride coating. THE ANGLED TORQUE™ LOCK-UP A/T (Angled Torque) mounts employ angled torque through a patented* clamp which applies triangulating force to create a stronger and more reliable lock up of the mount onto the end user’s rail. To retain the hardware in field conditions, this system uses a serrated locking spring-washer to prevent the loss of torque on the shaft nut. With an equivalent load applied, the A/T Mount delivers approximately twice the clamping force at the picatinny rail, versus a legacy horizontal interface. * US Patent D973.826, and other patents pending THE FLEET The A/T fleet is built optimized for both a variety of missions and proven red dot optics. Aimpoint® T-2, T-1 and CompM5 series: The Marksman lower 1/3 co-witness The Close Combat 1.93” Trijicon® MRO® The Marksman lower 1/3 co-witness The Close Combat 1.93” MADE IN AMERICA All BCM components and accessories unite state of the art manufacturing with lightweight and durable materials to ensure components that last a lifetime, performing far beyond performance requirements established nearly six decades ago. Aimpoint, T-2, T-1, CompM5 trademarks are property of Aimpoint Inc. Trijicon, MRO trademarks are property of Trijicon Inc.



Attributes

- Name: [BRAVO COMPANY BCM LOWER 1/3 AT OPTIC MOUNT FOR AIMPOINT MICRO T2](#)
- Manufacturer: [BRAVO COMPANY](#)
- Product no.: 430106543
- Mfr. No.: BCM-OM-AT-21
- Colour: Black
- Fits / Used For: Aimpoint Micro T1
- Height: -
- Delivery weight: 0.454kg
- Shipping height: 70mm
- Shipping width: 95mm
- Shipping length: 114mm
- UPC: 812526023834

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for AT Optic Mounts Bravo Company BCM Lower 1/3 AT Optic Mount for Aimpoint Micro T2](#)
- [About Us](#)

Safety Instruction Guide for AT Optic Mounts

Bravo Company BCM Lower 1/3 AT Optic Mount for Aimpoint Micro T2

Introduction

Thank you for choosing the AT Optic Mounts Bravo Company BCM Lower 1/3 AT Optic Mount for Aimpoint Micro T2. This product is designed to provide a secure and reliable mounting solution for your optic, ensuring optimal performance in various conditions. Please read this safety instruction guide carefully to ensure safe and effective use of the product.

General Safety Guidelines

- Ensure that all components are free from damage before installation.
- Always follow the manufacturer's instructions for installation and usage.
- Regularly inspect the mount and optic for any signs of wear or damage.
- Do not exceed the specified weight limit for the mount.
- Keep the product out of reach of children to prevent accidental use.
- Report any unsafe products or accidents to the appropriate authorities.
- Stay informed about product recalls via the EU Safety Gate platform.

Specific Safety Precautions for Use

- **Installation Safety:** Ensure that the mounting surface is clean and free from debris before installation.
- **Torque Specifications:** Use the recommended torque settings when securing the mount to prevent overtightening, which can damage the product.
- **Recoil Management:** Ensure that the recoil lugs are properly engaged to mitigate recoil effects and maintain zero.
- **Environmental Considerations:** Avoid using the optic mount in extreme temperatures or harsh environments unless specified by the manufacturer.
- **User Training:** Familiarize yourself with the optic and mount before use. Proper training is essential for safe operation.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools, including a torque wrench and appropriate screwdrivers.
- Ensure that your workspace is clean and welllit.

2. Installation:

- Align the BCM A/T Mount with the desired position on the rail.
- Place the mount onto the rail, ensuring that the recoil lugs are properly seated.
- Use the provided screws to secure the mount. Tighten each screw gradually in a crisscross pattern to ensure even pressure.
- Refer to the torque specifications provided in the product manual to avoid overtightening.

3. Optic Attachment:

- Once the mount is securely installed, attach your Aimpoint Micro T2 optic according to the optic's user manual.

- Ensure that the optic is properly aligned and securely fastened.

4. **Final Checks:**

- Inspect the mount and optic for proper alignment and security.
- Test the setup by performing a function check to ensure that the optic holds zero under recoil.

Disposal Instructions

When disposing of the AT Optic Mount, please follow these guidelines:

- **Recycling:** If the product is made of recyclable materials, please recycle it according to local regulations.
- **General Waste:** If recycling is not an option, dispose of the product in accordance with local waste disposal regulations.
- **Hazardous Materials:** Ensure that any hazardous materials are disposed of in a safe and environmentally friendly manner.

Contact Information for Further Support

For any inquiries regarding safety, installation, or product support, please refer to the manufacturer's website or contact their customer service directly.

Thank you for choosing the AT Optic Mounts Bravo Company BCM Lower 1/3 AT Optic Mount for Aimpoint Micro T2. By following these safety instructions, you can ensure a safe and effective experience with your product.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk