

AT OPTIC MOUNTS - BRAVO COMPANY BCM LOWER 1/3 AT OPTIC MOUNT FOR TRIJICON MRO

[Optics & Mounting](#) > [Electronic Sights](#) > [Mounting Hardware](#)

BCM® A/T™ Optic Mounts Capability in the face of the unexpected and catastrophic, the BCM A/T Mount is built in anticipation of a "no fail" shot that will save another human life. PERFORMANCE WITHOUT PEER Improving on Mil-Spec rail interfaces dating back over 30 years, the BCM A/T mount delivers unprecedented zero retention on a properly mounted red dot optic. Low profile and snag-free, BCM A/T Mounts are built with a minimal number of components - delivering a stronger component with less points of failure, ready to take on dynamic and adverse settings. Each A/T Mount features multiple integral recoil lugs to mitigate recoil and counter recoil to preserve your zero and ensure "no fail" shots are placed where intended by the trained rifleman. Starting at 2.15 oz, each 7075T6 billet mount is hard coat anodized per Mil-A-8625F. Additionally, both the steel alloy clamp and nut are hardened with Nitride coating. THE ANGLED TORQUE™ LOCK-UP A/T (Angled Torque) mounts employ angled torque through a patented* clamp which applies triangulating force to create a stronger and more reliable lock up of the mount onto the end user's rail. To retain the hardware in field conditions, this system uses a serrated locking spring-washer to prevent the loss of torque on the shaft nut. With an equivalent load applied, the A/T Mount delivers approximately twice the clamping force at the picatinny rail, versus a legacy horizontal interface. * US Patent D973.826, and other patents pending THE FLEET The A/T fleet is built optimized for both a variety of missions and proven red dot optics. Aimpoint® T-2, T-1 and CompM5 series: The Marksman lower 1/3 co-witness The Close Combat 1.93" Trijicon® MRO® The Marksman lower 1/3 co-witness The Close Combat 1.93" MADE IN AMERICA All BCM components and accessories unite state of the art manufacturing with lightweight and durable materials to ensure components that last a lifetime, performing far beyond performance requirements established nearly six decades ago. Aimpoint, T-2, T-1, CompM5 trademarks are property of Aimpoint Inc. Trijicon, MRO trademarks are property of Trijicon Inc.



Attributes

- Name: [BRAVO COMPANY BCM LOWER 1/3 AT OPTIC MOUNT FOR TRIJICON MRO](#)
- Manufacturer: [BRAVO COMPANY](#)
- Product no.: 430106545
- Mfr. No.: BCM-OM-AT-271
- Colour: Black
- Fits / Used For: Trijicon MRO
- Height: -
- Delivery weight: 0.454kg
- Shipping height: 70mm
- Shipping width: 95mm
- Shipping length: 114mm
- UPC: 812526023858

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for AT OPTIC MOUNTS BRAVO COMPANY BCM LOWER 1/3 AT OPTIC MOUNT FOR TRIJICON MRO
- About Us

Safety Instruction Guide for AT OPTIC MOUNTS

BRAVO COMPANY BCM LOWER 1/3 AT OPTIC

MOUNT FOR TRIJICON MRO

Introduction

Thank you for choosing the BCM A/T Optic Mount for your Trijicon MRO. This guide provides essential safety instructions and usage information to ensure the safe and effective use of this product. Please read this guide carefully before installation and use.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose as described in this manual.
- Keep the product out of reach of children and vulnerable individuals to prevent accidental injury.
- Regularly inspect the mount for any signs of wear or damage before each use.
- If you notice any defects or issues, discontinue use immediately and contact the manufacturer for assistance.
- Always follow local laws and regulations regarding the use of optical mounts and firearms.

Specific Safety Precautions for Use

- Ensure that the BCM A/T Mount is compatible with your Trijicon MRO before installation.
- Do not exceed the manufacturer's recommended torque specifications when installing the mount.
- Avoid overtightening the mount, as this can lead to damage or failure.
- Be aware of your surroundings and ensure safe handling of firearms when using the mount.
- Always wear appropriate safety gear, such as eye protection, when using firearms equipped with the mount.

Instructions for Installation and Usage

1. Installation Instructions

- Ensure that the mounting surface is clean and free of debris.
- Align the BCM A/T Mount with the rail on your firearm.
- Secure the mount using the provided clamp and nut, ensuring that it is tightened to the manufacturer's specifications.
- Use a torque wrench to apply the correct amount of torque to prevent loosening during use.
- Verify that the mount is securely attached by gently attempting to move it. It should not shift or loosen.

2. Usage Instructions

- Once installed, attach your Trijicon MRO to the BCM A/T Mount according to the manufacturer's instructions.
- Check the zero of your optic after installation to ensure proper alignment.
- Regularly inspect the mount and optic for any signs of movement or wear during use.
- If you experience any issues with zero retention or stability, reassess the installation and torque settings.

Disposal Instructions

- Dispose of the BCM A/T Mount and any packaging materials in accordance with local regulations.
- Do not dispose of the product in household waste. Instead, consider recycling options where available.
- Ensure that any electronic components (if applicable) are disposed of in accordance with local electronic waste regulations.

Contact Information for Further Support

For any questions or concerns regarding the BCM A/T Optic Mount, please refer to the manufacturer's website or contact their customer support for assistance.

By following these guidelines, you can ensure the safe and effective use of your BCM A/T Optic Mount for Trijicon MRO. Thank you for prioritizing safety and compliance with EU regulations.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk