

.300 AAC BLACKOUT CALIBER CONVERSION KIT FOR STEYR AUG® A3M1 - HERESY DESIGN INC. AUG A3M1 CONVERSION KIT 300 AAC BLACKOUT CAL. 16.3" BBL BLK

[Rifle Parts](#) > [Barrel Parts](#) > [Rifle Barrels](#)

Engineered to perfection and built for performance, the Heresy Design® 16.3" AUG® owners to easily switch calibers and shoot suppressed, even with subsonic ammunition, with minimal gas blowback. Ships with a barrel assembly. FEATURES 5/8x24 Threaded Barrel Compatible with Standard and NATO stocks Easy Install without Modification Upgraded Gas Piston System Pistol Length Gas Port for Subsonic Operation Suppressor Ready 3-Setting Adjustable Gas System Anodized Aluminum Quad Rails with Heat Isolators Isonite coated wear parts Limited Lifetime Warranty Not compatible with Steyr AUG A3 SA Models



Attributes

- Name: [HERESY DESIGN INC. AUG A3M1 CONVERSION KIT 300 AAC BLACKOUT CAL. 16.3" BBL BLK](#)
- Manufacturer: [HERESY DESIGN INC.](#)
- Product no.: 430106910
- Mfr. No.: HB16B
- Cartridge: 300 AAC Blackout
- Finish: Black
- Length: 16.3"
- Model: AUG A3M1
- Twist: 1-8
- Weapon type: Steyr
- Delivery weight: 1.588kg
- Shipping height: 127mm
- Shipping width: 127mm
- Shipping length: 508mm
- UPC: 850055721043

Item details

Made in USA

US export classification: 0A501.c

Table of Contents

- Startpage
- Safety Instruction Guide for .300 AAC BLACKOUT CALIBER CONVERSION KIT FOR STEYR AUG® A3M1
- About Us

Safety Instruction Guide for .300 AAC BLACKOUT CALIBER CONVERSION KIT FOR STEYR AUG® A3M1

Introduction

Thank you for choosing the .300 AAC BLACKOUT CALIBER CONVERSION KIT for your Steyr AUG® A3M1. This conversion kit is designed to enhance your shooting experience by allowing you to switch calibers easily and shoot suppressed ammunition with minimal gas blowback. This guide provides essential safety instructions and guidelines to ensure safe and effective use of the product.

General Safety Guidelines

- Always treat your firearm as if it is loaded, even if you believe it to be unloaded.
- Store your firearm and conversion kit securely and out of reach of children and unauthorized users.
- Use only the specified ammunition (.300 AAC Blackout) with this conversion kit to avoid malfunction or injury.
- Always wear appropriate eye and ear protection when shooting.
- Ensure that you are in a safe shooting environment, away from people and property.
- Regularly inspect your conversion kit for signs of wear or damage.
- Follow all local laws and regulations regarding firearm use and ownership.

Specific Safety Precautions for Use

- Ensure the conversion kit is properly installed before use. Refer to the installation instructions in the following section.
- Do not attempt to modify the conversion kit or use it in a manner not intended by the manufacturer.
- Be aware of the gas system's settings and adjust them according to the ammunition being used (subsonic or supersonic).
- Avoid using subsonic ammunition without ensuring the gas system is set appropriately for such use.
- Be cautious when handling the firearm after shooting, as the barrel and other components may become hot.
- If you experience any malfunctions or irregularities during use, stop using the firearm immediately and consult a qualified gunsmith.

Instructions for Installation and Usage

Installation Instructions

1. **Unpack the Kit:** Carefully remove the conversion kit from its packaging. Ensure all components are present.
2. **Prepare Your Firearm:** Ensure your Steyr AUG® A3M1 is unloaded and safe to work on.
3. **Remove the Existing Barrel:** Follow the manufacturer's instructions to safely remove the existing barrel from your firearm.
4. **Install the New Barrel:**
 - Align the new .300 AAC BLACKOUT barrel with the receiver.
 - Securely fasten the barrel according to the manufacturer's specifications.
5. **Adjust the Gas System:**
 - Set the gas system to the appropriate setting for the ammunition you intend to use.
 - Ensure the gas piston is correctly positioned.
6. **Reassemble the Firearm:**
 - Reattach any other components that were removed during the process.

- Doublecheck that everything is securely fastened.

7. **Perform a Function Check:** Before shooting, ensure the firearm operates correctly with the new conversion kit installed.

Usage Instructions

- Load the firearm with the appropriate 300 AAC Blackout ammunition.
- Ensure the gas system is set according to the type of ammunition (subsonic or supersonic) you are using.
- Aim at a safe target and fire only when you are sure of your surroundings.
- After shooting, check the firearm for any signs of malfunction or wear.

Disposal Instructions

When disposing of the conversion kit or any related components, follow these guidelines:

- Dispose of the conversion kit in accordance with local regulations regarding firearm parts.
- Do not dispose of any ammunition in regular trash. Follow local guidelines for hazardous waste disposal.
- Ensure that all components are rendered unusable before disposal to prevent unauthorized use.

Contact Information for Further Support

For any questions or concerns regarding the .300 AAC BLACKOUT CALIBER CONVERSION KIT, please refer to the manufacturer's website or contact their customer service for assistance.

Thank you for your attention to these safety instructions. Your safety and the safety of others depend on your responsible use of the .300 AAC BLACKOUT CALIBER CONVERSION KIT. Enjoy your shooting experience!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk