

REIN 3.0 DUAL-FUEL WEAPONLIGHT - CLOUD DEFENSIVE REIGN 3.0 DUAL-FUEL WEAPONLIGHT 1250-LUMEN MLOK FDE

[Shooting Accessories](#) > [Flashlights & Accessories](#) > [Weapon Lights](#)

PERFORMANCE: An average of 100,000 Candela in the full-size configuration represents a seismic leap in capability for the user. Over 44% more than the closest competitor. It means more light on-target, better situational awareness, and improved survivability. Run-time standards per ANSI/PLATO-FL1 ensure your light performs as long as you need it. Due to enhanced thermal upgrades, the REIN light head CANNOT be used on any MCH lights. Simply, the light head gets too hot which can cause damage to the electrical components. Run-time standard per ANSI/PLATO-FL1 = 95 minutes for the full-size REIN. The ANSI/PLATO-FL1 standard for runtime is: The amount of time until the light reaches 10% of its original output. **POWER:** The REIN uses a USA-made, state-of-the-art electrical system. That gives us the output, efficiency, and run-time. Uses a single 18650 battery. The REIN is now DUAL FUEL. CR123A batteries are now allowed. However, if you use CR123A, expect performance degradation. Cloud Defensive supply a branded Samsung 18650 30Q with the REIN. Please note, REIN will produce usable light for multiple hours. Accepts ALL protected and unprotected 18650 batteries. Accepts both button-top and flat-top batteries. **DIMENSIONS:** 1.3" bezel diameter lower mounting lug height profile REIN Length: 6.17" **WEIGHT:** REIN weight with Remote Switch and Battery: 6.91oz **COMPATIBILITY:** REIN ships standard with a Torrent MLOK Inline. Cloud Defensive offers a full line-up of Torrent mounts for different mounting needs. REIN is fully compatible with existing Scout Light® mounts on the market. **REMOTE SWITCH:** The REIN switch has proven to be good both electrically and in durability. The remote switch is electrically isolated from the push-button switch located on the tail cap. Tail-cap cartridge is easily replaceable and allows for "clocking" so you can minimize cable exposure, without removing the tail of the light. momentary and constant-on features. integrated cable control. electrically isolated **GENERAL INFO:** Modular 3-piece design. With a modular electrical system and remote switch, REIN is upgradeable as subsequent generations are released. Please read more details on generational compatibility on the REIN FAQ page. IPX-8 waterproof rating. Fully submersible to 100 feet for 24 hours. Fully-potted remote switch included. Strongest-in-class lens. The glass on the REIN is 3mm thick. It can take multiple hits from 5.56mm Simunition rounds, at contact-distance. Patented Battery Jack feature. This allows you to properly tension the battery inside the system to avoid battery bounce. This lengthens the life of your system and increases reliability. The exposed cable for the remote switch is 5" long. Shockproof. Dustproof. Durable. Lifetime Warranty - with only a few exceptions. Please see warranty info for full details. Made in the USA. Output Specs & New Features 100,000 Candela peak beam intensity (With 18650) 1250 Lumens output (With 18650) 65 minutes run-time (With 18650) Dual-Fuel capability. 1.3" bezel diameter. 6.17" in length. Reduced mounting lug height. INCLUDED IN BOX 1 REIN 1 Remote switch tail cap assembly with integrated push button 2 LCS side plates with hardware 1 Torrent MLOK Inline, with all mounting hardware 1 Cloud Defensive labeled Nitecore Charger 1 18650 battery



Attributes

- Name: [CLOUD DEFENSIVE REIGN 3.0 DUAL-FUEL WEAPONLIGHT 1250-LUMEN MLOK FDE](#)
- Manufacturer: [CLOUD DEFENSIVE](#)
- Product no.: 430107145
- Mfr. No.: REIN 3.0-DF-S-650 FDE
- Battery: 18650 Li-ion
- Lumens: 1250
- Style: Weapon Mounted
- Delivery weight: 0.454kg
- Shipping height: 51mm
- Shipping width: 102mm
- Shipping length: 127mm
- UPC: 850016201942

Item details

Made in USA

This product contains a battery.

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for REIN 3.0 DualFuel Weaponlight](#)
- [About Us](#)

Safety Instruction Guide for REIN 3.0 DualFuel Weaponlight

Introduction

Thank you for choosing the REIN 3.0 DualFuel Weaponlight. This guide provides essential safety instructions to ensure the safe and effective use of your new product. Please read this guide carefully before use.

General Safety Guidelines

- Always ensure that the REIN 3.0 is used in accordance with the manufacturer's instructions.
- Store the weaponlight in a cool, dry place away from direct sunlight and extreme temperatures.
- Keep the weaponlight out of reach of children and vulnerable individuals.
- Regularly check for any signs of damage or wear on the weaponlight and its components.
- Report any unsafe products or incidents to the relevant authorities.

Specific Safety Precautions for Use

• Battery Safety:

- Only use the recommended battery type (18650 Liion or CR123A) as specified by the manufacturer.
- Do not mix different battery types or brands.
- Ensure that the battery is installed correctly, following the polarity markings.
- Avoid exposing the battery to extreme temperatures, moisture, or fire.

• Electrical Safety:

- Do not use the REIN 3.0 if the remote switch or any electrical components are damaged.
- Ensure the remote switch is electrically isolated from the pushbutton switch during use.

• Heat Safety:

- Be aware that the light head can become very hot during use. Avoid direct contact with the light head.
- Do not use the REIN light head on MCH lights to prevent overheating and potential damage.

• Waterproof Rating:

- The REIN 3.0 has an IPX8 waterproof rating. It is fully submersible to 100 feet for 24 hours; however, avoid unnecessary exposure to water.

Instructions for Installation and Usage

• Installation:

1. Attach the REIN 3.0 to your weapon using the included Torrent MLOK Inline mount.
2. Secure the mount with all provided hardware to ensure stability.

• Battery Installation:

1. Remove the tail cap of the weaponlight.
2. Insert the recommended battery (18650 or CR123A) into the battery compartment, ensuring

- correct polarity.
3. Replace the tail cap securely.

- **Using the Remote Switch:**

- Connect the remote switch to the light head.
- Use the integrated push button for momentary or constant features.
- Adjust the cable to minimize exposure without removing the tail of the light.

- **Operating the Light:**

- Turn on the light by pressing the push button on the remote switch or the tail cap.
- To turn off, press the button again.
- For momentary use, press and hold the button.

Disposal Instructions

- Dispose of the REIN 3.0 and its batteries in accordance with local regulations.
- Do not dispose of batteries in household waste. Instead, use designated battery recycling points.
- Follow local electronic waste disposal guidelines for the weaponlight.

Contact Information for Further Support

For any inquiries or support regarding the REIN 3.0 DualFuel Weaponlight, please refer to the manufacturer's website or customer support resources.

This safety instruction guide is designed to help you use the REIN 3.0 safely and effectively. Always prioritize safety and adhere to the guidelines provided for optimal performance and longevity of your weaponlight.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk