

HANNIBAL RAIL FOR RUGER® MINI-14® & RUGER® MINI THIRTY® - SAMSON MANUFACTURING CORP HANNIBAL RAIL FOR RUGER MINI-14 & THIRTY-2008/LATER BLACK

[Rifle Parts](#) > [Build Kits](#) > [Handguards & Rails](#)

Complete your Ruger® Mini-14® , Mini Thirty® or Ruger® AC-556 with this precision machined direct optic mount solution from Samson. **IMPORTANT:** The Hannibal Rail is currently offered for 2008 and later Mini-14® or Mini Thirty®, or 2007 and earlier Mini-14® (in both black and natural gray). **NOTE** - It also fits on the Ruger AC-556. Refer to the Ruger® serial number lookup on their website if you are unsure what year your rifle was manufactured. It is very important that the correct combination of Hannibal Rail and barrel type is used. If during installation there are any fitment concerns, immediately stop and contact Samson Mfg. customer service. Choose 2008 and Later Mini-14® or Mini Thirty® (Black or Natural Gray) if your rifle has a factory flange barrel and a series number beginning with 580 and higher. Choose 2007 and Earlier Mini-14® ONLY (Black or Natural Gray) if your rifle has a factory straight pencil barrel and a series number beginning with 181 and higher, but not including 580 and higher. Directly mount a micro red dot forward of the action without the need for a Picatinny rail clamp adapter. The integrated Picatinny rail on top of the Hannibal Rail is perfect for mounting any accessory your heart desires, and gives your rifle a more tactical look. The included 2" Picatinny rail and QD swivel mount can be attached to the side of the Hannibal Rail for even more accessory mounting options. The Hannibal Rail accepts red dot optics compatible with the following footprints: Trijicon RMR® Leupold DeltaPoint® Pro Vortex VENOM® C-MORE **NOTE:** With the large number of micro red dots currently available on the market, along with any that may come out in the near future, it is impossible to guarantee that every single one will be compatible with the Hannibal Rail. Whether it's minor changes in the optic footprint, or differences in the optic mounting screw thread pitch, Samson Mfg. customer service will do everything they can to answer any compatibility questions you may be having. **INCLUDES** Hannibal rail Barrel clamp 2" Picatinny rail section QD swivel mount Blue thread locker SCREWS: 4X 10-32 x 3/8 low head screw (2X 2" picatinny rail section, 2X QD swivel mount) 4X 6-32 x 3/8 socket head screw (2X barrel clamp, 2X micro red dot optional) 2X MR1 pins (Trijicon RMR®, Leupold DeltaPoint® Pro) 2X MR2 pins (C-MORE, Vortex VENOM®) Hex Wrenches: 9/64" 7/64" 3/32" 1/16" **FEATURES** Compatible with Samson Mfg's A-TM Folding Stock (see **IMPORTANT** information above for Mini-14® and Mini Thirty® compatibility) Replaces factory plastic handguard Mounts directly to barrel, allowing the use of most aftermarket Mini-14® stocks Allows mounting of micro red dot **Specifications:** Material: 6061-T6 Aluminum Finish: Type III, class 2 anodized finish Length: 9.9" Width: 1.5" Height: 0.7" Weight: 5.6 oz. **NOTE:** OPTIC NOT INCLUDED



Attributes

- Name: [SAMSON MANUFACTURING CORP HANNIBAL RAIL FOR RUGER MINI-14 & THIRTY-2008/LATER BLACK](#)
- Manufacturer: [SAMSON MANUFACTURING CORP](#)
- Product no.: 430107459
- Mfr. No.: 03-00265-01

- Colour: Black
- Length: 9.9"
- Material: Aluminum
- Model: Mini-14,Mini-30
- Style: Picatinny
- Weapon type: Ruger
- Delivery weight: 0.159kg
- Shipping height: 83mm
- Shipping width: 83mm
- Shipping length: 273mm
- UPC: 850028390207

Item details

Made in USA

US export classification: 0A501.y.1

Table of Contents

- Startpage
- Safety Instruction Guide for HANNIBAL RAIL FOR RUGER® MINI14® & RUGER® MINI THIRTY®
- About Us

Safety Instruction Guide for HANNIBAL RAIL FOR RUGER® MINI14® & RUGER® MINI THIRTY®

Introduction

Thank you for choosing the HANNIBAL RAIL FOR RUGER® MINI14® & RUGER® MINI THIRTY®. This product is designed to enhance the functionality of your Ruger® Mini14® or Mini Thirty® rifles with a reliable optic mounting solution. The following safety guidelines and instructions are provided to ensure your safe and effective use of this product.

General Safety Guidelines

- Always read and understand the product instructions before installation and use.
- Ensure that the product is compatible with your specific model of Ruger® firearm.
- Keep this product out of reach of children and unauthorized users.
- Inspect the product regularly for any signs of wear or damage.
- Do not use the product if it appears damaged or malfunctioning.
- Report any unsafe products or accidents to the relevant authorities.
- Stay updated on recall notices through the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Ensure that your firearm is unloaded before installing the Hannibal Rail.
- Use only the recommended screws and tools provided with the product to avoid damage.
- Avoid overtightening screws, which can lead to product failure.
- Do not modify the Hannibal Rail or attempt to use it in any way not specified in the instructions.
- Be cautious when mounting optics; improper installation can affect the safety and performance of your firearm.
- Always wear appropriate eye protection when using your firearm.

Instructions for Installation and Usage

Installation Steps

1. Preparation:

- Ensure the firearm is unloaded and safe to handle.
- Gather all necessary tools, including the provided hex wrenches.

2. Mounting the Hannibal Rail:

- Align the Hannibal Rail with the barrel of your Ruger® Mini14® or Mini Thirty®.
- Secure the rail using the provided barrel clamp and screws:
 - 4X 1032 x 3/8 low head screws for the Picatinny rail section and QD swivel mount.
 - 4X 632 x 3/8 socket head screws for the barrel clamp.
- Ensure that all screws are tightened to the recommended specifications without overtightening.

3. Attaching Accessories:

- Use the integrated Picatinny rail to mount your chosen optic or accessory.
- Follow the manufacturer's instructions for the specific optic you are using.

4. Final Checks:

- Inspect the installation to ensure everything is securely fastened.
- Test the fitment of your accessories to ensure they are stable and properly mounted.

Usage Instructions

- After installation, familiarize yourself with the operation of your firearm, ensuring that the added rail does not interfere with its functionality.
- Always handle your firearm safely and responsibly, following all local laws and regulations.

Disposal Instructions

- Dispose of the product in accordance with local regulations for aluminum materials.
- Ensure that all components are disposed of safely to prevent environmental harm.

Contact Information for Further Support

For any inquiries or support regarding the HANNIBAL RAIL, please refer to the manufacturer's website or contact their customer service department directly.

This guide has been prepared in compliance with the EU General Product Safety Regulation (GPSR) to ensure your safety and satisfaction with the HANNIBAL RAIL FOR RUGER® MINI14® & RUGER® MINI THIRTY®. Thank you for your attention to these important safety instructions.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk