

# AR-15 PREMIUM MIL-SPEC BUFFER TUBE ASSEMBLY WITH SUPER 42 - GEISSELE AUTOMATICS AR15 PREMIUM MILSPEC BUFFER TUBE ASSEMBLY W/SUPER 42, H3 DDC

[Rifle Parts](#) > [Receiver Parts](#) > [Buffer Tube Parts](#) > [Buffer Tubes](#)

The Geissele Premium Mil-Spec Buffer Tube is machined from quality 7075-T6 Aluminum and finished in Type 3 Hardcoat Anodize, available in Black or Geissele's DDC. This rigid and durable buffer tube conforms to all mil-spec standards and features 6 stock positions. This carbine length and mil-spec diameter Premium Buffer Tube is made in the USA and weighs in at 3.7oz, making it the perfect fit for your AR-15 lower and ensuring compatibility with most mil-spec diameter quality AR-15 stocks. Included in the package is a high-quality, mil-spec castle nut and end plate. The Geissele Super 42 Spring was designed to improve the function and reliability of your AR-15 pattern rifle. Its unique spring design uses three independent strands of wire, just like the German MG42 Machine Gun. This concept acts as a harmonic damper and energy absorber by allowing the springs to flex separately from each other. This flex helps displace excess energy which decreases the chance of spring failure and assists with making your AR-15 more reliable. Compared to the stock spring, The Geissele Super 42 Spring has a decreased tendency to lose length and force over a given round count. As an added bonus, it removes the annoying spring reverberations (twang) heard and felt by the shooter through the buttstock. The Super 42 Spring has a 15% stronger average return force than the standard buffer spring. This will assist in stripping rounds out of the magazine when operating with a dirty weapon or when using steel-case ammo.



## Attributes

- Name: [GEISSELE AUTOMATICS AR15 PREMIUM MILSPEC BUFFER TUBE ASSEMBLY W/SUPER 42, H3 DDC](#)
- Manufacturer: [GEISSELE AUTOMATICS](#)
- Product no.: 430107546
- Mfr. No.: 08-163S-H3
- Style: Mil-Spec
- Weapon type: AR-15
- Delivery weight: 0.499kg
- Shipping height: 83mm
- Shipping width: 83mm
- Shipping length: 375mm
- UPC: 817953027011

## Item details

Made in USA  
US export classification: 0A501.y.1

# Table of Contents

- Startpage
- Safety Instruction Guide for AR15 Premium MilSpec Buffer Tube Assembly with Super 42
- About Us

# Safety Instruction Guide for AR15 Premium MilSpec Buffer Tube Assembly with Super 42

## Introduction

Thank you for choosing the Geissele Premium MilSpec Buffer Tube Assembly with Super 42. This product is designed to enhance the performance and reliability of your AR15 pattern rifle. Please read this safety instruction guide carefully to ensure safe usage and compliance with the EU General Product Safety Regulation (GPSR).

## General Safety Guidelines

- Ensure that all users of this product are familiar with firearm safety principles.
- Always handle firearms with care and treat every firearm as if it is loaded.
- Store this product in a secure location, away from children and unauthorized users.
- Regularly check for wear and damage to the buffer tube assembly and its components.
- Report any unsafe products or accidents to the relevant authorities immediately.
- Stay updated on any recall notices or safety alerts via the EU's Safety Gate platform.

## Specific Safety Precautions for Use

- Always use the buffer tube assembly in conjunction with compatible milspec AR15 stocks.
- Avoid using the buffer tube assembly with nonmilspec components, as this may lead to malfunctions or safety hazards.
- Inspect the buffer tube assembly before each use for signs of damage, such as cracks or excessive wear.
- Ensure that the buffer tube is securely installed to prevent it from loosening during operation.
- When using the Geissele Super 42 Spring, be aware that it has a stronger return force; ensure proper handling to avoid injury.
- Do not modify or alter the buffer tube assembly in any way, as this may compromise safety and reliability.

## Instructions for Installation and Usage

### 1. Installation:

- Ensure that your firearm is unloaded and the safety is engaged.
- Remove the existing buffer tube assembly if applicable.
- Align the new Geissele Premium MilSpec Buffer Tube with the lower receiver.
- Securely attach the buffer tube using the included milspec castle nut and end plate.
- Verify that the buffer tube is properly locked in place and does not move.

### 2. Usage:

- Before firing, ensure that the buffer tube assembly is correctly installed and secure.
- Familiarize yourself with the operation of your AR15 and the functionality of the buffer tube assembly.
- Regularly clean and maintain the buffer tube and its components to ensure optimal performance.
- If you experience any malfunctions, cease use immediately and inspect the assembly for issues.

## Disposal Instructions

- Dispose of the buffer tube assembly and its components in accordance with local regulations.
- Do not dispose of the product in regular household waste.

- Consider recycling metal components where possible.

## Contact Information for Further Support

For any safety inquiries or additional support regarding the Geissele Premium MilSpec Buffer Tube Assembly with Super 42, please refer to the contact information provided on the product packaging or visit the manufacturer's website.

By following these safety guidelines and instructions, you can ensure the safe and effective use of your Geissele Premium MilSpec Buffer Tube Assembly with Super 42. Thank you for prioritizing safety in your firearm practices.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)