

DUSK G19 GEN3 RMR CUT COMPLETE SLIDE - LONE WOLF DIST. DUSK G19 GEN3 9MM LUGER RMR CUT COMPLETE SLIDE BLACK

[Handgun Parts](#) > [Slide Parts](#) > [Slides](#)

The DUSK19 upper includes a new DUSK19 profile slide made of 17-4SS and finished in either an attractive black nitride or a selection of great PVD options such as flat dark earth, oil rubbed bronze, or graphite gray. Front and rear serrations on the slide provide ease of chambering and press-check. The slide is reflex sight-ready with the DUSK19 optic cover plate included, which is compatible with both Trijicon RMR/SRO and Holosun 407/507/508 (Non-K Models) footprints. Additionally, this slide includes a ? co-witness or suppressor height Night Fision Stealth Series sight with a Tritium insert for clear sight vision from DUSK to dawn. The upper also includes a 416 stainless-steel PVD coated barrel with the new DUSK 19 profile and is available in either threaded or non-threaded. The hood pocket and lateral ribs reduce bearing surface for faster cycling and coating wear resistance. Swapping your OEM slide or finishing your pistol build with the DUSK19 Complete Upper enhances both the shootability, versatility and reliability of the platform. Key Features: Reflex Sight Ready with DUSK optic cover plate included Stainless steel Nitride or PVD coated barrel with DUSK profile Front & rear serrations for ease of chambering and press check Specs: Non-Threaded Barrel Length (breach - muzzle): 3.90" Chamber: 9x19 OEM & Aftermarket parts compatible* LWA Nitride SS Guide Rod & End Cap



Attributes

- Name: [LONE WOLF DIST. DUSK G19 GEN3 9MM LUGER RMR CUT COMPLETE SLIDE BLACK](#)
- Manufacturer: [LONE WOLF DIST.](#)
- Product no.: 430107744
- Mfr. No.: LWD-DKSLIDE19-G
- Cartridge: 9 mm Luger
- Finish: Black
- Model: 19
- Sights: RMR
- Style: Assembled
- Weapon type: Glock
- Delivery weight: 0.567kg
- Shipping height: 203mm
- Shipping width: 57mm
- Shipping length: 229mm
- UPC: 840235900672

Item details

Made in USA

US export classification: 0A501.c

Table of Contents

- Startpage
- DUSK G19 GEN3 RMR CUT COMPLETE SLIDE SAFETY INSTRUCTIONS
- About Us

DUSK G19 GEN3 RMR CUT COMPLETE SLIDE SAFETY INSTRUCTIONS

Introduction

Thank you for choosing the DUSK G19 GEN3 RMR Cut Complete Slide by Lone Wolf Dist. This guide provides essential safety instructions and usage guidelines to ensure safe handling and operation of your product. Please read this document carefully before using the slide.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Always handle the firearm and its components with care, treating every firearm as if it is loaded.
- Keep the slide and all firearm components out of reach of children and unauthorized users.
- Regularly inspect the slide for any signs of damage or wear before use.
- Follow all local laws and regulations regarding firearm ownership and usage.
- Report any unsafe products or accidents to the appropriate authorities.

Specific Safety Precautions for Use

- **Avoid Modifications:** Do not alter or modify the slide in any way that may affect its performance or safety.
- **Proper Handling:** Always point the firearm in a safe direction when handling.
- **Use Appropriate Ammunition:** Only use 9mm Luger ammunition with this slide.
- **Check Compatibility:** Ensure that all parts and accessories are compatible with the DUSK G19 GEN3 before installation.
- **Sighting System:** Ensure that the Night Fision Stealth Series sight is properly installed and aligned for optimal performance.
- **Wear Protective Gear:** Always wear appropriate eye and ear protection when using the firearm.

Instructions for Installation and Usage

1. Preparation:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Gather all necessary tools for installation.

2. Installation:

- Remove the OEM slide from the Glock 19 frame.
- Carefully install the DUSK G19 GEN3 slide onto the Glock 19 frame, ensuring proper alignment with the frame rails.
- Secure the slide in place, making sure it operates smoothly.

3. Sighting:

- Install the included Night Fision Stealth Series sight according to the manufacturer's instructions.
- Adjust the sight for windage and elevation as needed.

4. Testing:

- Conduct a function check to ensure that the slide operates correctly with the frame.
- Load the firearm with appropriate ammunition and perform a test fire in a safe environment.

5. Maintenance:

- Regularly clean and lubricate the slide according to the manufacturer's recommendations.
- Inspect the slide and barrel for any signs of wear or damage after use.

Disposal Instructions

- Dispose of the slide and any associated components in accordance with local regulations.
- Do not dispose of the slide in regular household waste.
- Contact your local waste management authority for guidelines on the safe disposal of firearm components.

Contact Information for Further Support

For any questions or concerns regarding the DUSK G19 GEN3 RMR Cut Complete Slide, please consult the manufacturer or authorized dealer for assistance.

By following these safety instructions, you can ensure a safer and more enjoyable experience with your DUSK G19 GEN3 RMR Cut Complete Slide. Thank you for your attention to safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk