

# **DUSK G19 GEN3 RMR CUT COMPLETE SLIDE - LONE WOLF DIST.**

## **DUSK G19 GEN3 9MM LUGER RMR CUT COMPLETE SLIDE GRAPHITE**

[Handgun Parts](#) > [Slide Parts](#) > [Slides](#)

The DUSK19 upper includes a new DUSK19 profile slide made of 17-4SS and finished in either an attractive black nitride or a selection of great PVD options such as flat dark earth, oil rubbed bronze, or graphite gray. Front and rear serrations on the slide provide ease of chambering and press-check. The slide is reflex sight-ready with the DUSK19 optic cover plate included, which is compatible with both Trijicon RMR/SRO and Holosun 407/507/508 (Non-K Models) footprints. Additionally, this slide includes a ? co-witness or suppressor height Night Fision Stealth Series sight with a Tritium insert for clear sight vision from DUSK to dawn. The upper also includes a 416 stainless-steel PVD coated barrel with the new DUSK 19 profile and is available in either threaded or non-threaded. The hood pocket and lateral ribs reduce bearing surface for faster cycling and coating wear resistance. Swapping your OEM slide or finishing your pistol build with the DUSK19 Complete Upper enhances both the shootability, versatility and reliability of the platform. Key Features: Reflex Sight Ready with DUSK optic cover plate included Stainless steel Nitride or PVD coated barrel with DUSK profile Front & rear serrations for ease of chambering and press check Specs: Non-Threaded Barrel Length (breach - muzzle): 3.90" Chamber: 9x19 OEM & Aftermarket parts compatible\* LWA Nitride SS Guide Rod & End Cap



### **Attributes**

- Name: [LONE WOLF DIST. DUSK G19 GEN3 9MM LUGER RMR CUT COMPLETE SLIDE GRAPHITE](#)
- Manufacturer: [LONE WOLF DIST.](#)
- Product no.: 430107745
- Mfr. No.: LWD-DKSLIDE19-G3-GG-BUILT
- Cartridge: 9 mm Luger
- Finish: Graphite
- Model: 19
- Sights: RMR
- Style: Assembled
- Weapon type: Glock
- Delivery weight: 0.567kg
- Shipping height: 203mm
- Shipping width: 57mm
- Shipping length: 229mm
- UPC: 840235900696

### **Item details**

Made in USA

US export classification: 0A501.c

# Table of Contents

- Startpage
- DUSK G19 GEN3 RMR CUT COMPLETE SLIDE USER SAFETY INSTRUCTIONS
- About Us

# DUSK G19 GEN3 RMR CUT COMPLETE SLIDE USER SAFETY INSTRUCTIONS

## Introduction

Thank you for purchasing the DUSK G19 GEN3 RMR CUT COMPLETE SLIDE. This product has been designed with safety and performance in mind. Please read this safety instruction guide thoroughly to ensure safe usage and compliance with the EU General Product Safety Regulation (GPSR).

## General Safety Guidelines

- Always handle firearms with care and treat every firearm as if it is loaded.
- Ensure that the product is used only by individuals who are of legal age and have the necessary training and experience.
- Store the slide and any associated components securely, out of reach of children and unauthorized users.
- Regularly inspect the slide for any signs of wear, damage, or malfunction.
- Follow all local laws and regulations regarding firearm modifications, usage, and safety.
- Be aware of your surroundings and ensure a safe shooting environment at all times.

## Specific Safety Precautions for Use

### • Potential Hazards:

- Improper installation can lead to malfunctions.
- Failure to use appropriate ammunition can cause damage or injury.
- Neglecting to maintain the slide can result in unsafe operating conditions.

### • Instructions for Avoiding Hazards:

- Always ensure that the slide is properly installed according to the manufacturer's guidelines.
- Use only compatible ammunition (9mm Luger) specified for this slide.
- Perform regular cleaning and maintenance to ensure proper functioning.

### • Warnings:

- This product is not suitable for individuals under the age of 18.
- Do not use the slide with any aftermarket parts that are not explicitly stated as compatible.
- If you experience any malfunctions or irregularities, cease use immediately and consult a qualified gunsmith.

## Instructions for Installation and Usage

### 1. Installation:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Remove the OEM slide from the firearm according to the manufacturer's instructions.
- Align the DUSK G19 GEN3 slide with the frame and ensure it is seated properly.
- Securely attach the slide and ensure all components are functioning correctly.
- Install the DUSK optic cover plate if using a reflex sight.

### 2. Usage:

- Always perform a presscheck before chambering a round to ensure the firearm is ready for use.

- Use the front and rear serrations to assist with chambering and press checks.
- Ensure that the Night Fision Stealth Series sight is properly aligned for optimal visibility.
- When using the reflex sight, ensure it is securely mounted and calibrated.

### **3. PostUsage:**

- After use, clean the slide and inspect it for any signs of wear or damage.
- Store the slide and any components securely in a designated location.

## **Disposal Instructions**

- Dispose of the slide and any associated components in accordance with local regulations.
- Do not dispose of the slide in regular household waste.
- Contact your local waste management authority for guidance on proper disposal methods.

## **Contact Information for Further Support**

For any inquiries regarding safety, installation, or usage of the DUSK G19 GEN3 RMR CUT COMPLETE SLIDE, please refer to the manufacturer's website or contact the appropriate support channels.

**Important Note:** Always stay informed about product recalls and safety updates. Report any unsafe products or accidents to the relevant authorities and check the EU's Safety Gate platform for the latest information. Your safety is our priority.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)