

SCT 43X SUB COMPACT ASSEMBLED POLYMER FRAME - SCT MANUFACTURING SCT 43X SC ASSEMBLED POLYMER FRAME FOR GLOCK 43X & 48 ODG

[Handgun Parts](#) > [Frame Parts](#) > [Frames](#)

The SCT Manufacturing Glock® Compatible Sub Compact complete assembled frame is going to change the way you build pistols. It is the only frame at this price point packed with this level of features. This is a serialized frame with shooter-oriented ergonomics. Polished stainless steel over molded rails provide the optimal platform that is ready to build. They are made with an industry leading proprietary polymer blend and compatible with Glock® 43X and 48 components. Each frame is assembled using a combination of Glock® OEM and SCT manufactured parts by a certified armorer. The last step of each frame assembly is function testing utilizing a Glock® factory slide checking for safe operation, striker engagement, trigger pull, trigger reset, & magazine function ensuring the end user is left with a frame that needs nothing but a slide assembly right out of the box! FEATURES Fully assembled with SCT SC frame with Glock® OEM and SCT internals. Serrations and index point on trigger guard to help control recoil Serrations on top of beaver tail reduce glare Flared mag well Ambidextrous mag release Thumb Accelerator pad Advanced contour grip with aggressive texturing Modified Factory Picatinny with addition al mounting slot. Extended beaver tail with low profile bore axis Grip angle is the same as Glock® Slide stop guard Larger trigger guard for better access with gloves Recessed contoured mag release area for faster mag changes Multi caliber- Compatible with compact 9mm & .380 Frame assembly includes: SCT SC polymer frame, electroless nickel locking block, OEM trigger assembly, standard polymer magazine catch, magazine catch spring, steel trigger pin, steel locking block pin, standard OEM slide lock, slide lock coil spring, polymer trigger housing pin, OEM trigger housing with ejector, standard slide stop assembly & polished 4.5 lb. electroless nickel trigger connector. Disclaimer: SCT Manufacturing recommends the installation of mating components be performed by a certified gunsmith to ensure proper function and safety. Due to variations in third party parts and accessories, SCT Manufacturing will not be held liable for any damage caused to you and/or your firearm as a result of aftermarket accessory use.



Attributes

- Name: [SCT MANUFACTURING SCT 43X SC ASSEMBLED POLYMER FRAME FOR GLOCK 43X & 48 ODG](#)
- Manufacturer: [SCT MANUFACTURING](#)
- Product no.: 430107849
- Mfr. No.: 02-2602-00-00-I
- Barrel Length: NA
- Capacity: 0-Round
- Cartridge: 9 mm Luger, .380 Auto (ACP)
- Finish: Outdoor Green
- Length: 7"
- Model: 43X, 48
- Style: Complete
- Weapon type: Glock
- Weight: 1 lb

- Delivery weight: 0.454kg
- Shipping height: 76mm
- Shipping width: 152mm
- Shipping length: 254mm
- UPC: 850055982253

Item details

Made in USA

US export classification: 0A509.c

Table of Contents

- Startpage
- Safety Instruction Guide for SCT 43X Sub Compact Assembled Polymer Frame
- About Us

Safety Instruction Guide for SCT 43X Sub Compact Assembled Polymer Frame

Introduction

Thank you for choosing the SCT 43X Sub Compact Assembled Polymer Frame. This product is designed to enhance your shooting experience while ensuring safety and functionality. Please read this safety instruction guide thoroughly to understand how to use, install, and maintain your frame properly.

General Safety Guidelines

- Always treat your firearm and its components as if they are loaded.
- Ensure that you are in a safe environment when handling the frame.
- Keep the frame out of reach of children and unauthorized users.
- Always wear appropriate protective gear, including eye and ear protection, when using firearms.
- Be aware of your surroundings and ensure a safe backdrop when shooting.
- Regularly inspect your firearm and components for wear and damage.
- Follow all local laws and regulations regarding firearms and their components.

Specific Safety Precautions for Use

- Only use the SCT 43X frame with compatible Glock® 43X and 48 components.
- Ensure that all components are installed correctly before use.
- Do not modify the frame or its components in any way that could affect safety or functionality.
- If you experience any malfunctions, cease use immediately and consult a certified gunsmith.
- Be cautious of the trigger area to prevent accidental discharge.
- Always use the firearm in a safe and responsible manner.

Instructions for Installation and Usage

Installation Instructions

1. **Preparation:** Ensure that all components are clean and free of debris.
2. **Assembly:**
 - Insert the electroless nickel locking block into the designated area of the frame.
 - Install the OEM trigger assembly according to the manufacturer's specifications.
 - Attach the standard polymer magazine catch and secure it with the magazine catch spring.
 - Insert the steel trigger pin and the steel locking block pin to secure the locking block.
 - Install the standard OEM slide lock and slide lock coil spring.
 - Insert the polymer trigger housing pin and the OEM trigger housing with ejector.
 - Finally, attach the standard slide stop assembly and the polished 4.5 lb. electroless nickel trigger connector.
3. **Function Testing:** After assembly, conduct a function test using a Glock® factory slide to ensure safe operation. Check for:
 - Striker engagement
 - Trigger pull
 - Trigger reset
 - Magazine function

Usage Instructions

- Load the firearm only when you are ready to shoot.
- Always point the firearm in a safe direction.
- Keep your finger off the trigger until you are ready to fire.

- After shooting, unload the firearm and ensure it is stored safely.

Disposal Instructions

- Dispose of any damaged or obsolete components responsibly.
- Follow local regulations for the disposal of firearms and firearm components.
- Contact local waste management authorities for guidance on safe disposal methods.

Contact Information for Further Support

For any inquiries or assistance regarding the SCT 43X Sub Compact Assembled Polymer Frame, please refer to the contact details provided by your retailer or manufacturer.

This safety instruction guide is provided to help you use the SCT 43X frame safely and effectively. Please keep this guide for future reference and ensure that all users of this product are familiar with its contents. Always prioritize safety and responsible firearm practices.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk