

STANDARD TRITIUM SIGHTS FOR SMITH & WESSON & RUGER® - XS SIGHT SYSTEMS STANDARD DOT FRONT SIGHT S&W J FRAME & RUGER SP101 WHITE

[Handgun Parts](#) > [Sights](#) > [Sight Sets](#)

The XS Standard Dot tritium night sight is a superior defensive sight. Fits S&W J-Frame with pinned front sight and Ruger SP101 with a fixed rear. Precision machined in Fort Worth, TX, XS Sights feature a Standard Dot Tritium front sight for fast sight acquisition in all light conditions. Standard Dot is larger than most fronts to be seen under stress, but covers less of the target than the Big Dot. White dot reflects ambient light for visibility in low light. Day-Light, Half-Light, or Low-Light, place the bottom of the dot in the bottom of the sight channel and center the dot over your target within 15 yards. Outside Diameter Standard Dot 0.140"; fits in common holsters. Installation requires a drill press to drill the retaining pin hole in sight body.



Attributes

- Name: [XS SIGHT SYSTEMS STANDARD DOT FRONT SIGHT S&W J FRAME & RUGER SP101 WHITE](#)
- Manufacturer: [XS SIGHT SYSTEMS](#)
- Product no.: 430109174
- Mfr. No.: RV-0001N-4
- Model: J Frame
- Sight Color: Green
- Style: Fixed
- Weapon type: Smith & Wesson
- Delivery weight: 0.068kg
- Shipping height: 32mm
- Shipping width: 127mm
- Shipping length: 203mm
- UPC: 647533025485

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for STANDARD TRITIUM SIGHTS FOR SMITH & WESSON & RUGER® XS SIGHT SYSTEMS
- About Us

Safety Instruction Guide for STANDARD TRITIUM SIGHTS FOR SMITH & WESSON & RUGER® XS SIGHT SYSTEMS

Introduction

Thank you for choosing the XS Standard Dot Tritium Night Sight for your Smith & Wesson J Frame or Ruger SP101. This guide provides important safety instructions and guidelines to ensure the safe use and installation of your new sight. Please read and follow these instructions carefully to maximize your safety and the performance of the product.

General Safety Guidelines

- Ensure that the sight is installed correctly to prevent any malfunction during use.
- Always handle firearms and accessories with care, following all local laws and regulations.
- Keep the sight and your firearm out of reach of children and unauthorized users.
- Regularly inspect the sight for any signs of wear or damage before use.
- If you experience any issues with the sight, discontinue use and seek professional assistance.

Specific Safety Precautions for Use

- Avoid using the sight in conditions where visibility is severely impaired beyond its intended use.
- Do not attempt to modify or disassemble the sight, as this may compromise its safety and functionality.
- When using the sight, ensure that your firearm is pointed in a safe direction at all times.
- Be aware of your surroundings and ensure that you have a clear line of sight to your target.
- If the sight becomes damaged or malfunctions, do not use it until it has been inspected and repaired by a qualified professional.

Instructions for Installation and Usage

1. Installation Requirements:

- You will need a drill press to drill the retaining pin hole in the sight body.
- Ensure you have the right tools and a clean workspace before starting the installation.

2. Installation Steps:

- Remove the existing front sight from your Smith & Wesson J Frame or Ruger SP101.
- Position the XS Standard Dot Tritium front sight in place of the old sight.
- Use the drill press to carefully drill the retaining pin hole in the sight body as per the specifications.
- Secure the sight in place using the retaining pin.

3. Usage Instructions:

- To use the sight effectively, place the bottom of the dot in the bottom of the sight channel.
- Center the dot over your target within a distance of 15 yards for optimal sight acquisition.
- The white dot reflects ambient light, enhancing visibility in lowlight conditions.

Disposal Instructions

- Dispose of the sight in accordance with local regulations regarding electronic waste and hazardous materials.

- Do not dispose of the sight in regular household waste. Check with local authorities for proper disposal methods.

Contact Information for Further Support

For any questions or concerns regarding the use of your XS Standard Dot Tritium Night Sight, please contact the manufacturer or an authorized dealer for assistance. Always refer to the warranty and service information provided with your product for further support.

Thank you for your attention to these safety instructions. Your safety and satisfaction are our top priorities.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk